

```
Windows PowerShell
Directory: C:\Program Files\MySQL\MySQL Workbench 8.0 CE

Mode                LastWriteTime         Length Name
----                -
-a-----         10-01-2025         01:46         7127104 mysql.exe

PS C:\Users\DELL> & "C:\Program Files\MySQL\MySQL Server 9.2\bin\mysql.exe" -u root -p
Enter password: ****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 9
Server version: 9.2.0 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE ormllearn;
Query OK, 1 row affected (0.04 sec)

mysql> SHOW DATABASES;
+-----+
| Database |
+-----+
| erp_system |
| exercise_1_pl/sql |
| information_schema |
| javaclass |
| mydb |
| mysql |
| ormllearn |
| performance_schema |
| sakila |
| sys |
| world |
+-----+
11 rows in set (0.02 sec)
```

```
mysql> USE ormllearn;
Database changed
mysql> SELECT DATABASE();
+-----+
| DATABASE() |
+-----+
| ormllearn |
+-----+
1 row in set (0.00 sec)

mysql> SELECT DATABASE();
+-----+
| DATABASE() |
+-----+
| ormllearn |
+-----+
1 row in set (0.00 sec)

mysql> |
```

File Edit Selection View Go Run Terminal Help

2.2

EXPLORER

- 2.2
 - orm-learn
 - src
 - main
 - java
 - com
 - cognizant
 - App.java
 - resources
 - application.properties

application.properties

```
1 spring.datasource.url=jdbc:mysql://localhost:3306/ormlearn
2 spring.datasource.username=root
3 spring.datasource.password=1234
4
5 spring.jpa.hibernate.ddl-auto=update
6 spring.jpa.show-sql=true
7 spring.jpa.properties.hibernate.format_sql=true
```

OUTLINE

TIMELINE

MAVEN

Java: Warning

Ln 7, Col 48 Spaces: 4 UTF-8 CRLF {} Java Properties 8:8 Go Live Prettier

File Edit Selection View Go Run Terminal Help

2.2

EXPLORER

- 2.2
 - github
 - vscode
 - orm-learn
 - src
 - main
 - java
 - com
 - cognizant
 - ormlearn
 - model
 - Country.java

Country.java

```
1 package com.cognizant.ormlearn.model;
2
3 import jakarta.persistence.Entity;
4 import jakarta.persistence.Id;
5 import jakarta.persistence.Table;
6
7 @Entity
8 @Table(name = "country")
9 public class Country {
10
11     @Id
12     private String code;
13
14     private String name;
15
16     public Country() {
17     }
18
19     public Country(String code, String name) {
20         this.code = code;
21         this.name = name;
22     }
23
24     public String getCode() {
25         return code;
26     }
27
28     public void setCode(String code) {
29         this.code = code;
30     }
31
32     public String getName() {
33         return name;
34     }
35
36     public void setName(String name) {
37         this.name = name;
38     }
39 }
```

OUTLINE

TIMELINE

JAVA PROJECTS

MAVEN

Java: Ready

Ln 1, Col 38 Spaces: 4 UTF-8 CRLF {} Java 8:8 Go Live Prettier

File Edit Selection View Go Run Terminal Help

2.2

EXPLORER

- 2.2
 - github
 - vscode
 - orm-learn
 - src
 - main
 - java
 - com
 - cognizant
 - ormlearn
 - model
 - Country.java

OrmLearnApplication.java

```
1 package com.cognizant.ormlearn;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5
6 @SpringBootApplication
7 public class OrmLearnApplication {
8
9     Run | Debug
10     public static void main(String[] args) {
11         SpringApplication.run(OrmLearnApplication.class, args);
12     }
13 }
```

OUTLINE




TIMELINE

JAVA PROJECTS

MAVEN

Java: Ready

Ln 13, Col 2 Spaces: 4 UTF-8 CRLF {} Java 8:8 Go Live Prettier



```
File Edit Selection View Go Run Terminal Help 22
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
2.2
> .github
> .vscode
> orm-learn
  > src
    > main
      > java
        > com
          > cognizant
            > ormlearn
              > App.java
                > resources
                  > application.properties
                > test
                > target
                > pom.xml
  > OUTLINE
  > TIMELINE
  > JAVA PROJECTS
  > MAVEN
PS D:\VIT\cognizant DN 5.0\2.2\orm-learn> mvn spring-boot:run
Found 0 JPA repository interfaces.
2026-07-12T05:14:42.097405:30 INFO 8208 --- [main] o.h.ibernate.jpa.internal.util.LogHelper : H##000204: Processing PersistenceUnitInfo [name: default]
2026-07-12T05:14:42.122405:30 INFO 8208 --- [main] org.hibernate.Version : H##000412: Hibernate ORM core version 6.6.18.Final
2026-07-12T05:14:42.148405:30 INFO 8208 --- [main] o.h.c.internal.RegionFactoryInitiator : H##000026: Second-level cache disabled
2026-07-12T05:14:42.346405:30 INFO 8208 --- [main] o.s.o.j.p.SpringPersistenceUnitInfo : No LoadTimeWeaver setup: ignoring JPA class transformer
2026-07-12T05:14:42.364405:30 INFO 8208 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
2026-07-12T05:14:42.668405:30 INFO 8208 --- [main] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Added connection com.mysql.cj.jdbc.
2026-07-12T05:14:43.187405:30 INFO 8208 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
2026-07-12T05:14:43.734405:30 INFO 8208 --- [main] org.hibernate.orm.connections.pooling : H##0001005: Database info:
Database JDBC URL [connecting through datasource 'HikariDataSource (HikariPool-1)']
Database driver: undefined/unknown
Database version: 9.2
Autocommit mode: undefined/unknown
Isolation level: undefined/unknown
Minimum pool sizes: undefined/unknown
Maximum pool size: undefined/unknown
2026-07-12T05:14:43.874405:30 INFO 8208 --- [main] o.h.e.t.j.p.i.JtaPlatformInitiator : H##000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)
Hibernate:
create table country (
  code varchar(255) not null,
  name varchar(255),
  primary key (code)
) engine=InnoDB
2026-07-12T05:14:43.264405:30 INFO 8208 --- [main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
2026-07-12T05:14:43.362405:30 INFO 8208 --- [main] c.c.OrmLearn.OrmLearnApplication : Started OrmLearnApplication in 1.986 seconds (process running for 2.205)
2026-07-12T05:14:43.366405:30 INFO 8208 --- [jvmShutdownHook] j.LocalContainerEntityManagerFactoryBean : Closing JPA EntityManagerFactory for persistence unit 'default'
2026-07-12T05:14:43.374405:30 INFO 8208 --- [jvmShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown initiated...
2026-07-12T05:14:43.374405:30 INFO 8208 --- [jvmShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown completed.
[INFO] BUILD SUCCESS
[INFO] Total time: 6.406 s
[INFO] Finished at: 2026-07-12T05:14:43+05:30
[INFO]
```

```
Windows PowerShell
MySQL Shell 8.0.40
MySQL Server 9.2.0

PS C:\Users\DELL> & "C:\Program Files\MySQL\MySQL Server 9.2\bin\mysql.exe" -u root -p
Enter password: ****
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 21
Server version: 9.2.0 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> USE ormlearn;
Database changed
mysql> SHOW TABLES;
+-----+
| Tables_in_ormlearn |
+-----+
| country             |
+-----+
1 row in set (0.00 sec)

mysql> INSERT INTO country VALUES ('IN','India');
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO country VALUES ('US','United States of America');
Query OK, 1 row affected (0.01 sec)

mysql> SELECT * FROM country;
+-----+-----+
| code | name                |
+-----+-----+
| IN   | India               |
| US   | United States of America |
+-----+-----+
2 rows in set (0.00 sec)

mysql> |
```

```
File Edit Selection View Go Run Terminal Help 22
EXPLORER pom.xml application.properties OrmLearnApplication.java CountryRepository.java App.java Country.java
2.2
> .github
> .vscode
> orm-learn
  > src
    > main
      > java
        > com
          > cognizant
            > ormlearn
              > model
                > repository
                  > CountryRepository.java
                > Country.java
              > App.java
                > resources
                  > application.properties
                > test
                > target
                > pom.xml
  > OUTLINE
  > TIMELINE
  > JAVA PROJECTS
  > MAVEN
orm-learn > src > main > java > com > cognizant > ormlearn > repository > CountryRepository.java > CountryRepository
1 package com.cognizant.ormlearn.repository;
2
3 import org.springframework.data.jpa.repository.JpaRepository;
4 import org.springframework.stereotype.Repository;
5
6 import com.cognizant.ormlearn.model.Country;
7
8 @Repository
9 public interface CountryRepository extends JpaRepository<Country, String> {
10
11 }
```

```
File Edit Selection View Go Run Terminal Help 2.2
pom.xml application.properties OrmLearnApplication.java CountryRepository.java CountryService.java App.java Country.java

2.2
> .github
> .vscode
> orm-learn
  > src
    > main
      > java
        > com
          > cognizant
            > ormlearn
              > model
                Country.java
              > repository
                CountryRepository.java
              > service
                CountryService.java
              OrmLearnApplication.java
            App.java
          resources
            application.properties
          test
            pom.xml
          target
            pom.xml

OUTLINE
TIMELINE
JAVA PROJECTS
MAVEN

orm-learn > src > main > java > com > cognizant > ormlearn > model > Country.java > Country > Country()
1 package com.cognizant.ormlearn.model;
2
3 import jakarta.persistence.Column;
4 import jakarta.persistence.Entity;
5 import jakarta.persistence.Id;
6 import jakarta.persistence.Table;
7
8 @Entity
9 @Table(name = "country")
10 public class Country {
11
12     @Id
13     @Column(name = "code")
14     private String code;
15
16     @Column(name = "name")
17     private String name;
18
19     public Country() {}
20
21     public Country(String code, String name) {
22         this.code = code;
23         this.name = name;
24     }
25
26     public String getCode() {
27         return code;
28     }
29
30     public void setCode(String code) {
31         this.code = code;
32     }
33
34     public String getName() {
35         return name;
36     }
37 }
```

```
File Edit Selection View Go Run Terminal Help 2.2
pom.xml application.properties OrmLearnApplication.java CountryRepository.java CountryService.java App.java Country.java

2.2
> .github
> .vscode
> orm-learn
  > src
    > main
      > java
        > com
          > cognizant
            > ormlearn
              > model
                Country.java
              > repository
                CountryRepository.java
              > service
                CountryService.java
              OrmLearnApplication.java
            App.java
          resources
            application.properties
          test
            pom.xml
          target
            pom.xml

OUTLINE
TIMELINE
JAVA PROJECTS
MAVEN

orm-learn > src > main > java > com > cognizant > ormlearn > OrmLearnApplication.java > OrmLearnApplication
1 import org.springframework.boot.SpringApplication;
2 import org.springframework.boot.autoconfigure.SpringBootApplication;
3 import org.springframework.context.ApplicationContext;
4
5 import com.cognizant.ormlearn.model.Country;
6 import com.cognizant.ormlearn.service.CountryService;
7
8 @SpringBootApplication
9 public class OrmLearnApplication {
10
11     private static CountryService countryService;
12
13     public static void main(String[] args) {
14         ApplicationContext context =
15             SpringApplication.run(OrmLearnApplication.class, args);
16         countryService = context.getBean(CountryService.class);
17         testGetAllCountries();
18     }
19
20     private static void testGetAllCountries() {
21         List<Country> countries = countryService.getAllCountries();
22         countries.forEach(System.out::println);
23     }
24 }
```