

CS Presentation

DESIGNING USER INTERFACES FOR COGNITIVE LOAD REDUCTION



MEET THE TEAM



Apoorv Gupta

AIML A1
21070126018



Om Varshney

AIML B2
21070126117



Roshan Yadav

AIML B3
21070126130




Sanskar Jadhav

AIML B1
21070126076

Interns at Bharat Forge

INTRODUCTION



Cognitive load refers to the mental effort required to process information, make decisions, and complete tasks within a user interface. High cognitive load can result in decision fatigue, reduced engagement, increased errors, and lower satisfaction. Understanding the types of cognitive load—*intrinsic*, *extraneous*, and *germane*—is crucial for UX designers. *Intrinsic* load is the inherent difficulty of a task, *extraneous* load arises from poor design, and *germane* load is the effort spent on learning. Employing design principles like simplifying layouts, establishing clear hierarchies, and using consistent UI patterns can minimize cognitive load, making interfaces more effective and enjoyable.

INTRODUCTION



Types of Cognitive Load:

- Intrinsic: Inherent difficulty of the task; unavoidable.
- Extraneous: Result of poor design; avoidable and detrimental.
- Germane: Effort focused on learning; positive impact on understanding.

Factors Contributing to Cognitive Load:

- Information Complexity: Complexity increases intrinsic load.
- Design Clarity: Cluttered layouts raise extraneous load.
- User Engagement: Effective design fosters germane load.

Strategies to Minimize Cognitive Load:

- Simplify designs to reduce extraneous load.
- Establish clear hierarchies for information prioritization.
- Use consistent UI patterns for familiarity and ease of use.
- Limit choices to prevent overwhelming users.

LITERATURE SURVEY



Why Cognitive Load Matters:

- Enhances User Experience: Reduces fatigue and increases satisfaction.
- Boosts Productivity: Helps users focus on primary tasks without distraction.
- Supports Learning: Facilitates comprehension and retention of information.

Key Areas of Application:

- User Interface Design: Tailors interfaces to reduce extraneous cognitive load (e.g. AR applications in decision-making) [1][4].
- Education Technology: Designs for mobile learning to manage cognitive load effectively [3].
- Professional Contexts: Uses predictive models for AR head-up displays to enhance safety and efficiency for drivers [4].
- Game Design: Applies cognitive load principles to improve player engagement and reduce confusion [14].
- Healthcare: Reduces cognitive load in primary care settings to enhance patient interactions [8].

LITERATURE SURVEY

- Moncur, B., Galvez Trigo, M. J., & Mortara, L. (2023, July). Augmented reality to reduce cognitive load in operational decision-making. In International Conference on Human-Computer Interaction (pp. 328-346). Cham: Springer Nature Switzerland.
- Jiang, Y., Lu, Y., Lutteroth, C., Li, T. J. J., Nichols, J., & Stuerzlinger, W. (2023, April). The future of computational approaches for understanding and adapting user interfaces. In Extended Abstracts of the 2023 CHI Conference on Human Factors in Computing Systems (pp. 1-5).
- Faudzi, M. A., Cob, Z. C., Sharudin, S. A., Omar, R., & Ghazali, M. (2023, April). The Effects of User Interface Design for Mobile Learning Application on Learner's Extraneous Cognitive Load: A Conceptual Framework. In Proceedings of the Asian HCI Symposium 2023 (pp. 51-57).
- Teng, J., Wan, F., Kong, Y., & Kim, J. K. (2023). Machine learning-based cognitive load prediction model for AR-HUD to improve OSH of professional drivers. *Frontiers in Public Health*, 11, 1195961.
- Zimmerer, C., Krop, P., Fischbach, M., & Latoschik, M. E. (2022, April). Reducing the cognitive load of playing a digital tabletop game with a multimodal interface. In Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems (pp. 1-13).
- Islam, Z. (2020). The Effect of Experience-Based Tangible User Interface on Cognitive Load in Design Education. *International Journal of Virtual and Augmented Reality (IJVAR)*, 4(2), 1-13.
- Andersson, F., & Wendt, J. (2020). Decreasing the cognitive load within primary care with a human factors approach: Introducing a user interface design.
- Kodzhoshalieva, A. (2020). Reducing Cognitive Load for a Data-Intensive Web Application User.
- Oakes, J., Johnson, M., Xue, J., & Turner, S. (2020). Measuring and Reducing the Cognitive Load for the End Users of Complex Systems. In *Intelligent Systems and Applications: Proceedings of the 2019 Intelligent Systems Conference (IntelliSys) Volume 1* (pp. 1199-1209). Springer International Publishing.
- Kumar, N., & Kumar, J. (2019). Proposal of a User's Cognitive Load-Centric Methodology for HCI-Based Control Panel Design. In *Handbook of Research on Human-Computer Interfaces and New Modes of Interactivity* (pp. 333-360). IGI Global.
- Gajos, K. Z., & Chauncey, K. (2017, March). The influence of personality traits and cognitive load on the use of adaptive user interfaces. In Proceedings of the 22nd international conference on intelligent user interfaces (pp. 301-306).
- Okoshi, T., Ramos, J., Nozaki, H., Nakazawa, J., Dey, A. K., & Tokuda, H. (2015, March). Attelia: Reducing user's cognitive load due to interruptive notifications on smart phones. In 2015 IEEE International Conference on pervasive computing and communications (PerCom) (pp. 96-104). IEEE.
- Lawrence, C. (2013). Designing Lecture Presentations Using Cognitive Load Theory and Visual Communication Principles.
- Guttormsen Schär, S., & Zimmermann, P. G. (2007). Investigating means to reduce cognitive load from animations: Applying differentiated measures of knowledge representation. *Journal of Research on Technology in Education*, 40(1), 64-78.
- Lawrence, C. (2006, December). Take a load off: cognitive considerations for game design. In Proceedings of the 3rd Australasian conference on Interactive entertainment (pp. 91-95).
- Oviatt, S. (2006, October). Human-centered design meets cognitive load theory: designing interfaces that help people think. In Proceedings of the 14th ACM international conference on Multimedia (pp. 871-880).
- Tudoreanu, M. E. (2003, June). Designing effective program visualization tools for reducing user's cognitive effort. In Proceedings of the 2003 ACM symposium on Software visualization (pp. 105-ff).

TECHNICAL IMPLEMENTATIONS

- Adaptive Interfaces: AI analyzes user behavior to dynamically adjust UI elements, reducing mental effort (e.g., hiding irrelevant features).
- Explainable AI (XAI): Provides transparent AI decisions, reducing user uncertainty and improving decision-making.
- Non-Intrusive Cognitive Load Measurement: AI assesses cognitive load using behaviour patterns, allowing real-time UI adjustments for better user interaction.
- AI in AR/VR: AI enhances AR/VR environments by providing context-relevant info, minimizing distractions and reducing overload.

TECHNOLOGIES USED

- Machine Learning (ML):
 - Reinforcement learning for real-time interface adjustments.
 - Clustering for personalized UI experiences based on user behavior.
- Natural Language Processing (NLP):
 - AI-driven chatbots and voice assistants to simplify navigation, reducing the need for manual commands.
- Explainable AI (XAI):
 - Provides transparent explanations of AI decisions to reduce cognitive strain.
- Augmented Reality (AR):
 - AI-enhanced AR provides relevant info in real-time, especially useful in complex environments like manufacturing.


LIMITATIONS & CHALLENGES

- **Data Privacy:** Large datasets for UI adaptation raise concerns about user privacy and data security.
- **Over-Adaptation:** Excessive personalization can alienate users by assuming preferences inaccurately.
- **System Complexity:** AI-driven UIs require sophisticated infrastructure and maintenance.
- **Bias in AI Models:** Inconsistent user experiences due to biased training data, affecting certain demographic groups.


APPLICATIONS




Predictive algorithms




Smart Scheduling



Smart Compose



Eye Tracking



Hand Gesture
Recognition

Alternative inputs



APPLICATIONS



Minimalism ,
Colour Palette ,
Soundscapes ,
Visual Hierarchies that
match our priorities



Vibrations as cues for
certain actions



Haptic Feedback



Visual Enhancement



FUTURE DIRECTIONS

Emerging Trends in UI Design for Reducing Cognitive Load

- AI-Driven Personalization & Adaptation
 - AI and ML analyze real-time user data (eye movement, heart rate) to adjust UI complexity dynamically.
 - Example: Simplifying tasks or reducing interaction elements when cognitive load is high.
- Neuroadaptive Interfaces
 - Brain signals (EEG) are used to quantify cognitive load directly and adjust interface elements.
 - Prominent in fields like aviation and healthcare, where sustained focus is critical.

Immersive Technologies and Multimodal Interaction

- AR/VR for UI Design
 - AR heads-up displays deliver information contextually, reducing cognitive fatigue.
 - Adaptive AR/VR systems manage information flow based on user focus and environment.
- Multimodal Interaction & Haptic Sensing
 - Voice, gesture recognition, and haptic feedback distribute cognitive load across multiple senses.
 - Effective in environments like surgical theatres and cockpits.

FUTURE DIRECTIONS

Human-AI Collaboration

- Human-AI Collaboration in UI Design
 - AI assists users by completing complex tasks and simplifying interfaces over time.
 - Example: AI suggests or acts on decisions, with final control resting with the user.
- Benefits
 - Reduces user cognitive load in complex environments.
 - Enhances decision-making by focusing user attention on key choices.

Challenges and Criticism

- Privacy & Data Concerns
 - AI-driven personalization requires extensive data collection, raising privacy issues.
- Neuroadaptive Interfaces
 - Still experimental; challenges in accurately interpreting neural signals.
- Automation Dependence
 - Over-reliance on AI can limit user autonomy.
- AR/VR Complexity
 - Poorly designed AR/VR environments may overload cognitive processes.

CONCLUSION



- By applying principles from Cognitive Load Theory, designers can create interfaces that facilitate intuitive interactions, reduce distractions, and improve task completion. Strategies such as chunking information, prioritizing recognition over recall, and maintaining visual clarity are essential in ensuring users can navigate seamlessly without feeling overwhelmed.
- As technology evolves, the emphasis on inclusive design, particularly in accommodating accessibility needs, will play a significant role in creating equitable user experiences. Ultimately, a thoughtful approach to interface design not only boosts usability and satisfaction but also fosters a more engaging interaction between users and technology.

THANK YOU

