Major Project -2

CODE:

```
import 'package:flutter/material.dart';
void main() {
 runApp( MaterialApp(
 home: FirstPage(),
 ));
class FirstPage extends StatelessWidget {
 @override
 Widget build(BuildContext context) {
 return Scaffold(
   appBar: AppBar(
    title: const Text('First Page',
     style: TextStyle(
      fontSize: 20,
      fontStyle: FontStyle.italic,
    ),
    centerTitle: true,
    backgroundColor: Colors.pink,
   body: Center(
    child: ElevatedButton(
     style: ElevatedButton.styleFrom(
      primary: Colors.pink,
      onPrimary: Colors.white,// foreground
     child: const Text('Second Page',
     style: TextStyle(
      fontSize: 20,
      fontStyle: FontStyle.italic,
     onPressed: () {
      Navigator.push(
```

```
context,
       MaterialPageRoute(builder: (context) => SecondPage()),
  backgroundColor: Colors.pinkAccent[100],
class SecondPage extends StatelessWidget {
 @override
Widget build(BuildContext context) {
 return Scaffold(
  appBar: AppBar(
   title: const Text('Second Page',
    style: TextStyle(
      fontSize: 20,
     fontStyle: FontStyle.italic,
    ),
   centerTitle: true,
   backgroundColor: Colors.pink,
  body: Center(
   child: ElevatedButton(
     style: ElevatedButton.styleFrom(
      primary: Colors.pink,
      onPrimary: Colors.white,// foreground
     onPressed: () {
      Navigator.push(
        context.
        MaterialPageRoute(builder: (context) => ThirdPage()),
     );
     child: const Text('Third page',
     style: TextStyle(
       fontSize: 20,
       fontStyle: FontStyle.italic,
```

```
backgroundColor: Colors.pinkAccent[100],
class ThirdPage extends StatelessWidget {
 @override
Widget build(BuildContext context) {
 return Scaffold(
  appBar: AppBar(
   title: const Text('Third Page',
    style: TextStyle(
     fontSize: 20,
     fontStyle: FontStyle.italic,
   centerTitle: true,
   backgroundColor: Colors.pink,
  body: Center(
   child: ElevatedButton(
    style: ElevatedButton.styleFrom(
      primary: Colors.pink,
      onPrimary: Colors.white,// foreground
    onPressed: () {
      Navigator.push(
       context,
       MaterialPageRoute(builder: (context) => FourthPage()),
     );
    child: const Text('Fourth page',
     style: TextStyle(
       fontSize: 20,
      fontStyle: FontStyle.italic,
```

```
backgroundColor: Colors.pinkAccent[100],
class FourthPage extends StatelessWidget {
 @override
Widget build(BuildContext context) {
 return Scaffold(
  appBar: AppBar(
   title: const Text('Fourth page',
    style: TextStyle(
      fontSize: 20,
      fontStyle: FontStyle.italic,
   centerTitle: true,
   backgroundColor: Colors.pink,
  body: Center(
   child: ElevatedButton(
    style: ElevatedButton.styleFrom(
      primary: Colors.pink,
      onPrimary: Colors.white,// foreground
     onPressed: () {
      Navigator.pop(context);
      Navigator.pop(context);
      Navigator.pop(context);
     child: const Text('Go back!',
      style: TextStyle(
       fontSize: 20,
       fontStyle: FontStyle.italic,
     ),
  backgroundColor: Colors.pinkAccent[100],
```

\ \

OUTPUT:









