

Infosys Coding Assessment — 8-9 Day Plan

Format confirmed from recent off-campus reports: 4 questions total, need to solve 3/4 to stay competitive, difficulty increases through the set, and the harder problems you clear the better the role/band you land. Plan below goes easy → hard, day by day.

Key pattern to know: Infosys problem statements are often LONG and wordy even when the underlying logic is simple — the test is partly whether you can correctly parse a dense requirement into clean logic, not just whether you know the algorithm. Read every problem twice before coding.

DAY 1 — Array & String Basics (Easy tier — Q1 territory)

This is what the actual first question tends to be: a straightforward array/string task. Must be instant, no hesitation.

Difficulty	Problem	Why it's here
Easy	Two Sum	Most common opener across companies
Easy	Reverse a String / Words (build & return)	your confirmed past gap — construct & return, not boolean
Easy	Check Palindrome	frequently reused as a sub-step inside longer problems
Easy	Move Zeros to End	two-pointer warm-up
Easy	Valid Anagram	frequency-count fundamentals
Easy	Missing Number	sum/XOR formula recall

DAY 2 — Sorting-based Array Patterns (Easy-Medium)

Builds directly on Day 1 — patterns that need a sort or a single clean pass.

Difficulty	Problem	Why it's here
Easy	Sort 0s, 1s, 2s (Dutch Flag)	in-place sort logic, common warm-up-to-medium bridge
Medium	Merge Intervals	your known past gap — make this fully cold this time
Medium	Best Time to Buy/Sell Stock	single-pass min-tracking, very common
Medium	Rotate Array by K	in-place manipulation, reverse trick
Medium	Kadane's — Max Subarray	DP-lite, shows up disguised in many wordings

DAY 3 — Hashing & Frequency Patterns (Easy-Medium)

Hashing questions are quick to solve once the pattern clicks — high value for time invested.

Difficulty	Problem	Why it's here
Easy	Contains Duplicate	HashSet fundamentals
Medium	Subarray Sum Equals K	prefix sum + HashMap, common medium-tier ask
Medium	Group Anagrams	HashMap with derived key
Medium	Top K Frequent Elements	frequency + sort/heap
Medium	Longest Consecutive Sequence	HashSet, O(n) trick

DAY 4 — 2D Matrix & Query-Based Problems (Medium — Infosys-specific focus)

This is the pattern explicitly flagged from recent Infosys tests: long-worded problems built on a 2D list, where the logic is trickier than it first looks. Spend real time here — this is your highest-leverage day given what we know about the actual test.

Difficulty	Problem	Why it's here
Medium	Spiral Matrix	boundary simulation, builds matrix-traversal instinct
Medium	Rotate Matrix In-Place	transpose + reverse pattern
Medium	Set Matrix Zeroes	marking/query-style manipulation on a grid
Medium	Search a 2D Matrix	binary search extended to 2D
Medium	Range Sum Query — 2D (prefix sum grid)	directly matches the 'query-based operations on 2D list' pattern reported
Medium	Matrix Update Queries (given a list of ops, apply each and return final grid)	practice slow, careful parsing of multi-step instructions — this is the actual skill being tested

How to practice this day differently: don't just solve — practice re-reading the problem statement twice and writing out, in plain words, exactly what each operation/query means before touching code. That's the specific skill this day is building.

DAY 5 — Stacks, Queues & Simulation-Style Problems (Medium)

Simulation problems describe a process step-by-step rather than naming a known algorithm — another pattern flagged as an Infosys style. Stack/queue fundamentals support these.

Difficulty	Problem	Why it's here
Easy	Valid Parentheses	stack fundamentals, must be instant
Medium	Next Greater Element	monotonic stack pattern
Medium	Daily Temperatures	monotonic stack, index-based
Medium	Simulate a described process (e.g. stack-based text editor, undo/redo, or basic calculator)	practice translating a described sequence of actions into code — core simulation skill

DAY 6 — Linked List Basics (Medium)

Linked lists appear across Infosys's broader topic list. Lower priority than matrix/simulation for this specific assessment, but worth covering since it's a known gap for you.

Difficulty	Problem	Why it's here
Easy	Reverse a Linked List	iterative pointer swap, foundational
Easy	Detect Cycle in Linked List	Floyd's slow/fast pointer
Medium	Merge Two Sorted Lists	two-pointer merge, dummy node technique
Medium	Remove Nth Node From End	two-pointer with a gap

DAY 7 — Recursion & Basic Dynamic Programming (Medium-Hard — Q4 territory)

If a 4th, harder question appears, it's most likely to be DP-based. You don't need advanced DP — just the standard easy-DP shapes, solved cleanly and fast.

Difficulty	Problem	Why it's here
Medium	Climbing Stairs	fib-pattern DP, the simplest possible DP shape
Medium	House Robber	non-adjacent sum DP
Medium	Coin Change (min coins)	classic DP, moderately common as a 'hard' question
Medium-Hard	Longest Increasing Subsequence	if time allows — good stretch for the hard slot
Medium	Word Break	DP + HashSet, matches 'parse a described rule' style

Strategy reminder: you don't need to solve the hardest question. Recall — solving 3 of 4 keeps you competitive. If Q4 is DP and you're stuck, make sure Q1-Q3 are airtight before spending remaining time here.

DAY 8 — Full Mock Test (Simulate the Real Thing)

Pick 4 unseen problems — 2 easy, 1 medium, 1 hard/DP — and solve them back-to-back in one sitting, timed. Treat it exactly like assessment day: no notes, no pausing mid-problem.

Difficulty	Problem	Why it's here
Easy	1 unseen array/string problem	simulate Q1 pressure
Easy-Medium	1 unseen hashing or interval problem	simulate Q2 pressure
Medium	1 unseen 2D matrix / query-based problem	simulate Q3 — your highest-leverage practiced pattern
Medium-Hard	1 unseen DP or simulation problem	simulate Q4 — decide fast whether to attempt or bank time

DAY 9 — Review, Weak Spots & Light Revision (Day before assessment)

No new topics. Re-read your Tier 1 sheet, re-solve 2-3 problems you got wrong earlier in the week from a blank screen, and rest. Cramming new patterns the night before tends to hurt more than it helps at this stage.

Overall priority if a day gets cut short: Day 1-3 (arrays/strings/hashing) is non-negotiable. Day 4 (2D matrix/query) is your highest-leverage addition given what's known about this specific test. Day 6 (linked lists) is the first thing to trim if you run short on time.