

Name: Sanskruti Wadekar

Q1

Tables

```
STUDENT(Student_ID, Student_Name, Course_ID, Marks)
```

```
COURSE(Course_ID, Course_Name, Fees)
```

```
CREATE DATABASE DBMS_Practical;
```

```
USE DBMS_Practical;
```

```
CREATE TABLE COURSE (  
    Course_ID INT PRIMARY KEY,  
    Course_Name VARCHAR(50),  
    Fees DECIMAL(10,2)  
);
```

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Course_ID INT,  
    Marks INT  
);
```

```
INSERT INTO COURSE (Course_ID, Course_Name, Fees)
```

```
VALUES
```

```
(101, 'Data Science', 50000),
```

```
(102, 'Cyber Security', 45000),
```

```
(103, 'Computer Science', 40000);
```

```
INSERT INTO STUDENT (Student_ID, Student_Name, Course_ID, Marks)
```

```
VALUES
```

```
(1, 'Rahul', 101, 85),
```

```
(2, 'Priya', 102, 72),
```

```
(3, 'Amit', 101, 65),
```

```
(4, 'Sneha', 103, 90),
```

```
(5, 'Rohan', 102, 60),
```

```
(6, 'Neha', 101, 75);
```

Q1(a)

```
CREATE TABLE STUDENT (
```

```
    Student_ID INT PRIMARY KEY,
```

```
    Student_Name VARCHAR(50),
```

```
    Course_ID INT,
```

```
    Marks INT
```

```
);
```

Q.1(B)

```
SELECT *
```

```
FROM STUDENT
```

```
WHERE Marks > 70;
```

Q1(c)

```
SELECT STUDENT.Student_Name, COURSE.Course_Name  
FROM STUDENT  
INNER JOIN COURSE  
ON STUDENT.Course_ID = COURSE.Course_ID;
```

Q.1(d)

```
SELECT Course_ID, AVG(Marks) AS Average_Marks  
FROM STUDENT  
GROUP BY Course_ID;
```

Q.1(e)

```
SELECT Course_ID, AVG(Marks) AS Average_Marks  
FROM STUDENT  
GROUP BY Course_ID  
HAVING AVG(Marks) > 65;
```

Q2

Table

```
EMPLOYEE (Emp_ID, Emp_Name, Department, Salary, Joining_Date)
```

a.

```
SELECT *  
FROM EMPLOYEE  
WHERE Department = 'IT'
```

ORDER BY Salary DESC;

B.

```
SELECT MAX(Salary) AS Highest_Salary  
FROM EMPLOYEE;
```

C.

```
SELECT Department, COUNT(*) AS Employee_Count  
FROM EMPLOYEE  
GROUP BY Department  
HAVING COUNT(*) > 3;
```

D.

```
SELECT *  
FROM EMPLOYEE  
WHERE Salary > (  
    SELECT AVG(Salary)  
    FROM EMPLOYEE  
);
```

E.

```
CREATE VIEW IT_Employees AS  
SELECT *  
FROM EMPLOYEE  
WHERE Department = 'IT';
```