

Name: Sanskruti Wadekar

Q1

Tables

```
STUDENT(Student_ID, Student_Name, Course_ID, Marks)
```

```
COURSE(Course_ID, Course_Name, Fees)
```

Q1(a)

```
CREATE TABLE STUDENT (  
    Student_ID INT PRIMARY KEY,  
    Student_Name VARCHAR(50),  
    Course_ID INT,  
    Marks INT  
);
```

Q.1(B)

```
SELECT *  
FROM STUDENT  
WHERE Marks > 70;
```

Q1(c)

```
SELECT STUDENT.Student_Name, COURSE.Course_Name  
FROM STUDENT  
INNER JOIN COURSE  
ON STUDENT.Course_ID = COURSE.Course_ID;
```

Q.1(d)

```
SELECT Course_ID, AVG(Marks) AS Average_Marks  
FROM STUDENT  
GROUP BY Course_ID;
```

Q.1(e)

```
SELECT Course_ID, AVG(Marks) AS Average_Marks  
FROM STUDENT  
GROUP BY Course_ID  
HAVING AVG(Marks) > 65;
```

Q2

Table

```
EMPLOYEE (Emp_ID, Emp_Name, Department, Salary, Joining_Date)
```

a.

```
SELECT *  
FROM EMPLOYEE  
WHERE Department = 'IT'  
ORDER BY Salary DESC;
```

B.

```
SELECT MAX(Salary) AS Highest_Salary  
FROM EMPLOYEE;
```

c.

```
SELECT Department, COUNT(*) AS Employee_Count  
FROM EMPLOYEE  
GROUP BY Department  
HAVING COUNT(*) > 3;
```

D.

```
SELECT *  
FROM EMPLOYEE  
WHERE Salary > (  
    SELECT AVG(Salary)  
    FROM EMPLOYEE  
);
```

e.

```
CREATE VIEW IT_Employees AS  
SELECT *  
FROM EMPLOYEE  
WHERE Department = 'IT';
```