masai

MailFlow, from first sign-in to first reply

Email students and recruiters from your own Gmail, and collect e-signatures, in one place. Import a list, write one email, check it per person, send, and see every reply threaded back to the person it came from.

Sign in with your Masai Google account **Sends from** your own Gmail address

Every bulk email has an Unsubscribe button

01 Day-one setup

Do these in order. It takes about five minutes.

1. **Sign in** at mailflow-six-sooty.vercel.app with `Continue with Google`. The first time, your account waits until a Super Admin approves it (Approvals → User Registrations).
2. **Connect Gmail**: `Settings` → Gmail → `Connect`, and approve the permissions. MailFlow sends *from your own address*, never as anyone else.
3. **Add your email signature** in Settings → Email signature. Quick Send and Recruiter Bulk Send can add it for you.
4. **Optional, in Settings → Gmail**: *Allow my mailbox as a backup sender* (helps teammates when their mailbox hits Google's daily limit) and *profile photos* for your contacts.
5. **Check your role** in Settings → Profile. If it is wrong, a Super Admin changes it.
6. **Send yourself a test**: Templates → any template → `Send test email`, or use *Send a test to me* in Recruiter Bulk Send.

> **Find anything fast.** `Ctrl K` opens the command menu. Press `?` for keyboard shortcuts: `g i` Inbox, `g c` Campaigns, `g d` Dashboard, `g s` Settings, `g m` switch to Mail, `g e` switch to Sign. The theme switch offers System, Light or Dark.

02 Mail, Sign and roles

MailFlow has two products. Switch between them from the product switcher at the top of the sidebar.

- **Mail**: Quick Send, Dashboard, Inbox, Data, Contacts, Campaigns, Templates, PDF Library, Automations, Batches, Suppressions, Deliverability, Performance, Reports, History.
- **Sign**: Documents, New Request, Bulk Send, Templates, Analytics, PDF Library.

ROLE	CAN DO
Viewer	Read everything in their workspace. Cannot edit, send or reply.
Operator	Import data, build templates and campaigns, run dry runs, submit campaigns and Quick Sends for approval, reply in the Inbox, run automations, send documents for signature.
Admin	Everything an Operator can, plus: approve or reject other people's requests, *Send without approval*, Quick Send without approval, **Recruiter Bulk Send** and **Mailbox usage**. Cannot approve their own request.
Super Admin	Everything, organisation-wide: Organization (with the *Everything sent* ledger), Users, Workspaces, All Data, All Conversations, Audit Logs, System Settings, user registrations, and read-only, audited *View workspace as*.

Every person has their own **workspace**: their data, templates, campaigns and inbox. Nobody else's workspace is visible unless they share their inbox with you or a Super Admin opens it with View As.

03 Data and contacts

3.1 Import a list DATA

- `+ Dataset`, or `Import` → paste from Google Sheets or Excel (include the header row), or upload CSV / XLSX.
- The preview detects headers and column types and flags duplicate emails: Keep first, Keep latest, or Import all.
- **Set the email column's type to EMAIL**. That makes the dataset sendable and links each row to a Contact.

> **Importing never sends anything.** Neither do previews, dry runs or AI suggestions.

3.2 Work the grid

- Double-click a cell to edit. Click a header to sort. **Filter** builds conditions (equals, contains, is empty…), *Group by* counts per value, *Search* matches every column, and **Save view** keeps a filter for everyone using the dataset.
- **Bulk edit**: tick rows → *Set column… to value* → Apply.
- Large lists are paged. Every list in MailFlow shows *Showing x–y of N* with the full total and lets you jump to a page.

3.3 Contacts and segments CONTACTS

- **Contacts** is everyone you have emailed or who wrote to you, with a timeline of every email, reply, note and status change.
- **Fill missing names** adds names to contacts that have none, from your recipient lists and their own replies. It never overwrites a name.
- **Profile photos** appear once you turn them on in Settings → Gmail (read-only access to your Google contacts).
- **Segments** (Contacts → Segments) save a group of contacts by rule. Quick Send can send to a segment.

04 Templates and campaigns

4.1 Write a template TEMPLATES

- Subject and body use the list's columns as variables: `{{Name}}`, `{{Deadline}}`. Insert them from **+ Insert variable** so the spelling matches.
- *Preview as* a real person shows the filled-in email; anything unfilled is listed in yellow.
- The **AI assistant** can draft, shorten, fix grammar or translate. **Run health check** catches missing variables, broken links and a missing mailbox.
- Every save is a new version. A campaign keeps the version it was created with, so editing a template later never changes an email already sent.

4.2 Build and send a campaign CAMPAIGNS

1. **+ Campaign**: name, dataset, template.
2. **Sender settings**: From name, Reply-To, CC / BCC (they go on *every* email). Add **PDF attachments** or pick them from the **PDF Library**, and optional **RSVP buttons** ("I'll attend / Can't make it") whose answers are saved for you.

3. **Backup mailboxes**: tick teammates' mailboxes that offered themselves as backups. They are used only if your mailbox reaches Google's daily limit, is slowed down or is disconnected. Replies still come back to you and the campaign.
4. **Run simulation**: exactly who would receive it and who is skipped and why (invalid, duplicate, unsubscribed, bounced). Nothing is sent.
5. **Review** the rendered email for at least three people.
6. **Submit for approval**, then **Send now** once approved (or schedule it). Admins can *Send without approval*.

4.3 Approve ADMINS

- **Approvals** in the sidebar lists campaigns and Quick Sends waiting for a decision, with a total and paging. Super Admins also see *User Registrations* there.
- **Approve** takes optional remarks; **Reject** needs a reason, which the requester sees. The decision is emailed back in the same thread. You cannot approve your own request.

4.4 Watch the send BATCHES

- Every send has live progress: sent, failed, skipped, still queued. **Pause**, **Resume**, **Cancel**, **Retry failed** and **Process queue** act immediately.
- Emails leave at about 20 per minute per mailbox, so 300 people take about 15 minutes.

4.5 When someone replies REPLY RULES

- On a campaign, *When someone replies* lets you react by reply type: Interested, Not interested, Asks a question, Asks for something, Complains, Needs action, Done what was asked, Just says thanks, Out of office.
- For each type: reply with a template (as a draft for approval, or automatically in the same thread), don't reply, assign to someone, or write a value into a data column. Needs AI to be switched on.

4.6 Automations AUTOMATIONS

- An automation sends a template when a record matches conditions, with a cooldown so nobody is emailed twice by mistake. Stop conditions such as *Reply Received = true* always win.
- Enabling shows how many records it would affect right now and asks you to confirm. Every run is listed with a "Why?" explanation.

05 Quick Send

For a one-off email to a list without building a dataset and template first. Every email is personalised and tracked (opens, clicks, replies) and has an unsubscribe link.

1. **Who gets it**: paste one email per line, or `Name, email` per line, or copy rows straight from Sheets / Excel with the header row. You can also choose a list from Data or a segment.
2. **The email**: write it, or start from a template. Use `{{Name}}` and other column names. Add PDFs (up to 4 MB each, 10 MB in total) or pick from the PDF Library. Optional RSVP buttons.
3. **More options**: sender name, Reply-To, Cc / Bcc, send later, and backup mailboxes.
4. **Ready to send?** shows a check and a preview of the real email as you type. Then send.

> **Admins send straight away.** Operators' Quick Sends go to an admin for approval and send by themselves once approved; you get an email when that happens. *Your recent Quick Sends* shows progress, updating every few seconds.

06 Recruiter Bulk Send ADMINS

For emailing many recruiters at once, from one or several mailboxes. The page walks through seven steps; *Open all steps* shows them together.

1. **Recruiters**: paste a sheet with a header row, upload CSV / Excel, or choose saved data. Choose the **email address column**. The other columns appear as chips you can use in the email.
2. **How it goes out**:
    - 3. **BCC groups** (up to 250 recruiters per email, with a visible "To" address), or **Individual copies** (one email per recruiter).
    - 4. The *pause between emails from the same mailbox*, in seconds.
    - 5. *With more than one mailbox*: **All mailboxes together** (the default; they send in rounds, side by side) or **One mailbox after another**.

6. **The email**: subject, Simple or HTML, and Personalise chips. Variables look like `{{Company}}`, with a fallback for empty cells: `{{Name | there}}`. For a per-recruiter tracking link, put the link in a column (for example *UTM link*) and use `href="{{UTM link}}"`. Links are sent exactly as written. Also From name, CC (up to 10), Reply-To, and *Add my email signature*.
7. **Attachments and video**: up to 5 PDFs from your computer or the PDF Library, and a video attached (up to 20 MB) or shared as a link, which shows a "▶ Watch the video" button. Share Drive videos as "Anyone with the link".
8. **Send from**: choose one or more mailboxes, yours and teammates' backups, with each one's usage today and its limit.
9. **Batches and who receives it**: a summary of every batch and which mailbox sends it. **Click a recruiter** to see exactly the email they will get; use ‹ › or ↑ ↓ to move through them.
10. **Check and send**: **Send a test to me** first, then send now or schedule it.

- **Variables need Individual copies.** A BCC email is one email for many people, so it cannot say each recruiter's name.
- A variable that is not a column blocks the send. Recruiters whose cell is empty (with no fallback) are skipped, and the review says so.
- **Reply-To always includes the sending mailbox**, so MailFlow still tracks every reply even if you add your own Reply-To. With individual copies, every CC address gets one copy per recruiter, so CC works only for up to 50 recruiters; for more, use BCC groups or remove the CC.
- While it runs: **Pause**, **Resume**, **Cancel**. Each mailbox has its own pause and limit. The progress list shows every recruiter; click one to see the email they got. You can copy a past send to start a new one.
- **Replies land in the Inbox of the admin who sent it**, assigned to them, whichever mailbox sent the email.

07 Inbox and replies

- Replies to emails MailFlow sent arrive in the Inbox. Gmail is checked automatically every 30 minutes, and again whenever you open the Inbox if it is more than 2 minutes old. **Sync now** fetches the latest at once.
- Bounces, out-of-office and auto-replies are recognised and never count as "they replied".

- In a conversation: reply in the same thread, attach files (up to 4 MB per reply, including signed documents), add an internal note, tag, assign, set a follow-up, schedule a reply, change status. `AI suggest reply` drafts text you can edit.
- **Saved replies** (Settings → Saved replies): reusable answers you insert while replying.
- **Inbox sharing** (Settings → Inbox sharing): share your inbox with everyone in the organisation or with specific people, as *Can view* or *Can view and reply*.
- **SLA rules** (Settings → SLA rules): how fast conversations should get a first reply and be resolved; overdue ones are flagged.

> **Replies to bounced or spam-reported addresses are blocked.** If an address bounced or marked you as spam, MailFlow refuses to send to it, to protect everyone's sending reputation.

08 Unsubscribes and suppressions

- **Every bulk email has an Unsubscribe button**: campaigns, Quick Send, automations, and Recruiter Bulk Send, including BCC emails.
- On personal emails (campaigns, Quick Send, automations, individual copies) it is a one-click link.
- On a BCC email it opens a pre-filled email to the sending mailbox ("Unsubscribe rb-..."). MailFlow reads it, suppresses that person, and skips them for the rest of the send. There is also an "unsubscribe on the web" link.
- **Suppressions** lists everyone MailFlow will not email, with the reason (Unsubscribed, Bounced, Marked as spam) and who added it: you, the recipient's unsubscribe link, or the system.
- **Bounces and spam reports apply to the whole organisation** and carry an *Org-wide* badge: if an address bounced for a teammate, it is skipped for you too ("System (teammate's bounce)"). Unsubscribes apply to your workspace.
- You can add an address by hand (Unsubscribed or Complaint, with a note) or remove one you added.

09 Sign (e-signatures)

- **New Request**: document name, signer name and email, CC (one per line), custom fields such as `{{stipend}}`, an optional invitation email, extra attachments, and when the link expires (7 days by default). Or load a template.

- **Bulk Send**: one document per row from a CSV or a Data list, with a template. With several signers, choose *Signer 1 → 2 → 3* (in order) or *all sign at once*, and which signer fills which fields.
- **Templates** hold reusable documents with fields; the **PDF Library** holds PDFs shared by Mail and Sign.
- **Documents** lists every request and its status. Signers who have not signed get a reminder every 2 days, up to 3 reminders.
- If an invitation email fails, the document shows a warning with `Resend`. Bulk void and resend report any that failed; *Void all* asks first. A voided link tells the signer the sender cancelled it.
- **Analytics**: documents sent and signed, sign rate and average time to sign.

10 Reports and numbers

10.1 In the app

- **Dashboard**: live numbers for your workspace and quick actions.
- **Deliverability**: emails sent, opened and clicked (people only), bounce and unsubscribe rates against healthy levels, domain authentication (SPF, DKIM, DMARC), each mailbox in the last 24 hours, and recent bounces. Last 7, 30 or 90 days.
- **Performance**: the team's numbers per person. **Reports**: documents sent and signed, emails sent, open and click rates, conversations and resolution rate.
- Date ranges are in IST and include today.
- **History**: every email sent (with its outcome and a "Why?") and every message received.

10.2 The daily report `8 PM IST`

- Sent at **8 PM IST, Monday to Friday**, covering 8 PM the previous working day to 8 PM today. Work done after 8 PM goes into the next report, and **the weekend goes into Monday's report**. A "What this report covers" card at the top says exactly which hours.
- Contents: totals; sends by type and by person; who used whose mailbox; the inbox per person (received, pending, closed, first and average response time, today and the last 30 days); and what needs attention.
- It goes to the To and CC people set in System Settings (visible), or to the admins by BCC if none are set, and posts to its own Slack channel as "MailFlow Daily Report".

10.3 The weekly report MONDAY 9 AM IST

- Same design, covering last week Monday to Sunday day by day, compared with the week before.
- Super Admins can *Preview latest*, *Send test to me* and *Send test to Slack* for both reports in System Settings → Reports & triage, with Email and Slack preview tabs.

11 Admin and Super Admin

- **Mailbox usage** (Admins): each mailbox's last 24 hours against the limits of 1,500 emails and 1,800 different people, so you can pick mailboxes with room.
- **Organization**: users, workspaces, emails, replies and campaigns over 7, 30 or 90 days, and the **Everything sent** ledger. Filter it by period, workspace, who launched it, mailbox, type, status, or *only from someone else's mailbox*, and download it as CSV. The 7d / 30d / 90d links keep your filters.
- **Users**: roles, enable and disable. You cannot disable yourself or remove the last Super Admin.
- **Workspaces**: View Workspace opens one read-only under a red banner; entry and exit are audited.
- **All Data**, **All Conversations**, **Audit Logs**: organisation-wide, and every view is audited.
- **System Settings**, with its own section menu: Data retention, Reports & triage (daily report, weekly report, AI inbox triage), Slack, and Runtime.

12 Settings

Settings has a section menu on the left (chips across the top on a phone). The section you are looking at is highlighted.

GROUP	SECTIONS
You	Profile, Gmail (connect, backup sender, profile photos), Email signature
Inbox	Saved replies, Inbox sharing
Workspace	SLA rules, Webhooks, and Server (cloud or laptop) for Super Admins

The app uses the Masai look: the Masai logo in the sidebar (white in dark mode), Masai red buttons, and the round Masai "m" as the browser-tab icon. E-sign emails use the same red.

13 Before you send

Tick these off for every bulk send. Ticks are saved in this browser.

- [ ] Gmail connected and a **test email** received.
- [ ] The right **email column** is chosen; duplicates handled.
- [ ] Every `{{variable}}` fills in for at least three people (Preview as, or click a recruiter). Empty cells have a fallback like `{{Name | there}}`.
- [ ] The **recipient count** matches what you expect, and every skip reason makes sense.
- [ ] From name, Reply-To and CC / BCC are right. CC and BCC go on *every* email.
- [ ] The sending mailboxes have room today (**Mailbox usage**), and backups are ticked if needed.
- [ ] Attachments open, links work, and Drive videos are shared "Anyone with the link".
- [ ] Approved, if your role needs approval.
- [ ] After sending: watched progress to the end and checked failures in **Batches** or **History**.

0 of 9 done

14 Limits to know

> **Only these send email:** *Send now* on an approved campaign, *Send without approval* by an admin, Quick Send, Recruiter Bulk Send, a scheduled send, an inbox reply you send or schedule, an enabled automation, and an automatic reply rule. Nothing else does.

- **Per mailbox, per 24 hours**: 1,500 emails and 1,800 different people, so you stay under Google's own limits. Check **Mailbox usage**. Backup mailboxes take over when yours is full.
- **Speed**: about 20 emails per minute per mailbox by default. Recruiter Bulk Send uses the pause you set.

- **Attachments**: Quick Send PDFs up to 4 MB each and 10 MB in total; Recruiter Bulk Send up to 5 PDFs and a video up to 20 MB (or a link of any size); inbox replies up to 4 MB.
- **Recruiter Bulk Send**: up to 250 recruiters per BCC email; CC up to 10 people.
- **Data grid**: up to 100,000 rows per dataset.
- **AI**: daily limits per person and per organisation (see System Settings). If AI is unavailable, carry on by hand; nothing else is affected.

15 If something goes wrong

SYMPTOM	DO THIS
Can't get in after sign-in	A new account waits for a Super Admin to approve it. "Not permitted" means the account was disabled: contact a Super Admin.
Gmail connect errors	Settings → Gmail → Connect again, choosing your own Masai account.
"Sender not connected"	Connect Gmail in Settings, then try again.
Mailbox hit its limit	Pick another mailbox or a backup (Mailbox usage shows who has room), or send tomorrow.
Send stuck in Queued	Batches → *Process queue*. If it keeps failing, open History for the reason.
Recruiter send blocked	The page lists why. Usually a variable doesn't match a column, variables are used with BCC (switch to Individual copies), or CC is set on individual copies to more than 50 recruiters.
No replies appearing	Inbox → *Sync now*. Only replies to emails MailFlow sent come in.
"Can't reply to this address"	The address bounced or reported spam. It is on Suppressions and stays blocked.
Signer didn't get the email	Open the document and click *Resend*.
Can't find Approve	Only Admins and Super Admins see Approvals, and you cannot approve your own request.

Owner: Abhishesh Kumar, abhishesh.kumar@masaischool.com. For bugs and requests, send the page URL and what you expected to happen.