















Title		
Size	Number	Revision
D		
Date:	1/30/2026	Sheet of
File:	C:\Users\...\MCU_USB.SchDoc	Drawn By:



Comment	Description	Designator	Footprint	LibRef	Quantity
4.7u	M.LCC, 0603, 4.7u, 10%, 35V, XSR	C200, C201	M.LCC_0603_M	CMP-001-1257-1	2
100n	M.LCC, 0603, 100n, 10%, 35V, XTR, M.LCC, 0603, 100n, 10%, 50V, XTR	C202, C203, C400, C401, C402, C404, C500, C501, C502, C503, C504, C505	M.LCC_0603_M	CMP-001-0755-1, CMP-001-0815-1	12
15p	M.LCC, 0603, 15p, 5%, 50V, COGNP0	C204, C205	M.LCC_0603_M	CMP-001-0474-1	2
22u	M.LCC, 0603, 22u, 10%, 16V, XSR	C300, C301, C303, C304	M.LCC_0603_M	CMP-001-1264-1	4
4.7u	M.LCC, 1206, 4.7u, 10%, 35V, XSR	C302, C305	M.LCC_1206_M	CMP-001-1124-2	2
4.7u	M.LCC, 0605, 4.7u, 20%, 50V, XSR	C403	M.LCC_0605_M	CMP-001-1830-1	1
15p	M.LCC, 0402, 15p, 10%, 25V, COGNP0	C405, C406	M.LCC_0402_M	CMP-001-1853-1	2
1n	M.LCC, 0603, 1n, 10%, 50V, XSR	C407	M.LCC_0603_M	CMP-001-0547-1	1
MBR020V_ML_0000 1	Rectifier Diode, Schottky, 1 Phase, 1 Element, 1A, 20V VPRM, Silicon Rectifier Diode	D300, D400	FP- MBR020V_ML_0000 1-MFG	CMP-ROOT-01310-1	2
V59AF3M10H-M3/H	Schottky, 1 Phase, 1 Element, 2.5A, 100V VPRM, Silicon, DO-21AC	D301, D302	V59AF3M10H-M3_H-Footprint-1	CMP-ROOT-01308-1	2
Red	Generic red 0603 LED	D303, D304, D305, D306	0603 RED LED	CMP-ROOT-00025-2	4
XT30U-F	Power Connector	J300	XT30U-F	CMP-ROOT-01262-2	1
USB4085-GF-A	USB Connector, 16 Contact(s), Female, Right Angle, Solder Terminal, Locking, Receptacle	J400	FP-USB4085-GF-A-MFG	CMP-001-1800-1	1
7-215079-6	Conn PFC Connector F 6 POS 1.27mm Solder ST Thru-Hole Automotive Box/Carlon	J500, J501, J502	7-215079-6-Footprint-1	CMP-ROOT-01311-2	3
0678310641	Conn Shrouded Header (2.54mm) HDR 6 POS 2mm Solder ST Top Entry Thru-Hole Mill-Grid Tube	J503, J504	0678310641	CMP-ROOT-01318-3	2
74404054330	Inductor Power Semi-Shielded Wirewound 33uH±10%,100KHz 1.2A@1.180Ohm DCR 2020 Automotive TR	L300	WE-LQS_5040	CMP-007-0001-1	1
74404043220A	General Purpose Inductor, 22uH, 20%, 1 Element, Nickel zinc Ferrite-Core, SMD, 1616	L301	WE-LQS_4025	CMP-ROOT-01309-1	1
PH1-04-UA	4 POS 2.54mm Vertical THT Header	P500	4Pos Pin Header Vertical	CMP-002-000004-1	1
MOD-9990345	Connector Header Through Hole 3 position 0.100" (2.54mm)	P503	3Pos Pin Header	CMP-ROOT-00217-1	1
61300511121	Conn Unshrouded Header HDRS POS 2.54mm Solder ST Top Entry Thru-Hole Bag	P504, P505	61300511121	CMP-ROOT-01020-1	2
2k	Resistor, 0603, 2k, 1%, 1/10W	R200	Resistor_0603_M	CMP-001-0084-2	1
22R	Resistor, 0603, 22R, 1%, 1/10W	R201, R202, R203, R204, R205, R206, R207, R405, R406, R500	Resistor_0603_M	CMP-001-0038-3	10
680R	Resistor, 0603, 680R, 1%, 1/10W	R300	Resistor_0603_M	CMP-001-0074-3	1
200R	Resistor, 0603, 200R, 1%, 1/10W	R301, R303	Resistor_0603_M	CMP-001-0060-2	2
100R	Resistor, 0603, 100R, <5%, ±10WV Resistor, 0603, 100R, 1%, 1/10W	R302, R401	Resistor_0603_M	CMP-0001-00262-1, CMP-001-0054-5	2
10k	Resistor, 0603, 10k, 1%, 1/10W, Resistor, 0603, 10k, <5%, ±1/10W	R400, R501	Resistor_0603_M	CMP-001-0101-2, CMP-0001-00257-1	2
5.1k	Resistor, 0603, 5.1k, 1%, 1/10W	R402, R403	Resistor_0603_M	CMP-001-0094-2	2
1.5k	Resistor, 0603, 1.5k, 1%, 1/10W	R404	Resistor_0603_M	CMP-001-0081-2	1
1M	Resistor, 1206, 1M, 1%, 1/4W	R407	Resistor_1206_M	CMP-0001-00051-1	1
4.7k	Resistor, 0603, 4.7k, 1%, 1/10W	R408, R410	Resistor_0603_M	CMP-001-0093-2	2
USLPT2819D14TR	Keypad Switch, SPST, 0.05A, 1.96N, Solder Terminal, Panel Mount	S400	USLPT2819D14TR-Footprint-1	CMP-ROOT-01290-1	1
BTM0011EP9LJMA1	DC-Mtr Drive, Brush, 150DEEC, TSSOPEP-14 Rohns Compliant: Yes	U200, U201	BTM0011EP9LJMA1	CMP-00022-3	2
PAW2118034CF39J40	Switching Regulator, Current-mode, 0.3A, 170kHz Switching Freq Max, POS05	U300	P5_064B_MFG	CMP-ROOT-0017-1	1
PAW2118054CF39J40	Switching Regulator, Current-mode, 0.3A, 230kHz Switching Freq Max, POS05	U301	P5_064B_MFG	CMP-00019-3	1
STM32F103C8T6	MCU 32-bit STM32F1 ARM Cortex-M3 RISC 64KB Flash 2.5V/3.3V 48-Pin LQFP Tray	U400	STM-LQFP48_M	CMP-00012-2	1
XV-MK-SVRF	433MHz receiver module, 5V tolerant	U500	2.54mm 4 POS XV-MK-SVRF	CMP-00015-1	1
ABM11-16.000MHZ-12-NG-T	Crystal 16MHz ±10ppm (T0) ±15ppm (Stability) 12pF FUND 150Ohm 4-Pin Ultra Mini-CSMD TR	U64400	FP-ABM11-MFG	CMP-ROOT-01254-3	1