	Lont Clan
<u></u>	Ovirzer - Recap Auto Correlation
/ 3)	Partial Arto Correlation
/ ¢)	Correlation vs Causation
5)	ARIMA family.
	Auto Regression (AR)  Moving Averages (MA)  ARMA (AR+MA)  SARIMA
	Today? clas
	Quiele recap
25	ARIMA
3)	SARIMA
4	proprietaring who comoraline
5	intervals Exogenors variables
6	\ \

AR (P) 
$$AR(P=2)$$
 $f_{t} = x_{1} + x_{1} + x_{2} + x_{1} + c$ 

AR (P)  $f_{t} = x_{1} + x_{1} + x_{2} + x_{2} + c$ 

AR (P=2)  $f_{t} = x_{1} + x_{1} + x_{2} + x_{2} + c$ 

AR (P=2)  $f_{t} = x_{1} + x_{1} + x_{2} + x_{2} + c$ 

MA (Q=3)  $f_{t} = x_{1} + x_{2} + x_{2} + c$ 

Then dint diff ()  $f_{t} = x_{1} + x_{2} + x_{2} + c$ 

Semantity

Ye =  $f_{t} = f_{t} - f_{t} = f_{t}$ 

Ye =  $f_{t} = f_{t} - f_{t} = f_{t}$ 

Ye =  $f_{t} = f_{t} - f_{t} = f_{t}$ 

y= wn + [b] >> cantrulne  $y_{th} = y_t + (y_t) + 2\sigma$ The start of the s [btt2, Wbt72] W6 + +5] [ Lb + + 5,