Execution Test

Report

Created on 09.03.2021

Tricentis Tosca™ 13.4 P3

Execution Summary

TestCases total	0	**100 %**
Passed	1	100.0%

## SumUp Chart

1

Passed

Order Management

TC04_Demowebshop Generate Order Report in Excel and Send Email — **PASSED**

Started: **09-03-2021 06:58:08 PM**   Executed by **Admin**
Ended: **09-03-2021 06:59:35 PM**

Name	Value	Action	Loginfo
✓ Open Demowebshop			
✓ Wait for PageLoad			
✓ Operation	Wait On Open	Input	Operation 'Wait On Open' has been performed successfully on window with caption 'Demo*'.
✓ Click on Login			
✓ Account Menu	Log in	Input	
✓ Email:	{PL[Email]}	Input	
✓ Password:	{PL[Password]}	Input	
✓ UserLogin:	{Click}	Input	
✓ Wait for HomePage Load			
✓ Account Link	True	WaitOn	WaitOn was successful. Expected value: "== True" Actual value: "True"
✓ Take Screenshot			The screenshot was successfully created.

✓ Click on the Account link			
✓ Account Link	{Click}	Input	
✓ Click on Order to see the order details			
✓ Orders	{Click}	Input	
✓ Check for Total Order Count			
✓ Order	OrderCount	Buffer	Buffer with name: "OrderCount" has been set to value: "21"

✓ Take Screenshot		The screenshot was successfully created.

✓ Intialize Counter to 1			
✓ Count	1	Input	Buffer with name: "Count" has been set to value: "1"
✓ While			
✓ Repetition: 1			
✓ Condition			
✓ Verify Order Item Exists			
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓ Loop			
✓ Buffer order number and total			
✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 880681 Order status: Pending Order Date: 3/6/2021 4:32:55 AM Order Total: 34.00"
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 34.00"
✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓ Define Report Range			Range Range is defined successfully.
✓ Add the order details to report			
✓ Data Table	{NULL}	Select	
✓ ${B[Count]}	{NULL}	Select	
✓ $1	{B[OrderNumber]}	Input	
✓ $2	{B[Total]}	Input	
✓ $header	{NULL}	Select	
✓ $1	Order Number	Input	

✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1			
✓	Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "2"

✓ Repetition: 2

✓ Condition

✓ Verify Order Item Exists

✓	#{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"

✓ Loop

✓ Buffer order number and total

✓	#{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 880680 Order status: Pending Order Date: 3/6/2021 4:32:09 AM Order Total: 39.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 39.00"

✓	Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range			Range Range is updated successfully.
✓	Add the order details to report			
✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1			
✓	Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "3"

✓ Repetition: 3

✓ Condition

✓ Verify Order Item Exists

✓	#{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"

✓ Loop

✓ Buffer order number and total

✓	#{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 880679 Order status: Pending Order Date: 3/6/2021 4:31:26 AM Order Total: 34.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 34.00"

✓	Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range			Range Range is updated successfully.
✓	Add the order details to report			
✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1			
✓	Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "4"
✓	Repetition: 4			
✓	Condition			
✓	Verify Order Item Exists			
✓	#{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓	Loop			
✓	Buffer order number and total			
✓	#{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 880678 Order status: Pending Order Date: 3/6/2021 4:30:41 AM Order Total: 41.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 41.00"
✓	Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range			Range Range is updated successfully.
✓	Add the order details to report			
✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1			
✓	Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "5"
✓	Repetition: 5			
✓	Condition			
✓	Verify Order Item Exists			
✓	#{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓	Loop			

✓	Buffer order number and total			
✓	#{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 880677 Order status: Pending Order Date: 3/6/2021 4:29:16 AM Order Total: 41.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 41.00"
✓	Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range			Range Range is updated successfully.
✓	Add the order details to report			
✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1			
✓	Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "6"
✓	**Repetition: 6**			
✓	Condition			
✓	Verify Order Item Exists			
✓	#{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓	**Loop**			
✓	Buffer order number and total			
✓	#{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 880671 Order status: Pending Order Date: 3/6/2021 2:52:35 AM Order Total: 34.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 34.00"
✓	Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range			Range Range is updated successfully.
✓	Add the order details to report			
✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.

✓ Increment Counter by 1				
✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "7"	
✓ **Repetition: 7**				
✓ Condition				
✓ Verify Order Item Exists				
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"	
✓ Loop				
✓ Buffer order number and total				
✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 880670 Order status: Pending Order Date: 3/6/2021 2:50:03 AM Order Total: 46.00"	
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 46.00"	
✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.	
✓ Define Report Range			Range Range is updated successfully.	
✓ Add the order details to report				
✓ Data Table	{NULL}	Select		
✓ ${B[Count]}	{NULL}	Select		
✓ $1	{B[OrderNumber]}	Input		
✓ $2	{B[Total]}	Input		
✓ $header	{NULL}	Select		
✓ $1	Order Number	Input		
✓ $2	Total	Input		
✓ Close Order Report			Workbook Order_Report is closed and saved successfully.	
✓ Increment Counter by 1				
✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "8"	
✓ **Repetition: 8**				
✓ Condition				
✓ Verify Order Item Exists				
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"	
✓ Loop				
✓ Buffer order number and total				
✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 880421 Order status: Pending Order Date: 3/5/2021 3:18:26 PM Order Total: 10.00"	
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 10.00"	
✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.	
✓ Define Report Range			Range Range is updated successfully.	
✓ Add the order details to report				

✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1			
✓	Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "9"
✓	**Repetition: 9**			
✓	Condition			
✓	Verify Order Item Exists			
✓	#{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓	Loop			
✓	Buffer order number and total			
✓	#{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 876351 Order status: Pending Order Date: 3/1/2021 2:57:06 PM Order Total: 32.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 32.00"
✓	Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range			Range Range is updated successfully.
✓	Add the order details to report			
✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1			
✓	Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "10"
✓	**Repetition: 10**			
✓	Condition			
✓	Verify Order Item Exists			
✓	#{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓	Loop			
✓	Buffer order number and total			

✓	#{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 876350 Order status: Pending Order Date: 3/1/2021 2:54:18 PM Order Total: 32.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 32.00"
✓	Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range			Range Range is updated successfully.
✓	Add the order details to report			
✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1			
✓	Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "11"
✓	Repetition: 11			
✓	Condition			
✓	Verify Order Item Exists			
✓	#{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓	Loop			
✓	Buffer order number and total			
✓	#{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 876334 Order status: Pending Order Date: 3/1/2021 2:39:54 PM Order Total: 32.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 32.00"
✓	Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range			Range Range is updated successfully.
✓	Add the order details to report			
✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	
✓	Close Order Report			Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1			

✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "12"	

✓ **Repetition: 12**	

✓ **Condition**	

✓ **Verify Order Item Exists**	

✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"

✓ **Loop**	

✓ **Buffer order number and total**	

✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 876331 Order status: Pending Order Date: 3/1/2021 2:37:55 PM Order Total: 32.00"
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 32.00"

✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓ Define Report Range			Range Range is updated successfully.
✓ Add the order details to report			
✓ Data Table	{NULL}	Select	
✓ ${B[Count]}	{NULL}	Select	
✓ $1	{B[OrderNumber]}	Input	
✓ $2	{B[Total]}	Input	
✓ $header	{NULL}	Select	
✓ $1	Order Number	Input	
✓ $2	Total	Input	

✓ Close Order Report			Workbook Order_Report is closed and saved successfully.
✓ Increment Counter by 1			
✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "13"

✓ **Repetition: 13**	

✓ **Condition**	

✓ **Verify Order Item Exists**	

✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"

✓ **Loop**	

✓ **Buffer order number and total**	

✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 876307 Order status: Pending Order Date: 3/1/2021 2:26:30 PM Order Total: 32.00"
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 32.00"

✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓ Define Report Range			Range Range is updated successfully.
✓ Add the order details to report			
✓ Data Table	{NULL}	Select	

✓ ${B[Count]}	{NULL}	Select	
✓ $1	{B[OrderNumber]}	Input	
✓ $2	{B[Total]}	Input	
✓ $header	{NULL}	Select	
✓ $1	Order Number	Input	
✓ $2	Total	Input	
✓ Close Order Report			Workbook Order_Report is closed and saved successfully.
✓ Increment Counter by 1			
✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "14"
✓ Repetition: 14			
✓ Condition			
✓ Verify Order Item Exists			
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓ Loop			
✓ Buffer order number and total			
✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 876296 Order status: Pending Order Date: 3/1/2021 2:18:29 PM Order Total: 32.00"
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 32.00"
✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓ Define Report Range			Range Range is updated successfully.
✓ Add the order details to report			
✓ Data Table	{NULL}	Select	
✓ ${B[Count]}	{NULL}	Select	
✓ $1	{B[OrderNumber]}	Input	
✓ $2	{B[Total]}	Input	
✓ $header	{NULL}	Select	
✓ $1	Order Number	Input	
✓ $2	Total	Input	
✓ Close Order Report			Workbook Order_Report is closed and saved successfully.
✓ Increment Counter by 1			
✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "15"
✓ Repetition: 15			
✓ Condition			
✓ Verify Order Item Exists			
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓ Loop			
✓ Buffer order number and total			

✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 876291 Order status: Pending Order Date: 3/1/2021 2:15:04 PM Order Total: 32.00"
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 32.00"
✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓ Define Report Range			Range Range is updated successfully.
✓ Add the order details to report			
✓ Data Table	{NULL}	Select	
✓ ${B[Count]}	{NULL}	Select	
✓ $1	{B[OrderNumber]}	Input	
✓ $2	{B[Total]}	Input	
✓ $header	{NULL}	Select	
✓ $1	Order Number	Input	
✓ $2	Total	Input	
✓ Close Order Report			Workbook Order_Report is closed and saved successfully.
✓ Increment Counter by 1			
✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "16"
✓ Repetition: 16			
✓ Condition			
✓ Verify Order Item Exists			
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"
✓ Loop			
✓ Buffer order number and total			
✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 876275 Order status: Pending Order Date: 3/1/2021 2:03:25 PM Order Total: 55.00"
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 55.00"
✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓ Define Report Range			Range Range is updated successfully.
✓ Add the order details to report			
✓ Data Table	{NULL}	Select	
✓ ${B[Count]}	{NULL}	Select	
✓ $1	{B[OrderNumber]}	Input	
✓ $2	{B[Total]}	Input	
✓ $header	{NULL}	Select	
✓ $1	Order Number	Input	
✓ $2	Total	Input	
✓ Close Order Report			Workbook Order_Report is closed and saved successfully.
✓ Increment Counter by 1			

✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "17"	

✓ Repetition: 17				
✓ Condition				
✓ Verify Order Item Exists				
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"	
✓ Loop				
✓ Buffer order number and total				
✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 875909 Order status: Pending Order Date: 3/1/2021 4:24:40 AM Order Total: 25.00"	
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 25.00"	
✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.	
✓ Define Report Range			Range Range is updated successfully.	
✓ Add the order details to report				
✓ Data Table	{NULL}	Select		
✓ ${B[Count]}	{NULL}	Select		
✓ $1	{B[OrderNumber]}	Input		
✓ $2	{B[Total]}	Input		
✓ $header	{NULL}	Select		
✓ $1	Order Number	Input		
✓ $2	Total	Input		
✓ Close Order Report			Workbook Order_Report is closed and saved successfully.	
✓ Increment Counter by 1				
✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "18"	

✓ Repetition: 18				
✓ Condition				
✓ Verify Order Item Exists				
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"	
✓ Loop				
✓ Buffer order number and total				
✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 875908 Order status: Pending Order Date: 3/1/2021 4:21:14 AM Order Total: 57.00"	
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 57.00"	
✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.	
✓ Define Report Range			Range Range is updated successfully.	
✓ Add the order details to report				
✓ Data Table	{NULL}	Select		

✓ ${B[Count]}	{NULL}	Select	
✓ $1	{B[OrderNumber]}	Input	
✓ $2	{B[Total]}	Input	
✓ $header	{NULL}	Select	
✓ $1	Order Number	Input	
✓ $2	Total	Input	
✓ Close Order Report			Workbook Order_Report is closed and saved successfully.
✓ Increment Counter by 1			
✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "19"

✓ Repetition: 19

✓ Condition

✓ Verify Order Item Exists			
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"

✓ Loop

✓ Buffer order number and total			
✓ #{B[Count]}	*Order Number:{XB[OrderNumber]} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 875885 Order status: Pending Order Date: 3/1/2021 3:26:52 AM Order Total: 12.00"
✓ Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 12.00"
✓ Open Order Report			Workbook F:\Report\OrderReport.xls is opened successfully.
✓ Define Report Range			Range Range is updated successfully.
✓ Add the order details to report			
✓ Data Table	{NULL}	Select	
✓ ${B[Count]}	{NULL}	Select	
✓ $1	{B[OrderNumber]}	Input	
✓ $2	{B[Total]}	Input	
✓ $header	{NULL}	Select	
✓ $1	Order Number	Input	
✓ $2	Total	Input	
✓ Close Order Report			Workbook Order_Report is closed and saved successfully.
✓ Increment Counter by 1			
✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "20"

✓ Repetition: 20

✓ Condition

✓ Verify Order Item Exists			
✓ #{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"

✓ Loop

✓ Buffer order number and total

✓	#{B[Count]}	*Order Number:{XB[OrderNumber]}} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 875875 Order status: Pending Order Date: 3/1/2021 3:05:41 AM Order Total: 25.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 25.00"

✓	Open Order Report		Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range		Range Range is updated successfully.
✓	Add the order details to report		

✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	

✓	Close Order Report		Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1		

✓	Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "21"

✓	Repetition: 21	
✓	Condition	
✓	Verify Order Item Exists	

✓	#{B[Count]}	True	Verify	Verification was successful. Expected value == "True" Actual value: "True"

✓	Loop
✓	Buffer order number and total

✓	#{B[Count]}	*Order Number:{XB[OrderNumber]}} Order status: Pending*	Verify	Verification was successful. Expression: "== *Order Number:{XB[OrderNumber]} Order status: Pending*" Actual value: "Order Number: 875530 Order status: Pending Order Date: 2/28/2021 4:59:20 AM Order Total: 51.00"
✓	Order Total	*Order Total:{XB[Total]}	Verify	Verification was successful. Expression: "== *Order Total:{XB[Total]}" Actual value: "Order Total: 51.00"

✓	Open Order Report		Workbook F:\Report\OrderReport.xls is opened successfully.
✓	Define Report Range		Range Range is updated successfully.
✓	Add the order details to report		

✓	Data Table	{NULL}	Select	
✓	${B[Count]}	{NULL}	Select	
✓	$1	{B[OrderNumber]}	Input	
✓	$2	{B[Total]}	Input	
✓	$header	{NULL}	Select	
✓	$1	Order Number	Input	
✓	$2	Total	Input	

✓	Close Order Report		Workbook Order_Report is closed and saved successfully.
✓	Increment Counter by 1		

✓ Count	{Calc[{B[Count]}+1]}	Input	Buffer with name: "Count" has been set to value: "22"

✓ Repetition: 22

✗ Condition

✗ Verify Order Item Exists

✗ #{B[Count]}	True	Verify	Verification has failed. Expected value == "True" Actual value: "False"

✓ Connect to Sender Email

✓ Send Mail

✓ Connect to Receiver Email

✓ Verify for Received Email

✓ Result	{NULL}	Select	
✓ Result Count	1	Verify	Verification was successful. Expected value == "1" Actual value: "1"

✓ Click on Logout

✓ Log out	{Click}	Input	

✓ CloseBrowser