home

Execution Environment

Host name	Hp - 20.23.0.21
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 125.0.0.0
Device name	

Summary

ID	Test Suites/home
Description	

Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	14-06-2024 14:49:15	End	14-06-2024 14:51:23
Elapsed	2m - 7.995s		

#	ID	Description	Status
1	Test Cases/home		FAILED

home

Information

ID Test Cases/home

Description

Tag

Start 14-06-2024 14:50:46   End 14-06-2024 14:51:20
Elapsed 33.976s
Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.589s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://www.w3schools.com/")	29.282s	PASSED
	Navigate to 'https://www.w3schools.com/' successfully		
3	click(findTestObject("Object Repository/Page_W3Schools Online Web Tutorials/a_Tutorials"))	0.999s	PASSED
	Object: 'Object Repository/Page_W3Schools Online Web Tutorials/a_Tutorials' is clicked on		
4	setText(findTestObject("Object Repository/Page_W3Schools Online Web Tutorials/input_Tutorials filter input_filter-tutoria_e71851"), "")	0.653s	PASSED
	Text '' is set on object 'Object Repository/Page_W3Schools Online Web Tutorials/input_Tutorials filter input_filter-tutoria_e71851'		

home

#	Description	Elapsed	Status
5	setText(findTestObject("Object Repository/Page_W3Schools Online Web Tutorials/input_Excercises filter input_filter-exerci_ee1ae2"), "")	0.415s	FAILED

Unable to set text '' of object 'Object Repository/Page_W3Schools Online Web Tutorials/input_Excercises filter input_filter-exerci_ee1ae2' (Root cause: com.kms.katalon. core.exception.StepFailedException: Unable to set text '' of object 'Object Repository/Page_W3Schools Online Web Tutorials/input_Excercises filter input_filter-exerci_ee1ae2'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
        at home.run(home:29)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1718356748630.run(TempTestSuite1718356748630.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable
  (Session info: chrome=125.0.6422.176)

#	Description	Elapsed	Status
	Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-J0LU7UA', ip: '20.23.0.21', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.176, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\Hp\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61395}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 82d8647357d3cb09061d8748d39f8463 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.clear(RemoteWebElement. java:124) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver$EventFiringWebElement.lambdanew0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.$Proxy24.clear(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:55) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)		

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)

at Script1718356639865.run(Script1718356639865.groovy:29)

... 18 more

)