Smartbridge Externship

Android Development with Kotlin (Week 1)

Siddhesh Patil

20BCE2011 30 May 2023

Code:

```
Import androidx.activity.ComponentActivity
import androidx.compose.foundation.text.KeyboardOptions
import androidx.compose.material.icons.filled.Person
import androidx.compose.material3.Button
import androidx.compose.material3.Card
import androidx.compose.material3.CardDefaults
import androidx.compose.runtime.mutableStateOf
import androidx.compose.runtime.setValue
import androidx.compose.ui.Alignment
        setContent {
                     modifier = Modifier.fillMaxSize(),
```

```
fun Login Page(applicationContext: Context) {
       modifier = Modifier.padding(all = 30.dp)
           modifier = Modifier
                .padding(all = 20.dp)
                    .fillMaxWidth()
                    .padding(bottom = 20.dp)
               mutableStateOf("")
                .padding(bottom = 10.dp, top = 10.dp)
                onValueChange = { password = it },
                modifier = Modifier
                    .padding(bottom = 10.dp, top = 10.dp),
```

```
onClick = { login(username, password, applicationContext) },
                modifier = Modifier
                    .fillMaxWidth()
                    .padding(bottom = 10.dp, top = 10.dp)
                        .padding(top = 20.dp)
                        .padding(top = 20.dp)
fun forgot(applicationContext: Context) {
```

Output:



Video Link:

https://drive.google.com/file/d/1HqbPKlqQDl4sWVNsGzHGwq1O6c5uVZLJ/view?usp=sharing