

Cucumber Report

28-May-2023, 10:40:09 am

Start : May 28, 10:40:01.252 am

End : May 28, 10:40:06.804 am

Duration : 5.552 s

Features



Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 5
SKIPPED - 0


PASSED - 11
FAILED - 5
SKIPPED - 14



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Limeroad order</u>	5.552 s	5	0	5	0	30	11	5	14





#	Feature Name	T	P	F	S	Duration
1	<u>Limeroad order</u>	5	0	5	0	5.552 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Limeroad order</u>	<u>To select a product in Winter</u>	6	2	1	3	2.108 s
2	<u>Limeroad order</u>	<u>To select a product in kids</u>	6	2	1	3	0.799 s
3	<u>Limeroad order</u>	<u>To select a product in jeans</u>	6	2	1	3	0.993 s
4	<u>Limeroad order</u>	<u>To select a product in shirts</u>	6	3	1	2	0.840 s
5	<u>Limeroad order</u>	<u>To select a product in footwear</u>	6	2	1	3	0.684 s

Limeroad order

FAILED	DURATION - 5.552 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 30 Pass - 11 Fail - 5 Skip - 14	
/ 10:40:01.252 am // 10:40:06.804 am /					



To select a product in Winter

<div><div>FAILED</div><div>DURATION - 2.108 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 3</div></div>	<div></div>
/ 10:40:01.258 am // 10:40:03.366 am /				
Limeroad order				

#	Step / Hook Details	Status	Duration
1	When Launch the url "https://www.limeroad.com/"	PASSED	0.750 s
2	And click the element to select the shop men to navigate to men page	PASSED	1.212 s
3	When Click the element to select winter icon org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='loaderCat vipwinterwear_menLdr dlb mA pA r0 h80 b4 l0 t0 ']'"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASUS', ip: '192.168.0.150', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\santh\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51282}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ce215765acaa4a5e3d1548b95ad81e13 *** Element info: {Using=xpath, value=//div[@class='loaderCat vipwinterwear_menLdr dlb mA pA r0 h80 b4 l0 t0 ']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.079 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy18.isDisplayed(Unknown Source) at com.baseclass.Baseclass.clickonelement(Baseclass.java:52) at com.stepdefinition.Stepdefinition.click_the_element_to_select_winter_icon(Stepdefinition.java:38) at ?.Click the element to select winter icon(file:///C:/Users/santh/eclipse-workspace/Cucumber/src/test/java/com/feature/lime.feature:13) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	And user click cutest duo rn	SKIPPED	0.007 s
5	And Click the element to select Solids Polyester Single Breasted Suits	SKIPPED	0.004 s
6	And Click the element to select add to cart	SKIPPED	0.001 s



To select a product in kids

<div>FAILED</div> <div>DURATION - 0.799 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:40:03.431 am // 10:40:04.230 am /				
Limeroad order				

#	Step / Hook Details	Status	Duration
1	When Launch the url "https://www.limeroad.com/"	PASSED	0.437 s
2	And click the element to select the shop men to navigate to men page	PASSED	0.201 s
3	When Click the element to select kids icon	FAILED	0.144 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//img[@alt='Kids'])[1]}" (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASUS', ip: '192.168.0.150', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\santh\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51282}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ce215765acaa4a5e3d1548b95ad81e13 *** Element info: {Using=xpath, value=(//img[@alt='Kids'])[1]}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy18.isDisplayed(Unknown Source) at com.baseclass.Baseclass.clickonelement(Baseclass.java:52) at com.stepdefinition.Stepdefinition.click_the_element_to_select_kids_icon(Stepdefinition.java:60) at ?.Click the element to select kids icon(file:///C:/Users/santh/eclipse-workspace/Cucumber/src/test/java/com/feature/lime.feature:20)</p> <p>* Not displayable characters are replaced by '?'. </p>		
4	And user click wedding special edit	SKIPPED	0.002 s
5	And Click the element to select Boys Turquoise Solid Dhoti Kurta Set	SKIPPED	0.002 s
6	And Click the element to select add to cart1	SKIPPED	0.001 s



To select a product in jeans

<div>FAILED</div> <div>DURATION - 0.993 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:40:04.247 am // 10:40:05.240 am /				
Limeroad order				

#	Step / Hook Details	Status	Duration
1	When Launch the url "https://www.limeroad.com/"	PASSED	0.478 s
2	And click the element to select the shop men to navigate to men page	PASSED	0.402 s
3	When Click the element to select jeans icon org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@alt='Jeans']"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASUS', ip: '192.168.0.150', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\santh\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:51282}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ce215765acaa4a5e3d1548b95ad81e13 *** Element info: {Using=xpath, value=//img[@alt='Jeans']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)	FAILED	0.104 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy18.isDisplayed(Unknown Source) at com.baseclass.Baseclass.clickonelement(Baseclass.java:52) at com.stepdefinition.Stepdefinition.click_the_element_to_select_jeans_icon(Stepdefinition.java:82) at ?.Click the element to select jeans icon(file:///C:/Users/santh/eclipse-workspace/Cucumber/src/test/java/com/feature/lime.feature:28) * Not displayable characters are replaced by '?'. </pre>		
4	And user click funk it up a notch	SKIPPED	0.000 s
5	And Click the element to select mid rise light washed denim jean	SKIPPED	0.000 s
6	And click the element to select add to cart2	SKIPPED	0.000 s

To select a product in shirts

<div>FAILED</div> <div>DURATION - 0.840 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 10:40:05.256 am // 10:40:06.096 am /</div>				
<div>Limeroad order</div>				

#	Step / Hook Details	Status	Duration
1	When Launch the url "https://www.limeroad.com/"	PASSED	0.289 s
2	And click the element to select the shop men to navigate to men page	PASSED	0.286 s
3	When Click the element to select shirts icon	PASSED	0.008 s
4	And user click top summer faves <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@alt='Sunny Days Ahead']"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASUS', ip: '192.168.0.150', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\santh\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:51282}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ce215765acaa4a5e3d1548b95ad81e13 *** Element info: {Using=xpath, value=//img[@alt='Sunny Days Ahead']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre>	FAILED	0.249 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy18.isDisplayed(Unknown Source) at com.baseclass.Baseclass.clickonelement(Baseclass.java:52) at com.stepdefinition.Stepdefinition.user_click_top_summer_faves(Stepdefinition.java:110) at ?.user click top summer faves(file:///C:/Users/santh/eclipse-workspace/Cucumber/src/test/java/com/feature/lime.feature:37) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
5	And Click the element to select Beige Coloured Printed Casual Shirt	SKIPPED	0.000 s
6	And Click the element to select add to cart3	SKIPPED	0.000 s

To select a product in footwear

FAILED DURATION - 0.684 s / 10:40:06.120 am // 10:40:06.804 am / Limeroad order		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	When Launch the url "https://www.limeroad.com/"	PASSED	0.339 s
2	And click the element to select the shop men to navigate to men page	PASSED	0.162 s

#	Step / Hook Details	Status	Duration
3	<p>When Click the element to select footwear icon</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//img[@alt='Footwear'])[1]}" (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'ASUS', ip: '192.168.0.150', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\santh\AppData\Loca ..}, goog:chromeOptions: {debuggerAddress: localhost:51282}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ce215765acaa4a5e3d1548b95ad81e13 *** Element info: {Using=xpath, value=(//img[@alt='Footwear'])[1]}</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy18.isDisplayed(Unknown Source) at com.baseclass.Baseclass.clickonelement(Baseclass.java:52) at com.stepdefinition.Stepdefinition.click_the_element_to_select_footwear_icon(Stepdefinition.java:130) at ?.Click the element to select footwear icon(file:///C:/Users/santh/eclipse-workspace/Cucumber/src/test/java/com/feature/lime.feature:44)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.175 s
4	And user click comfort over everything	SKIPPED	0.000 s
5	And Click the element to select black back strap sandal	SKIPPED	0.008 s
6	And Click the element to select add to cart4	SKIPPED	0.000 s