Compose Input: A Demonstration of Text Input and Validation with Android Compose

Name: Santhosh. S Reg.No:710422104503

Description

"Compose Input: A Demonstration of Text Input and Validation with Android Compose" refers to showcasing how to implement and manage user input fields using Jetpack Compose, Google's modern toolkit for building native UI in Android applications. This topic typically includes demonstrating how to:

1. Create Text Input Fields

- Use the TextField or OutlinedTextField components to allow users to enter text.
- Customize these fields with labels, placeholders, and icons.

2. Handle State and Input Changes

- Utilize remember and mutableStateOf to manage the state of input fields.
- Update UI dynamically as the user types.

3. Implement Validation

- Validate user inputs such as email formats, passwords, or other criteria.
- Display error messages or feedback directly below the input field if validation fails.

4. Enhance Usability

- Add features like:
 - Input masking (e.g., phone numbers or credit card formatting).
 - Keyboard actions to move between fields or submit forms.
 - Clear buttons or focus management for user convenience.

5. Styling and Customization

- Apply custom themes and styles to input fields.
- Adjust colors, fonts, and dimensions to fit the app's design.

AdminActivity.kt

package com.example.surveyapplication

```
import android.os.Bundle
import android.util.Log
import androidx.activity.ComponentActivity
import androidx.activity.compose.setContent
import androidx.compose.foundation.Image
import androidx.compose.foundation.layout.*
import androidx.compose.foundation.lazy.LazyColumn
import androidx.compose.foundation.lazy.LazyRow
import androidx.compose.foundation.lazy.items
import androidx.compose.material.MaterialTheme
import androidx.compose.material.Surface
import androidx.compose.material.Text
import androidx.compose.runtime.Composable
import androidx.compose.ui.Modifier
import androidx.compose.ui.graphics.Color
import androidx.compose.ui.layout.ContentScale
import androidx.compose.ui.res.painterResource
import androidx.compose.ui.tooling.preview.Preview
import androidx.compose.ui.unit.dp
import androidx.compose.ui.unit.sp
import com.example.surveyapplication.ui.theme.SurveyApplicationTheme
class AdminActivity : ComponentActivity() {
  private lateinit var databaseHelper: SurveyDatabaseHelper
  override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    databaseHelper = SurveyDatabaseHelper(this)
    setContent {
      val data = databaseHelper.getAllSurveys();
      Log.d("swathi", data.toString())
      val survey = databaseHelper.getAllSurveys()
      ListListScopeSample(survey)
```



```
@Composable
fun ListListScopeSample(survey: List<Survey>) {
  Image(
    painterResource(id = R.drawable.background), contentDescription = "",
    alpha = 0.1F,
    contentScale = ContentScale.FillHeight,
    modifier = Modifier.padding(top = 40.dp))
  Text(
    text = "Survey Details",
    modifier = Modifier.padding(top = 24.dp, start = 106.dp, bottom = 24.dp),
    fontSize = 30.sp,
    color = Color(0xFF25b897))
  Spacer(modifier = Modifier.height(30.dp))
  LazyRow(
    modifier = Modifier
       .fillMaxSize()
       .padding(top = 80.dp),
  horizontalArrangement = Arrangement.SpaceBetween ) {
    item {
     LazyColumn {
       items(survey) { survey ->
           Column(
             modifier = Modifier.padding(
               top = 16.dp,
               start = 48.dp,
               bottom = 20.dp
             Text("Name: ${survey.name}")
             Text("Age: ${survey.age}")
             Text("Mobile_Number: ${survey.mobileNumber}")
             Text("Gender: ${survey.gender}")
             Text("Diabetics: ${survey.diabetics}")
                         } } }
```



LoginActivity.kt

package com.example.surveyapplication import android.content.Context import android.content.Intent import android.os.Bundle import androidx.activity.ComponentActivity import androidx.activity.compose.setContent import androidx.compose.foundation.Image import androidx.compose.foundation.background import androidx.compose.foundation.layout.* import androidx.compose.material.* import androidx.compose.runtime.* import androidx.compose.ui.Alignment import androidx.compose.ui.Modifier import androidx.compose.ui.graphics.Color import androidx.compose.ui.layout.ContentScale import androidx.compose.ui.res.painterResource import androidx.compose.ui.text.font.FontFamily import androidx.compose.ui.text.font.FontWeight import androidx.compose.ui.tooling.preview.Preview import androidx.compose.ui.unit.dp import androidx.compose.ui.unit.sp import androidx.core.content.ContextCompat import com.example.surveyapplication.ui.theme.SurveyApplicationTheme class LoginActivity : ComponentActivity() { private lateinit var databaseHelper: UserDatabaseHelper override fun onCreate(savedInstanceState: Bundle?) { super.onCreate(savedInstanceState) databaseHelper = UserDatabaseHelper(this) LoginScreen(this, databaseHelper) } } } setContent { @Composable fun LoginScreen(context: Context, databaseHelper: UserDatabaseHelper) { var username by remember { mutableStateOf("") } var password by remember { mutableStateOf("") } var error by remember { mutableStateOf("") }



```
Column(
    modifier = Modifier.fillMaxSize().background(Color.White),
    horizontalAlignment = Alignment.CenterHorizontally,
    verticalArrangement = Arrangement.Center
    Image(painterResource(id = R.drawable.survey_login), contentDescription = "")
Text(
      fontSize = 36.sp,
      fontWeight = FontWeight.ExtraBold,
      fontFamily = FontFamily.Cursive,
      color = Color(0xFF25b897),
      text = "Login"
    Spacer(modifier = Modifier.height(10.dp))
    TextField(
      value = username,
      onValueChange = { username = it },
      label = { Text("Username") },
      modifier = Modifier
        .padding(10.dp)
        .width(280.dp)
    TextField(
      value = password,
      onValueChange = { password = it },
      label = { Text("Password") },
      visualTransformation = PasswordVisualTransformation(),
      modifier = Modifier
        .padding(10.dp)
        .width(280.dp)
 if (error.isNotEmpty()) {
      Text(
        text = error,
        color = MaterialTheme.colors.error,
        modifier = Modifier.padding(vertical = 16.dp)
```



```
Button(
      onClick = {
        if (username.isNotEmpty() && password.isNotEmpty()) {
           val user = databaseHelper.getUserByUsername(username)
           if (user != null && user.password == password) {
             error = "Successfully log in"
             context.startActivity(
               Intent(
                 context,
                 MainActivity::class.java
             //onLoginSuccess()
           if (user != null && user.password == "admin") {
             error = "Successfully log in"
             context.startActivity(
               Intent(
                 context,
                 AdminActivity::class.java
           else {
             error = "Invalid username or password
                                                                       } else {
           error = "Please fill all fields
      colors = ButtonDefaults.buttonColors(backgroundColor = Color(0xFF84adb8)),
      modifier = Modifier.padding(top = 16.dp) ) {
      Text(text = "Login")
    Row {
      TextButton(onClick = {context.startActivity(
        Intent(
           context.
           RegisterActivity::class.java
      { Text(color = Color(0xFF25b897),text = "Register") }
      TextButton(onClick = {
                                 })
        Spacer(modifier = Modifier.width(60.dp))
        Text(color = Color(0xFF25b897),text = "Forget password?")
private fun startMainPage(context: Context) {
  val intent = Intent(context, MainActivity::class.java)
  ContextCompat.startActivity(context, intent, null)
```

MainActivity.kt

```
package com.example.surveyapplication
import android.content.Context
import android.content.Intent
import android.os.Bundle
import androidx.activity.ComponentActivity
import androidx.activity.compose.setContent
import androidx.compose.foundation.Image
import androidx.compose.foundation.layout.*
import androidx.compose.material.*
import androidx.compose.runtime.*
import androidx.compose.ui.Alignment
import androidx.compose.ui.Modifier
import androidx.compose.ui.graphics.Color
import androidx.compose.ui.layout.ContentScale
import androidx.compose.ui.res.painterResource
import androidx.compose.ui.text.style.TextAlign
import androidx.compose.ui.tooling.preview.Preview
import androidx.compose.ui.unit.dp
import androidx.compose.ui.unit.sp
import com.example.surveyapplication.ui.theme.SurveyApplicationTheme
class MainActivity : ComponentActivity() {
  private lateinit var databaseHelper: SurveyDatabaseHelper
  override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    databaseHelper = SurveyDatabaseHelper(this)
    setContent {
      FormScreen(this, databaseHelper)
```



```
@Composable
fun FormScreen(context: Context, databaseHelper: SurveyDatabaseHelper) {
  Image(
    painterResource(id = R.drawable.background), contentDescription = "",
    alpha = 0.1F,
    contentScale = ContentScale.FillHeight,
    modifier = Modifier.padding(top = 40.dp)
  // Define state for form fields
  var name by remember { mutableStateOf("") }
  var age by remember { mutableStateOf("") }
  var mobileNumber by remember { mutableStateOf("") }
  var genderOptions = listOf("Male", "Female", "Other")
  var selectedGender by remember { mutableStateOf("") }
  var error by remember { mutableStateOf("") }
  var diabeticsOptions = listOf("Diabetic", "Not Diabetic")
  var selectedDiabetics by remember { mutableStateOf("") }
  Column(
    modifier = Modifier.padding(24.dp),
    horizontalAlignment = Alignment.Start,
    verticalArrangement = Arrangement.SpaceEvenly
    Text(
      fontSize = 36.sp,
      textAlign = TextAlign.Center,
      text = "Survey on Diabetics",
      color = Color(0xFF25b897)
```



```
Spacer(modifier = Modifier.height(24.dp))
  Text(text = "Name :", fontSize = 20.sp)
    TextField(
      value = name,
      onValueChange = { name = it },
 Spacer(modifier = Modifier.height(14.dp))
    Text(text = "Age :", fontSize = 20.sp)
    TextField(
      value = age,
      onValueChange = { age = it },
    Spacer(modifier = Modifier.height(14.dp))
    Text(text = "Mobile Number :", fontSize = 20.sp)
    TextField(
      value = mobileNumber,
      onValueChange = { mobileNumber = it },
    Spacer(modifier = Modifier.height(14.dp))
    Text(text = "Gender:", fontSize = 20.sp)
    RadioGroup(
      options = genderOptions,
      selectedOption = selectedGender,
      onSelectedChange = { selectedGender = it }
    Spacer(modifier = Modifier.height(14.dp))
    Text(text = "Diabetics:", fontSize = 20.sp)
    RadioGroup(
      options = diabeticsOptions,
      selectedOption = selectedDiabetics,
      onSelectedChange = { selectedDiabetics = it }
    Text(
      text = error,
      textAlign = TextAlign.Center,
      modifier = Modifier.padding(bottom = 16.dp)
```

```
// Display Submit button
    Button(
      onClick = { if (name.isNotEmpty() && age.isNotEmpty() && mobileNumber.isNotEmpty() && genderOptions.isNotEmpty() && diabeticsOptions.isNotEmpty()) {
         val survey = Survey(
           id = null,
           name = name,
           age = age,
           mobileNumber = mobileNumber,
           gender = selectedGender,
           diabetics = selectedDiabetics
         databaseHelper.insertSurvey(survey)
        error = "Survey Completed"
      } else {
         error = "Please fill all fields"
      colors = ButtonDefaults.buttonColors(backgroundColor = Color(0xFF84adb8)),
      modifier = Modifier.padding(start = 70.dp).size(height = 60.dp, width = 200.dp)
      Text(text = "Submit")
@Composable
fun RadioGroup(
  options: List<String>,
  selectedOption: String?,
  onSelectedChange: (String) -> Unit) {
  Column {
    options.forEach { option ->
       Row(
         Modifier
           .fillMaxWidth()
           .padding(horizontal = 5.dp)
         RadioButton(
           selected = option == selectedOption,
           onClick = { onSelectedChange(option) }
         Text(
           text = option,
           style = MaterialTheme.typography.body1.merge(),
           modifier = Modifier.padding(top = 10.dp),
```

fontSize = 17.sp

RegisterActivity.kt

package com.example.surveyapplication import android.content.Context import android.content.Intent import android.os.Bundle import androidx.activity.ComponentActivity import androidx.activity.compose.setContent import androidx.compose.foundation.Image import androidx.compose.foundation.background import androidx.compose.foundation.layout.* import androidx.compose.material.* import androidx.compose.runtime.* import androidx.compose.ui.Alignment import androidx.compose.ui.Modifier import androidx.compose.ui.graphics.Color import androidx.compose.ui.layout.ContentScale import androidx.compose.ui.res.painterResource import androidx.compose.ui.text.font.FontFamily import androidx.compose.ui.text.font.FontWeight import androidx.compose.ui.tooling.preview.Preview import androidx.compose.ui.unit.dp import androidx.compose.ui.unit.sp import androidx.core.content.ContextCompat import com.example.surveyapplication.ui.theme.SurveyApplicationTheme class RegisterActivity : ComponentActivity() { private lateinit var databaseHelper: UserDatabaseHelper override fun onCreate(savedInstanceState: Bundle?) { super.onCreate(savedInstanceState) databaseHelper = UserDatabaseHelper(this) setContent { RegistrationScreen(this,databaseHelper)



```
@Composable
fun RegistrationScreen(context: Context, databaseHelper: UserDatabaseHelper) {
  var username by remember { mutableStateOf("") }
  var password by remember { mutableStateOf("") }
  var email by remember { mutableStateOf("") }
  var error by remember { mutableStateOf("") }
  Column(
    modifier = Modifier.fillMaxSize().background(Color.White),
    horizontalAlignment = Alignment.CenterHorizontally,
    verticalArrangement = Arrangement.Center
    Image(painterResource(id = R.drawable.survey_signup), contentDescription = "")
    Text(
      fontSize = 36.sp,
      fontWeight = FontWeight.ExtraBold,
      fontFamily = FontFamily.Cursive,
      color = Color(0xFF25b897),
      text = "Register"
    Spacer(modifier = Modifier.height(10.dp))
    TextField(
      value = username,
      onValueChange = { username = it },
      label = { Text("Username") },
      modifier = Modifier
        .padding(10.dp)
        .width(280.dp)
    TextField(
      value = email,
      onValueChange = { email = it },
      label = { Text("Email") },
      modifier = Modifier
         .padding(10.dp)
         .width(280.dp)
```



```
TextField(
    value = password,
    onValueChange = { password = it },
    label = { Text("Password") },
    visualTransformation = PasswordVisualTransformation(),
    modifier = Modifier
      .padding(10.dp)
      .width(280.dp)
if (error.isNotEmpty()) {
    Text(
      text = error,
      color = MaterialTheme.colors.error,
      modifier = Modifier.padding(vertical = 16.dp)
  Button(
    onClick = {
      if (username.isNotEmpty() && password.isNotEmpty() && email.isNotEmpty()) {
         val user = User(
           id = null,
           firstName = username,
           lastName = null,
           email = email,
           password = password
         databaseHelper.insertUser(user)
         error = "User registered successfully"
         // Start LoginActivity using the current context
         context.startActivity(
           Intent(
             context,
             LoginActivity::class.java
       } else {
         error = "Please fill all fields"
    colors = ButtonDefaults.buttonColors(backgroundColor = Color(0xFF84adb8)),
    modifier = Modifier.padding(top = 16.dp),
    Text(text = "Register")
  Spacer(modifier = Modifier.width(10.dp))
  Spacer(modifier = Modifier.height(10.dp))
```



```
Row() {
      Text(
         modifier = Modifier.padding(top = 14.dp), text = "Have an account?"
      TextButton(onClick = {
         context.startActivity(
           Intent(
             context,
             LoginActivity::class.java
         Spacer(modifier = Modifier.width(10.dp))
         Text( color = Color(0xFF25b897),text = "Log in")
private fun startLoginActivity(context: Context) {
  val intent = Intent(context, LoginActivity::class.java)
  ContextCompat.startActivity(context, intent, null)
```





|--|

Email

Password

Register

Have an account? Log in



-

Username

Password

Login

Register

Forget password?

Survey Details

Name: Suresh Age: 19 Mobile_Number: 9354927361 Gender: Male Diabelics: Diabelic

Name: kabilan Age: 19 Mobile_Number: 935492727 Gender: Male Diabetics: Diabetic

Name: suis Age: 43 Mobile_Number: 8652975579 Gender: Male Diabelics: Not Diabelic

Name: suis Age: 43 Mobile_Number: 8652975579 Gender: Male Diabelics: Not Diabelic

Name: jake Age: 20 Mobile_Number: 5293763926 Gender: Male

Diabetics: Diabetic

Name: ishu Age: 20 Mobile_Number: 52937639736 Gender: Female Diabelics: Diabelic

Name: arul Age: 21 Mobile_Number: 62926693762 Gender: Male

Diabetics: Diabetic





























