LOYALTY JUGGERNAUT
ECOSYSTEM REIMAGINED

GRAVTY®

TLS/SSL Scan Report

TLS/SSL Scan Report

Prepared by: Security Team
Date: 2025-07-09 15:34:25
Report ID: TLS-SEC-20250709-153425

Scope: External TLS/SSL Security Assessment
Method: Automated using Nmap

Security Findings Summary:

- Targets Scanned: 3
- Strong Ciphers: 2
- Weak Ciphers: 1
- High-Risk: 0
- Medium-Risk: 1

Strong Cipher Configurations

- santhoshagain.github.io/portfolio
- example.com

Weak Cipher Configurations

instagram.com:

```
□□ |  TLSv1.0:
□□ |     TLS_ECDHE_ECDSA_WITH_AES_128_CBC_SHA (secp256r1) - A
□□ |     TLS_ECDHE_ECDSA_WITH_AES_256_CBC_SHA (secp256r1) - A
□□ |     TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (secp256r1) - A
□□ |     TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (secp256r1) - A
□□ |     TLS_RSA_WITH_AES_128_CBC_SHA (rsa 2048) - A
□□ |     TLS_RSA_WITH_AES_256_CBC_SHA (rsa 2048) - A
□□ |     TLS_ECDHE_ECDSA_WITH_3DES_EDE_CBC_SHA (secp256r1) - C
□□ |     TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (secp256r1) - C
□□ |     TLS_RSA_WITH_3DES_EDE_CBC_SHA (rsa 2048) - C
□□ |     64-bit block cipher 3DES vulnerable to SWEET32 attack
□□ |  TLSv1.1:
□□ |     TLS_ECDHE_ECDSA_WITH_AES_128_CBC_SHA (secp256r1) - A
□□ |     TLS_ECDHE_ECDSA_WITH_AES_256_CBC_SHA (secp256r1) - A
□□ |     TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (secp256r1) - A
□□ |     TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (secp256r1) - A
□□ |     TLS_RSA_WITH_AES_128_CBC_SHA (rsa 2048) - A
□□ |     TLS_RSA_WITH_AES_256_CBC_SHA (rsa 2048) - A
□□ |     TLS_ECDHE_ECDSA_WITH_3DES_EDE_CBC_SHA (secp256r1) - C
□□ |     TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (secp256r1) - C
□□ |     TLS_RSA_WITH_3DES_EDE_CBC_SHA (rsa 2048) - C
□□ |     64-bit block cipher 3DES vulnerable to SWEET32 attack
□□ |     TLS_ECDHE_ECDSA_WITH_AES_128_CBC_SHA (secp256r1) - A
□□ |     TLS_ECDHE_ECDSA_WITH_AES_256_CBC_SHA (secp256r1) - A
□□ |     TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (secp256r1) - A
□□ |     TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (secp256r1) - A
□□ |     TLS_RSA_WITH_AES_128_CBC_SHA (rsa 2048) - A
□□ |     TLS_RSA_WITH_AES_256_CBC_SHA (rsa 2048) - A
□□ |     TLS_ECDHE_ECDSA_WITH_3DES_EDE_CBC_SHA (secp256r1) - C
□□ |     TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (secp256r1) - C
□□ |     TLS_RSA_WITH_3DES_EDE_CBC_SHA (rsa 2048) - C
□□ |     64-bit block cipher 3DES vulnerable to SWEET32 attack
```

Scan Result for santhoshagain.github.io/portfolio

```
Starting Nmap 7.97 ( https://nmap.org ) at 2025-07-09 15:34 +0530
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.06 seconds
```

Scan Result for instagram.com

```
Starting Nmap 7.97 ( https://nmap.org ) at 2025-07-09 15:34 +0530
Nmap scan report for instagram.com (157.240.16.174)
Host is up (0.025s latency).
Other addresses for instagram.com (not scanned): 2a03:2880:f22f:e5:face:b00c:0:4420
rDNS record for 157.240.16.174: instagram-p42-shv-01-bom1.fbcdn.net

PORT    STATE SERVICE   VERSION
443/tcp open  ssl/https
| fingerprint-strings:
|   GetRequest:
|     HTTP/1.1 404 default_vip_404
|     Content-Type: text/html; charset=utf-8
|     Access-Control-Allow-Origin: *
|     Proxy-Status: proxy_internal_response; e_fb_vipaddr="AcNopQpAXyJ9qrt9f7gqfSmAnn27k0UeTov
|     Date: Wed, 09 Jul 2025 10:04:38 GMT
|     Connection: close
|     Content-Length: 105
|     <html>
|     <head>
|     <title>5xx Server Error</title>
|     </head>
|     <body>
|     <h1>5xx Server Error</h1>
|     </body>
|     </html>
|   HTTPOptions:
|     HTTP/1.1 404 default_vip_404
|     Content-Type: text/html; charset=utf-8
|     Access-Control-Allow-Origin: *
|     Proxy-Status: proxy_internal_response; e_fb_vipaddr="AcPjdjNEpV0qLCNQdOjDpQ9raCBA7KRL
|     Date: Wed, 09 Jul 2025 10:04:38 GMT
|     Connection: close
|     Content-Length: 105
|     <html>
|     <head>
|     <title>5xx Server Error</title>
|     </head>
|     <body>
|     <h1>5xx Server Error</h1>
|     </body>
|_     </html>
| ssl-enum-ciphers:
|   TLSv1.0:
|     ciphers:
```

Scan Result for example.com

```
Starting Nmap 7.97 ( https://nmap.org ) at 2025-07-09 15:34 +0530
Nmap scan report for example.com (23.192.228.84)
Host is up (0.24s latency).
Other addresses for example.com (not scanned): 23.215.0.136 96.7.128.175 96.7.128.198 23.215.0.138
rDNS record for 23.192.228.84: a23-192-228-84.deploy.static.akamaitechnologies.com

PORT    STATE SERVICE  VERSION
443/tcp open  ssl/http AkamaiGHost (Akamai's HTTP Acceleration/Mirror service)
| ssl-enum-ciphers:
|   TLSv1.2:
|     ciphers:
|       TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384 (secp256r1) - A
|       TLS_ECDHE_ECDSA_WITH_AES_128_GCM_SHA256 (secp256r1) - A
|       TLS_ECDHE_ECDSA_WITH_CHACHA20_POLY1305_SHA256 (secp256r1) - A
|     compressors:
|       NULL
|     cipher preference: server
|   TLSv1.3:
|     ciphers:
|       TLS_AKE_WITH_AES_128_GCM_SHA256 (secp256r1) - A
|       TLS_AKE_WITH_AES_256_GCM_SHA384 (secp256r1) - A
|       TLS_AKE_WITH_CHACHA20_POLY1305_SHA256 (secp256r1) - A
|     cipher preference: client
|_  least strength: A

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 24.77 seconds
```