


What C1X Attendance shows, screen by screen

A map of every page in the attendance dashboard — what each one displays, where its data comes from, and how the pieces connect underneath. Written after flattening every card and the sidebar to sharp corners across the app (see the change log at the end).

System architecture


One React SPA talks to one FastAPI service. The backend is the only thing that touches Google Sheets, Excel files, or the SQLite cache — the frontend only ever calls JSON endpoints and listens on a websocket.



Two data modes, one dashboard shape. Admin Setup decides whether the backend reads from Google Sheets (polled every 10 min) or a watched local Excel file — every page downstream renders the same `DashboardData` shape regardless of source.

Request & live-update flow

How a page load and a live edit to the source spreadsheet each reach the screen.



Login

stage: login

Gate in front of the whole app. No backend call — credentials are checked client-side against a fixed pair, and a session flag is written to localStorage.

WHAT'S SHOWN	HOW IT'S BUILT								
• Brand mark + “C1X Attendance” heading, centered card, no sidebar • Username / password fields, show-password toggle • Inline error text on wrong credentials • Spinner on the Sign in button while “checking”	<table><tr><td>FILE</td><td>LoginPage.tsx</td></tr><tr><td>AUTH</td><td>Hardcoded AdminC1X / Admin@c1x, 500ms artificial delay</td></tr><tr><td>SESSION</td><td>localStorage["c1x_session"] = "1"</td></tr><tr><td>ON SUCCESS</td><td>Calls onLogin() → App loads the cached dashboard</td></tr></table>	FILE	LoginPage.tsx	AUTH	Hardcoded AdminC1X / Admin@c1x, 500ms artificial delay	SESSION	localStorage["c1x_session"] = "1"	ON SUCCESS	Calls onLogin() → App loads the cached dashboard
FILE	LoginPage.tsx								
AUTH	Hardcoded AdminC1X / Admin@c1x, 500ms artificial delay								
SESSION	localStorage["c1x_session"] = "1"								
ON SUCCESS	Calls onLogin() → App loads the cached dashboard								

Admin Setup

stage: admin-setup

One-time (or reconfigure-anytime) screen that tells the backend where attendance data lives — a Google Sheet or a local Excel file. Only reachable when the backend has no source configured yet.

WHAT'S SHOWN	HOW IT'S BUILT										
• Google Sheet URL field + optional Leave sheet URL + API key field • Inline instructions box explaining how to share the sheet • Validation error banner if the connection check fails • Submit button that validates before saving	<table><tr><td>FILE</td><td>AdminSetupPage.tsx</td></tr><tr><td>SAVE</td><td>POST /api/admin/config</td></tr><tr><td>VALIDATE</td><td>sheets_fetcher.validate_connection() before persisting</td></tr><tr><td>STORE</td><td>backend/config.json (or env vars in prod)</td></tr><tr><td>ON SUCCESS</td><td>Triggers first sheets fetch + starts 10-min poll loop</td></tr></table>	FILE	AdminSetupPage.tsx	SAVE	POST /api/admin/config	VALIDATE	sheets_fetcher.validate_connection() before persisting	STORE	backend/config.json (or env vars in prod)	ON SUCCESS	Triggers first sheets fetch + starts 10-min poll loop
FILE	AdminSetupPage.tsx										
SAVE	POST /api/admin/config										
VALIDATE	sheets_fetcher.validate_connection() before persisting										
STORE	backend/config.json (or env vars in prod)										
ON SUCCESS	Triggers first sheets fetch + starts 10-min poll loop										

App Shell

wraps all dashboard pages

The persistent frame around CEO Report, Employees, and Miss Punch: sidebar, header, live-status pill, and the shared period selector. This is where the sidebar's corners were flattened.

WHAT'S SHOWN	HOW IT'S BUILT										
• Sidebar (desktop): logo, 3 nav items, admin avatar, log out — now square-cornered • Mobile: horizontal scrolling nav strip instead of sidebar • Header: page title + date, Live/Connecting/Offline pill, Refresh + 3 export buttons • Period selector (hidden on Employees): Today / Yesterday / Date / Month • Overview footer: aggregated Employees / Present / WFH / Leave / Absent / Miss-punch / Avg hours	<table><tr><td>FILE</td><td>AppShell.tsx</td></tr><tr><td>NAV STATE</td><td>activePage lifted in App.tsx</td></tr><tr><td>LIVE PILL</td><td>useWebSocket hook → wsStatus</td></tr><tr><td>EXPORTS</td><td>GET /api/admin/export(-employee-summary -leave-summary)</td></tr><tr><td>CORNERS</td><td>Sidebar + header panel: rounded-[28px] → rounded-none</td></tr></table>	FILE	AppShell.tsx	NAV STATE	activePage lifted in App.tsx	LIVE PILL	useWebSocket hook → wsStatus	EXPORTS	GET /api/admin/export(-employee-summary -leave-summary)	CORNERS	Sidebar + header panel: rounded-[28px] → rounded-none
FILE	AppShell.tsx										
NAV STATE	activePage lifted in App.tsx										
LIVE PILL	useWebSocket hook → wsStatus										
EXPORTS	GET /api/admin/export(-employee-summary -leave-summary)										
CORNERS	Sidebar + header panel: rounded-[28px] → rounded-none										

CEO Report

activePage: "ceo"

The daily leadership snapshot — default landing page after login.

WHAT'S SHOWN	HOW IT'S BUILT								
- Count cards: Present, WFH, On leave, Absent, Late arrivals, Short days (click → employee list modal) - Monthly Hours Threshold card — employees below an 8h/weekday target, per month - Empty state when no records exist for the selected period - Employee list modal → drill into an employee → monthly attendance calendar	<table><tr><td>FILE</td><td>CEOReportPage.tsx</td></tr><tr><td>SUB-COMPONENTS</td><td>MonthlyHoursThresholdCard, EmployeeListModal, EmployeeMonthlyCalendar</td></tr><tr><td>DATA</td><td>Filtered from dashboard.employees[].daily[] by periodState</td></tr><tr><td>CORNERS</td><td>Report card, empty state, count cards → all rounded-none</td></tr></table>	FILE	CEOReportPage.tsx	SUB-COMPONENTS	MonthlyHoursThresholdCard, EmployeeListModal, EmployeeMonthlyCalendar	DATA	Filtered from dashboard.employees[].daily[] by periodState	CORNERS	Report card, empty state, count cards → all rounded-none
FILE	CEOReportPage.tsx								
SUB-COMPONENTS	MonthlyHoursThresholdCard, EmployeeListModal, EmployeeMonthlyCalendar								
DATA	Filtered from dashboard.employees[].daily[] by periodState								
CORNERS	Report card, empty state, count cards → all rounded-none								

Employees

activePage: "employees"

Browse the full roster and open any employee's monthly attendance calendar. No period selector here — this page is about people, not a time window.

WHAT'S SHOWN	HOW IT'S BUILT								
- Search by name or employee ID - Grid of employee cards — avatar initial, name, ID - Click a card → monthly calendar modal (present/absent/leave/WFH per day, week totals) - Empty state when the search matches nobody	<table><tr><td>FILE</td><td>EmployeesPage.tsx</td></tr><tr><td>MODAL</td><td>EmployeeListModal.tsx + EmployeeMonthlyCalendar.tsx</td></tr><tr><td>DATA</td><td>dashboard.employees[], filtered client-side by search text</td></tr><tr><td>CORNERS</td><td>Employee cards + empty state → rounded-none</td></tr></table>	FILE	EmployeesPage.tsx	MODAL	EmployeeListModal.tsx + EmployeeMonthlyCalendar.tsx	DATA	dashboard.employees[], filtered client-side by search text	CORNERS	Employee cards + empty state → rounded-none
FILE	EmployeesPage.tsx								
MODAL	EmployeeListModal.tsx + EmployeeMonthlyCalendar.tsx								
DATA	dashboard.employees[], filtered client-side by search text								
CORNERS	Employee cards + empty state → rounded-none								

Miss Punch

activePage: "misspunch"

Punch anomalies that need a manual fix — someone clocked in but never out, or vice versa.

WHAT'S SHOWN	HOW IT'S BUILT						
• Search by name or employee ID • Table of incidents: avatar, name, date, missing punch type • Card wrapper with shadow, summary count • Empty state when the period has no incidents	<table><tr><td>FILE</td><td>MissPunchPage.tsx</td></tr><tr><td>DATA</td><td>daily[].status_type === "miss_punch", filtered by periodState</td></tr><tr><td>CORNERS</td><td>Table card + wrapper card + empty state → rounded-none</td></tr></table>	FILE	MissPunchPage.tsx	DATA	daily[].status_type === "miss_punch", filtered by periodState	CORNERS	Table card + wrapper card + empty state → rounded-none
FILE	MissPunchPage.tsx						
DATA	daily[].status_type === "miss_punch", filtered by periodState						
CORNERS	Table card + wrapper card + empty state → rounded-none						

Backend endpoints in play

Every call the frontend actually makes, plus the export jobs that run server-side.

METH OD	PATH	USED BY
GET	/api/cached-dashboard	App.tsx — initial load + WS-triggered refresh
POST	/api/admin/config	Admin Setup Page — save Sheets/Excel source
GET	/api/admin/config	Admin Setup Page — check current mode
GET	/api/admin/export	App Shell — “Export” button (month-wise workbook)
GET	/api/admin/export-employee-summa ry	App Shell — “Employee Summary” button
GET	/api/admin/export-leave-summary	App Shell — “Leave Summary” button
WS	/ws/live	useWebSocket hook — live-update banner across all pages

UI change log — sharp corners

Every structural card, panel, and the sidebar had its Tailwind rounded-* value replaced with rounded-none. Pills, badges, avatars, and buttons were left alone on purpose — flattening a circular avatar or a segmented-control pill would break the element, not clean it up.

AppShell – sidebar & header	CEOReportPage – report card, count cards
EmployeesPage – employee cards	MissPunchPage – table card, wrapper card
EmployeeListModal – modal container	EmployeeMonthlyCalendar – calendar card, day grid
MonthlyHoursThresholdCard – full card	AdminSetupPage – setup card, info box, error box
FileDropZone – dropzone	App.tsx – loading card, warning banner

Generated from the current state of frontend/src — verified live against the running app (sidebar + employee cards measured at border-radius: 0px) on 2026-07-23.