

Type *Markdown* and LaTeX: α^2

Importing Libraries

```
In [1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]: df=pd.read_csv(r"C:\Users\user\Downloads\drive-download-20230804T043023Z-001\rainfall_lakshadweep.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb
0	2507	KONKAN & GOA	1901	5.6	0.1	0.4	35.7	19.9	746.1	1075.5	748.0	117.4	38.6	5.4	0.1	2792.9	5
1	2508	KONKAN & GOA	1902	0.3	0.0	0.0	0.4	7.6	428.2	943.6	515.1	613.8	74.3	42.7	48.0	2673.9	0
2	2509	KONKAN & GOA	1903	0.0	0.0	0.1	0.0	201.1	470.5	1298.6	673.9	285.1	140.8	12.4	1.7	3084.3	0
3	2510	KONKAN & GOA	1904	0.0	0.1	6.6	6.3	4.6	975.8	771.7	321.3	217.0	90.3	0.0	0.0	2393.7	0
4	2511	KONKAN & GOA	1905	0.1	0.1	0.0	0.4	8.6	293.7	770.6	305.5	208.3	83.5	12.1	0.0	1682.8	0
...
110	2617	KONKAN & GOA	2011	0.0	0.0	0.0	3.4	1.1	857.0	1384.1	987.9	468.3	120.3	3.1	0.0	3825.2	0
111	2618	KONKAN & GOA	2012	0.0	0.0	0.0	0.6	1.1	633.0	928.5	762.5	515.3	175.1	2.3	0.0	3018.4	0
112	2619	KONKAN & GOA	2013	1.8	5.4	0.1	0.1	18.5	1028.3	1478.5	497.6	340.7	149.3	2.1	1.5	3524.0	7
113	2620	KONKAN & GOA	2014	1.3	5.3	1.8	0.7	21.3	238.2	1293.2	658.0	419.5	98.7	8.0	11.7	2757.5	6
114	2621	KONKAN & GOA	2015	2.7	0.0	36.8	3.6	11.3	764.0	526.5	377.3	240.9	91.4	27.3	0.0	2082.0	2

115 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
              'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
              'Mar-May', 'Jun-Sep', 'Oct-Dec'],
              dtype='object')
```


In [5]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column          Non-Null Count  Dtype
---  -
 0   index           115 non-null    int64
 1   SUBDIVISION     115 non-null    object
 2   YEAR            115 non-null    int64
 3   JAN             115 non-null    float64
 4   FEB             115 non-null    float64
 5   MAR             115 non-null    float64
 6   APR             115 non-null    float64
 7   MAY             115 non-null    float64
 8   JUN             115 non-null    float64
 9   JUL             115 non-null    float64
10  AUG             115 non-null    float64
11  SEP             115 non-null    float64
12  OCT             115 non-null    float64
13  NOV             115 non-null    float64
14  DEC             115 non-null    float64
15  ANNUAL          115 non-null    float64
16  Jan-Feb         115 non-null    float64
17  Mar-May         115 non-null    float64
18  Jun-Sep         115 non-null    float64
19  Oct-Dec         115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

In [6]: df.plot.line(subplots=True)


Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)



Line chart

```
In [7]: df.plot.line()
```


```
Out[7]: <AxesSubplot:>
```



Bar chart

```
In [8]: df.plot.bar()
```


```
Out[8]: <AxesSubplot:>
```



Histogram

```
In [9]: df.plot.hist()
```


```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```



Area chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



Box chart

```
In [11]: df.plot.box()
```

Out[11]: <AxesSubplot:>




Pie chart

```
In [12]: df.plot.pie(y='ANNUAL' )
```


```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```



Scatter chart


```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



Seaborn

```
In [14]: sns.pairplot(df)
```

```
Out[14]: <seaborn.axisgrid.PairGrid at 0x1c9ca5d0760>
```




```
In [15]: sns.distplot(df['ANNUAL'])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

```
Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [16]: sns.heatmap(df.corr())
```

```
Out[16]: <AxesSubplot:>
```



```
In [ ]:
```