Type *Markdown* and LaTeX: α^2

Importing Libraries

In [1]:
```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

In [2]:
```
df=pd.read_csv(r"C:\Users\user\Downloads\drive-download-20230804T043023Z-001\rainfall_coastal karnataka.csv
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	
0	3542	COASTAL KARNATAKA	1901	1.8	0.6	10.7	52.4	81.6	960.9	991.2	606.4	108.0	120.5	104.9	17.8	3056.9	2.4	1
1	3543	COASTAL KARNATAKA	1902	3.2	0.3	4.9	10.2	54.6	698.4	1401.6	454.2	708.4	180.4	50.8	132.2	3699.2	3.5	
2	3544	COASTAL KARNATAKA	1903	0.7	0.0	0.0	4.1	202.8	536.5	1405.5	593.8	304.4	185.0	79.3	5.3	3317.4	0.7	2
3	3545	COASTAL KARNATAKA	1904	2.4	0.0	4.8	23.7	93.2	1108.2	1070.0	465.6	245.3	127.2	0.7	0.0	3141.1	2.4	1
4	3546	COASTAL KARNATAKA	1905	0.0	0.2	0.0	6.4	83.1	767.3	777.3	586.9	172.9	222.2	36.1	0.0	2652.3	0.2	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	3652	COASTAL KARNATAKA	2011	4.8	3.8	8.7	66.1	49.3	1018.4	1080.5	861.3	545.2	178.8	81.5	10.2	3908.6	8.6	1
111	3653	COASTAL KARNATAKA	2012	NaN	11.4	5.1	77.0	22.9	650.9	754.6	1027.6	382.0	115.1	68.0	3.6	NaN	NaN	1
112	3654	COASTAL KARNATAKA	2013	2.4	19.6	19.0	28.5	100.4	1153.0	1515.3	680.2	379.1	265.1	56.9	10.0	4229.4	21.9	1
113	3655	COASTAL KARNATAKA	2014	0.0	0.3	1.9	40.5	181.9	507.0	1155.4	1121.0	379.3	226.4	40.0	30.8	3684.4	0.3	2
114	3656	COASTAL KARNATAKA	2015	1.4	1.0	32.3	72.2	150.3	735.3	930.9	575.2	260.3	208.5	124.2	14.3	3106.0	2.4	2

115 rows × 20 columns

Data Cleaning and Data Preprocessing

In [3]:
```
df=df.dropna()
```

In [4]:
```
df.columns
```

Out[4]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

In [5]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 114
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   index        114 non-null    int64  
 1   SUBDIVISION  114 non-null    object 
 2   YEAR         114 non-null    int64  
 3   JAN          114 non-null    float64
 4   FEB          114 non-null    float64
 5   MAR          114 non-null    float64
 6   APR          114 non-null    float64
 7   MAY          114 non-null    float64
 8   JUN          114 non-null    float64
 9   JUL          114 non-null    float64
 10  AUG          114 non-null    float64
 11  SEP          114 non-null    float64
 12  OCT          114 non-null    float64
 13  NOV          114 non-null    float64
 14  DEC          114 non-null    float64
 15  ANNUAL       114 non-null    float64
 16  Jan-Feb      114 non-null    float64
 17  Mar-May      114 non-null    float64
 18  Jun-Sep      114 non-null    float64
 19  Oct-Dec      114 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

Line chart

In [6]:
```
df.plot.line(subplots=True)
```

Out[6]:
```
array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



Line chart

In [7]:
```
df.plot.line()
```

Out[7]: <AxesSubplot:>



Bar chart

In [8]:
```
df.plot.bar()
```

Out[8]: <AxesSubplot:>



Histogram

In [9]:
```
df.plot.hist()
```

Out[9]:
```
<AxesSubplot:ylabel='Frequency'>
```



Area chart

In [10]:
```
df.plot.area()
```

Out[10]:
```
<AxesSubplot:>
```



Box chart

In [11]:
```
df.plot.box()
```

Out[11]: <AxesSubplot:>



Pie chart

In [12]:
```
df.plot.pie(y='ANNUAL' )
```

Out[12]:
```
<AxesSubplot:ylabel='ANNUAL'>
```


ANNUAL
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81



Scatter chart

In [13]:
```
df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```

Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



Seaborn

In [14]:
```
sns.pairplot(df)
```

Out[14]:
```
<seaborn.axisgrid.PairGrid at 0x26f0b6846d0>
```



In [15]:
```
sns.distplot(df['ANNUAL'])
```

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a d
eprecated function and will be removed in a future version. Please adapt your code to use either `displot`
(a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
  warnings.warn(msg, FutureWarning)
```

Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [16]:
```
sns.heatmap(df.corr())
```

Out[16]: <AxesSubplot:>



In [ ]: