

Apache Airflow Exercise — Employee Salary Processing

- By Santhosh Kumar

OUTPUT:

```
root@ubuntu:~$ docker exec -it airflow bash
airflow@8249a574e728:/opt/airflow$ cat /tmp/employees.txt
Rahul,45000
Sneha,52000
Amit,61000
Priya,47000
Kiran,39000airflow@8249a574e728:/opt/airflow$ cat /tmp/salary_report.txt

Employee Salary Report

Total Employees = 5
Total Salary Expense = 244000

Highest Salary = 61000
Employee = Amit


Status = Processed Successfully
```

The screenshot displays the Apache Airflow web interface. The top navigation bar shows 'Dags', 'Dag Runs', and 'Task Instances' tabs. The 'Dags' tab is selected, showing a search bar and filters for 'All', 'Failed', 'Queued', 'Running', 'Success', and 'Required Actions'. Below the filters, there are buttons for 'All', 'Active', and 'Paused', along with a 'Filter by tag' dropdown. The main content area lists two DAGs: 'Daily_Attendance_Processor_dag' and 'Employee_Salary_Processing_dag'. Each DAG entry shows its 'Latest Run' status as 'Success' with a green checkmark. The interface also includes a sidebar with navigation links (Home, Dags, Assets, Browse, Admin, Docs, User) and a bottom status bar showing the current time as 05:30.


Apache Airflow Exercise — Employee Salary Processing

- By Santhosh Kumar

create_employee_file:




read_employee_data:




Apache Airflow Exercise — Employee Salary Processing

- By Santhosh Kumar

calculate_salary_expense:



find_highest_salary:



Apache Airflow Exercise — Employee Salary Processing

- By Santhosh Kumar

generate_salary_report:

