Data Visualization in Python

Data sets: cs2m and grades

```
######## Importing Data Set ########
import pandas as pd
import numpy as np
cs2m = pd.read_csv("C:/Users/Dr Vinod/Desktop/DataSets1/cs2m.csv")
cs2m = pd.DataFrame(cs2m)
grades = pd.read_csv("C:/Users/Dr Vinod/Desktop/DataSets1/grades.csv")
grades = pd.DataFrame(grades)

######## Using Seaborn ########
import matplotlib.pyplot as plt
import seaborn as sns

```

Import libraries/packages

Check files



```
13 # Basic correlogram
14 sns.pairplot(cs2m)
15
```

All in one!



```
######## With Regression ########
sns.pairplot(cs2m, vars = ['Age', 'BP', 'Chlstrl'], kind = 'reg')
```

```
######## Without Regression...run in block ########
sns.pairplot(cs2m, vars = ['Age', 'BP', 'Chlstrl'],
             kind="scatter")

```



Two continuous variables together



```
23 ######## scatterplot ########
24 sns.regplot(x=cs2m["Age"], y=cs2m["BP"])
25
```

Two continuous variables together



```
26 ######## Marginal Plot ########
27 sns.jointplot(x=cs2m["Age"], y=cs2m["BP"], kind='scatter')
28
```



Two continuous variables together

Buy one get one free! Scatter & Histograms!!

```
29 ######## HeatMap ########
30 sns.heatmap(cs2m, annot=True, annot_kws={"size": 5})
31
```



All in one with values 1.3e+02 means 130

```
32 ######## HeatMap with Correlation ########
33 # run in bulk from 34 to 38
34 corr = cs2m.corr()
35 sns.heatmap(corr,
36             xticklabels=corr.columns.values,
37             yticklabels=corr.columns.values,
38             annot = True)
39
```

Correlation can be between -1 and +1



Ignore correlations among categorical variables

```
40 ######## HeatMap with Dendogram ########
41 # run in bulk from 42 to 45
42 sns.clustermap(cs2m)
43 sns.clustermap(cs2m, metric="correlation",
44                method="single", cmap="Blues",
45                standard_scale=1, annot = True)
46
```

Values are normalized (between 0 and 1)



```
49 #***** count levels in categorical variable
50
51 grades.ethnicity.value_counts()
52
```

```
In [3]: grades.ethnicity.value_counts()
Out[3]:
4    45
3    24
2    20
5    11
1     5
Name: ethnicity, dtype: int64
```



```
53 ######## Horizontal Barplots ########
54
55 sns.countplot(data=cs2m, y = 'AnxtyLH')
56 sns.countplot(data=cs2m, y = 'AnxtyLH', hue = 'Prgnt')
57 sns.countplot(data=cs2m, y = 'AnxtyLH', hue = 'DrugR')
58
```





Good idea to see Cross tabulation with these charts



```
59 # Vertical Barplots
60 sns.countplot(data=cs2m, x = 'AnxtyLH')
61 sns.countplot(data=cs2m, x = 'AnxtyLH', hue = 'Prgnt')
62 sns.countplot(data=cs2m, x = 'AnxtyLH', hue = 'DrugR')
63
```





Good idea to see Cross tabulation with these charts




The
expert in
anything
was
once a
beginner.


IT'S NOT ABOUT
BEING THE BEST
IT'S ABOUT
BEING BETTER
THAN YOU WERE
YESTERDAY