

Started on Monday, 20 April 2026, 10:16 PM

State Finished

Completed on Monday, 20 April 2026, 10:22 PM

Time taken 5 mins 44 secs

Grade 14.00 out of 15.00 (93.33%)

Question 1 | Correct Mark 1.00 out of 1.00

Fill in the line of the following Python code for calculating the factorial of a number?

```
def factorial(n):  
    if (n==1 or n==0):  
        return 1  
    else:  
        return ____  
num = 5;  
print("number : ",num)  
print("Factorial : ",factorial(num))
```

- ☐ a. `fact( n )*fact(n-1)`
- ☒ b. `(n * factorial(n - 1))` ✓
- ☐ c. `n*(n-1)`
- ☐ d. `(n-1)*(n-2)`

Question 2 | Correct Mark 1.00 out of 1.00

The part of the program where a variable is accessible is known as the ____ of that variable

- ☐ a. part
- ☒ b. scope ✓
- ☐ c. none of the mentioned
- ☐ d. module

Question 3 | Correct Mark 1.00 out of 1.00

Which of the following number can never be generated by the following code: `random.randrange(0, 100)`

- ☐ a. 0
- ☐ b. 1
- ☐ c. 99
- ☒ d. 100 ✓

Question 4 | Correct Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def printMax(a, b):  
    if a > b:  
        print(a, 'is maximum')  
    elif a == b:  
        print(a, 'is equal to', b)  
    else:  
        print(b, 'is maximum')  
printMax(3, 4)
```

- ☐ a. None of the mentioned
- ☐ b. 4
- ☐ c. 3
- ☒ d. 4 is maximum ✓

Question 5 | Correct Mark 1.00 out of 1.00

Write the output of : `print(max([1, 2, 3, 4], [4, 5, 6], [7]))`

- ☐ a. [1, 2, 3, 4]
- ☐ b. 7
- ☐ c. [4, 5, 6]
- ☒ d. [7] ✓

Question 6 | Correct Mark 1.00 out of 1.00

Which of the following function headers is correct?

- ☐ a. `def fun(a, b, c = 3, d)`
- ☒ b. `def fun(a, b = 2, c = 3)` ✓
- ☐ c. `def fun(a = 2, b = 3, c)`
- ☐ d. `def fun(a = 2, b, c = 3)`

Question 7 | Correct Mark 1.00 out of 1.00

What is the output of the following `display()` function call?

```
def display(**kwargs):  
    for i in kwargs:  
        print(i)  
display(emp="Kelly", salary=9000)
```

- ☐ a. Kelly
9000
- ☒ b. emp ✓
salary
- ☐ c. ('emp', 'Kelly')
('salary', 9000)
- ☐ d. TypeError

Question 8 | Correct Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a ____.

- ☐ a. built in functions
- ☐ b. library function
- ☒ c. user defined function ✓
- ☐ d. All of the mentioned

Question 9 | Correct Mark 1.00 out of 1.00

A function may return multiple values using ____.

- ☒ a. Tuple ✓
- ☐ b. String
- ☐ c. Dictionary
- ☐ d. List

Question 10 | Correct Mark 1.00 out of 1.00

____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

- ☐ a. Operator
- ☐ b. Token
- ☒ c. Function ✓
- ☐ d. Datatype

Question 11 | Incorrect Mark 0.00 out of 1.00

What is the output of the following function call?

```
def outer_fun(a, b):  
    def inner_fun(c, d):  
        return c + d  
    return inner_fun(a, b)  
return a  
result = outer_fun(5, 10)  
print(result)
```

- ☐ a. Syntax Error
- ☐ b. (15,5)
- ☐ c. 5
- ☒ d. 15 ✗

Question 12 | Correct Mark 1.00 out of 1.00

Which of the following items are present in the function header?

- ☒ a. Both A and B ✓
- ☐ b. B. parameter list
- ☐ c. return value
- ☐ d. A. function name

Question 13 | Correct Mark 1.00 out of 1.00

What is the output of the add() function call?

```
def add(a, b):  
    return a+5, b+5  
result = add(3, 2)  
print(result)
```

- ☐ a. Syntax Error
- ☐ b. 15
- ☒ c. (8,7) ✓
- ☐ d. 8

Question 14 | Correct Mark 1.00 out of 1.00

Which of the following is not the type of function argument?

- ☒ a. initial argument ✓
- ☐ b. default argument
- ☐ c. Required argument
- ☐ d. Keyword argument

Question 15 | Correct Mark 1.00 out of 1.00

Which of the following statement is not true regarding functions?

- ☐ a. A function may or may not return value.
- ☐ b. Function header always ends with a colon (:).
- ☒ c. A function definition begins with "define" ✓
- ☐ d. A function may or may not have parameters.