

Started on Tuesday, 5 May 2026, 8:23 AM

State Finished

Completed on Tuesday, 5 May 2026, 8:36 AM

Time taken 12 mins 46 secs

Grade 14.00 out of 15.00 (93.33%)

Question 1 | Correct Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

- ☒ a. i,iii ✓
- ☐ b. iii,iv
- ☐ c. i,ii
- ☐ d. ii,iv

Question 2 | Correct Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

- ☐ a. Yes, Yes
- ☒ b. Yes, No ✓
- ☐ c. No, No
- ☐ d. "==" is not supported for set in Python

Question 3 | Correct Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

- ☐ a. str
- ☐ b. <class 'int'>
- ☐ c. <class 'tuple'>
- ☒ d. <class 'str'> ✓

Question 4 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

- ☐ a. True
- ☐ b. Error
- ☐ c. Error
- ☒ d. False ✓

Question 5 | Correct Mark 1.00 out of 1.00

Which of the following Python code will create a set?

- (i) set1=set((0,9,0))
- (ii) set1=set([0,2,9])
- (iii) set1={}

- ☒ a. i,ii ✓
- ☐ b. All of the above
- ☐ c. ii
- ☐ d. iii

Question 6 | Correct Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- ☒ a. {'rec', 1, ('cse', 'ece')} ✓
- ☐ b. {'rec', 1, ('cse', 'ece'), True}
- ☐ c. {'rec', True, ('cse', 'ece')}
- ☐ d. Error

Question 7 | Correct Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- ☐ a. [1,2,3,4]
- ☐ b. {1,3,8,9,41}
- ☒ c. (1,4,5,6,7) ✓
- ☐ d. ("Wonder")

Question 8 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
t = (58, 47, 36, 25, 14, 3)
```

```
x = t[2:-1]
```

```
print(x)
```

- ☒ a. (36, 25, 14) ✓
- ☐ b. (3,14,25)
- ☐ c. (58,47,36,25)
- ☐ d. Error

Question 9 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
```

```
>>>[t[i] for i in range(0, len(t), 2)]
```

- ☐ a. [2, 3, 9]
- ☐ b. (1, 4, 8)
- ☐ c. [1, 2, 4, 3, 8, 9]
- ☒ d. [1, 4, 8] ✓

Question 10 | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

- ☐ a. {1,3,4}
- ☐ b. {1,3,2}
- ☒ c. {4} ✓
- ☐ d. {2}

Question 11 | Correct Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)
```

- ☐ a. (12)
- ☐ b. (55,78,64,25)
- ☒ c. Error ✓
- ☐ d. 12

Question 12 | Correct Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')

print(sorted(tup,reverse = True))
```

- ☐ a. ['2', '3', '30', '8']
- ☐ b. ['2', '3', '8', '30']
- ☐ c. ['30', '8', '3', '2']
- ☒ d. ['8', '30', '3', '2'] ✓

Question 13 | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- ☒ a. {3} ✓
- ☐ b. {2,5,1}
- ☐ c. {}
- ☐ d. {2,5,3,1}

Question 14 | Incorrect Mark 0.00 out of 1.00

What will set1 | set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

- ☐ a. Elements of set2 will get appended to set1
- ☐ b. A new set will be created with the elements of both set1 and set2
- ☐ c. Elements of set1 will get appended to set2
- ☒ d. A new set will be created with the unique elements of set1 and set2. ✗

Question 15 | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

- ☒ a. {0,9} ✓
- ☐ b. {0,0,9}
- ☐ c. {9}
- ☐ d. It will throw an error as there are two 0 while creating the set.

