30/1/24 1467 of exceptions in inheritance tree. Create a base class Called Father and derived class called Son which extends bouse clark. In pather class Implement a constructed which takes a the age and thorous the exception wrong Age() when the input age <0. In son class, emplement a constructor that cases both Jather & soris age and throws an Scaption if sois age is >= pethons age. impost java util, Scanner, dons wrong Age ochends Exceptions public wronge Age (string A) {

Super (A); days Father? int fatherAge; Scanner Scanner Scanner (eystem. in); Public roid valid Agel). However wrong Agel system out. Printin ("Firen Pathers age"); to theirs Age = sc. nextInt(); Jahner) Hge = - 0)2 throw new wrong Age ("Invalid Jathers age"); if (Jahren) Age <=0) & Clars son Ecrends Fasher & Sanner sc= new Scanner (system. in); Public void Validage () thorows wrong age } Bystem. out. println ("Enter sons age"); sonAge = sc. nextInt (); Super, Validage () ;

Themsen formation men was mary the Come are con govern their James & cap ", Wanter Cold Think are Cartarafing the Physician grades PLANTE COURS HOUSE ? (upon [species ] angul Spiles of the land town of a sensemble Ary ! obj valatyti, Control or secondade of " a e quella Symmetry property to the company 433 graphed Scientific Scott a Section Scientific Soud Day town. June Committee Ento, Seed age and he greated than found NORTH SPA See of

Enter Sone age

Fathers age 1-12 - DD - 30 12 - CD P 1 20 Exception Invalid son age. 401 (m+1=0 ; icio; pa) 10+ Ell FORM on the Boll of the march (1)) Ligaries man of and thought state and states gorbary and substitute design of home for