Cucumber Report

| Start : Feb 26, 6:31:20.586 pm	End : Feb 26, 6:31:39.093 pm	Duration : 18.507 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 0	PASSED - 5 FAILED - 3 SKIPPED - 5

Features: 2

Scenarios: 4

Steps: 13

Pass % — Features: 0 %

Pass % — Scenarios: 25 %

Pass % — Steps: 38 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login	18.170 s	2	1	1	0	7	4	1	2
signup	0.316 s	2	0	2	0	6	1	2	3

#	Feature Name	Scenario Name
1	*Login*	*Logout from the application*
2	*signup*	*User can navigate to sign up page*
3		*User click on Lets Go button*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@test	4	1	3	0	2	0	2	0

#	Feature Name	T	P	F	S	Duration
1	Login	2	1	1	0	18.170 s
2	signup	2	0	2	0	0.316 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login	Login to the application	4	4	0	0	7.893 s
2		Logout from the application	3	0	1	2	10.189 s
3	signup	User can navigate to sign up page	3	0	1	2	0.150 s
4		User click on Lets Go button	3	1	1	1	0.155 s

Login

FAILED	DURATION - 18.170 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	7
/ 6:31:20.586 pm // 6:31:38.756 pm /					

Login to the application

PASSED	DURATION - 7.893 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 6:31:20.593 pm // 6:31:28.486 pm /				
Login				
@test				

#	Step / Hook Details	Status	Duration
1	Given I Launch the "https://qa.connect.payzli.com/"	PASSED	5.357 s
2	And I enter the "tamil.qa@yopmail.com" and "Hello@123"	PASSED	0.194 s
3	When I click on login button	PASSED	0.084 s
4	Then I should see the result	PASSED	0.006 s
	AFTER - App.PageContainer.after(io.cucumber.java.Scenario)	PASSED	0.402 s

Logout from the application

FAILED	DURATION - 10.189 s
/ 6:31:28.567 pm // 6:31:38.756 pm /	
Login	
@test	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given I am on leads screen	FAILED	10.039 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[text()='Leads']"} (Session info: chrome=133.0.6943.127) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cb4be72df2165b8463582a9d67a68bf9, findElement {value=//p[text()='Leads'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.127, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\Codoid\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55088}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55088/devtoo..., se:cdpVersion: 133.0.6943.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cb4be72df2165b8463582a9d67a68bf9
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy24.isDisplayed(Unknown Source) at App.Page.LoginPage.verifyLeadScreen(LoginPage.java:65) at App.Step.LoginStep.iAmOnLeadsScreen(LoginStep.java:42) at ?.I am on leads screen(file:///C:/Users/Codoid/Desktop/Testing/src/test/resources/features/Login.feature:15) * Not displayable characters are replaced by '?'.		
2	When I click logout button	SKIPPED	0.001 s
3	Then I should see the result	SKIPPED	0.001 s
	AFTER - App.PageContainer.after(io.cucumber.java.Scenario)	PASSED	0.134 s

signup

FAILED	DURATION - 0.316 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 6 Pass - 1 Fail - 2 Skip - 3	
/ 6:31:38.777 pm // 6:31:39.093 pm /					

User can navigate to sign up page

FAILED	DURATION - 0.150 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 6:31:38.777 pm // 6:31:38.927 pm /				
signup				
@test				

#	Step / Hook Details	Status	Duration
1	Given I am on login page	FAILED	0.018 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h3[text()='Login']"}		

| #	Step / Hook Details	Status	Duration

	(Session info: chrome=133.0.6943.127) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cb4be72df2165b8463582a9d67a68bf9, findElement {value=//h3[text()='Login'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.127, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\Codoid\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55088}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55088/devtoo..., se:cdpVersion: 133.0.6943.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cb4be72df2165b8463582a9d67a68bf9
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy24.isDisplayed(Unknown Source)
	  at App.Page.SignupPage.verifyLoginScreen(SignupPage.java:30)
	  at App.Step.SignupStep.iAmOnLoginPage(SignupStep.java:19)
	  at ?.I am on login page(file:///C:/Users/Codoid/Desktop/Testing/src/test/resources/features/Signup.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When I click sign up button	SKIPPED	0.001 s
3	Then I should see the result	SKIPPED	0.000 s
	AFTER - App.PageContainer.after(io.cucumber.java.Scenario)	PASSED	0.124 s

#	Step / Hook Details	Status	Duration

User click on Lets Go button

FAILED	DURATION - 0.155 s
/ 6:31:38.938 pm // 6:31:39.093 pm /	
signup	
@test	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given I am on sign up screen	PASSED	0.001 s
2	When I click on lets Go button	FAILED	0.021 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()='Lets Go']"} (Session info: chrome=133.0.6943.127) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cb4be72df2165b8463582a9d67a68bf9, findElement {value=//button[text()='Lets Go'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 133.0.6943.127, chrome: {chromedriverVersion: 133.0.6943.141 (2a5d6da0d61..., userDataDir: C:\Users\Codoid\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55088}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55088/devtoo..., se:cdpVersion: 133.0.6943.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cb4be72df2165b8463582a9d67a68bf9
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source) at App.Page.SignupPage.clickLetsGoButton(SignupPage.java:35) at App.Step.SignupStep.iClickOnLetsGoButton(SignupStep.java:34) at ?.I click on lets Go button(file:///C:/Users/Codoid/Desktop/Testing/src/test/resources/features/Signup.feature:13) * Not displayable characters are replaced by '?'.		
3	Then I navigate to tell us about your business page	SKIPPED	0.001 s
	AFTER - App.PageContainer.after(io.cucumber.java.Scenario) 	PASSED	0.127 s