




Use Default Langflow Chat for web

Pre-condition


- 1) Langflow app should be up and running

In Langflow app follow the below in Test Case Generator workflow

- 1) Click on Share and click Embed into site



- 2) Just view the reference for **Default Langflow chat UI**





- 3) Go to the **Langflow Documentation** [Trigger flows with the Langflow API | Langflow Documentation](#) and search for (ctrl+f) in the browser **embed**

Link: <https://docs.langflow.org/concepts-publish>

The screenshot shows the Langflow documentation page titled "Trigger flows with the Langflow API". The search bar at the top right contains the word "embed". A search results dropdown shows "What does this page say about 'embed'?". The left sidebar has a "Run flows" section with "Trigger flows with the Langflow API" selected. The main content area lists several ways to run flows from external applications, with "Add an embedded chat widget to a website" highlighted by a green box. The right sidebar lists various API endpoints, with "Embed a flow into a website" and "Embed the chat widget with React, Angular, or HTML" highlighted by yellow boxes.

- 4) Click on the [Add an embedded chat widget to a website](#) option

This screenshot is identical to the one above, showing the same documentation page and search results. The green box highlighting "Add an embedded chat widget to a website" is still present, and the yellow boxes highlighting "Embed a flow into a website" and "Embed the chat widget with React, Angular, or HTML" are also still present.




- 5) You will be redirected to [Trigger flows with the Langflow API | Langflow Documentation](https://docs.langflow.org/concepts-publish#embedded-chat-widget)

Redirected link: <https://docs.langflow.org/concepts-publish#embedded-chat-widget>


.Scroll and copy the snippet below in a notepad (open a notepad and copy it)

```
<html>
<head>
  <script src="https://cdn.jsdelivr.net/gh/langflow-ai/langflow-embedded-
chat@main/dist/build/static/js/bundle.min.js"></script>
</head>
<body>
  <langflow-chat
    host_url="https://c822-73-64-93-151.ngrok-free.app"
    flow_id="dcbcd533-859f-4b99-b1f5-16fce884f28f"
    api_key="$LANGFLOW_API_KEY"
  ></langflow-chat>
</body>
</html>
```



- 6) Add your host_url, flow_id and api_key from the below

From the api in Langflow workflow → Share → Embed into Site .Copy the host url and flow id .**For Generating the Langflow API Key document is already shared from the settings menu**






- 7) In the Notepad content as per Step 5 replace your **host_url**, **flow_id** and **api_key**


```
<html>
<head>
<script src="https://cdn.jsdelivr.net/gh/langflow-ai/langflow-embedded-chat@main/dist/build/static/js/bundle.min.js"></script>
</head>
<body>
<langflow-chat
  host_url="http://localhost:7860"
  flow_id="6eacd943-b7fc-477c-977d-c1208eb0822e"
  api_key="sk-bk3jkMVFUrCLfd2Jb02p6CIAoHXdzRaCGBzNuE9DrrQ"
></langflow-chat>
</body>
</html>
```

- 8) Save this file as html in the desired path in your desktop/Laptop






- 9) Open the Html file in the browser from the saved path (double click or right click with browser)




- 10) Click on the Chat Icon






11) Give input to generate the test cases



12) Open the network tab and check for the Langflow api call (Right click on the browser → Inspect → click on network Tab)





- 13) Click on Send button in chat
In the chat → Type Generate testcases for Fund transfer

0 / 1 requests 0.0 kB / 0.0 kB transferred 0.0 kB / 0.0 kB resources

- 14) You can see the Langflow api which we have tested in postman is integrated as chat UI

1 / 3 requests 11.2 kB / 11.2 kB transferred 11.0 kB / 11.0 kB resources



- 15) Verify the request and response
- a) Url with http method

The screenshot displays a web browser window with a chat application on the left and a network monitoring tool on the right. The chat application shows a list of steps for a fund transfer transaction and a test case description. The network tool shows a POST request to a local API endpoint with a status code of 200 OK.

Chat Interface:

- 1. Navigate to Fund Transfer
- 2. Enter beneficiary details
- 3. Enter amount within daily limit
- 4. Enter OTP
- 5. Submit transaction Expected Result: Transaction completes successfully and confirmation is shown

TC_BT_005 Title: Verify fund transfer failure due to network connectivity issues
Preconditions: User is logged in with an active account and network connectivity is lost Steps:

- 1. Navigate to Fund Transfer
- 2. Enter beneficiary details
- 3. Enter amount within daily limit
- 4. Submit transaction Expected Result: Transaction fails with network connectivity error

Network Tool:

- Request URL: http://localhost:7860/api/v1/run/6eacd943-b7fc-477c-977d-c1208eb0822e
- Request Method: POST
- Status Code: 200 OK
- Remote Address: [::1]:7860
- Referrer Policy: strict-origin-when-cross-origin
- Response headers: true
- Access-Control-Allow-Credentials: true
- Access-Control-Allow-Origin: *
- Content-Length: 11035
- Content-Type: application/json
- Date: Wed, 03 Jun 2026 20:04:22 GMT

- b) Request Payload

The screenshot displays a web browser window with a chat application on the left and a network monitoring tool on the right. The chat application shows a list of steps for a fund transfer transaction and a test case description. The network tool shows the request payload for a POST request, which is a JSON object containing input and output values for a chat-based test case.

Chat Interface:

- 1. Navigate to Fund Transfer
- 2. Enter beneficiary details
- 3. Enter amount within daily limit
- 4. Enter OTP
- 5. Submit transaction Expected Result: Transaction completes successfully and confirmation is shown

TC_BT_005 Title: Verify fund transfer failure due to network connectivity issues
Preconditions: User is logged in with an active account and network connectivity is lost Steps:

- 1. Navigate to Fund Transfer
- 2. Enter beneficiary details
- 3. Enter amount within daily limit
- 4. Submit transaction Expected Result: Transaction fails with network connectivity error

Network Tool:

- Request Payload: {input_type: "chat", input_value: "Generate testcases for fund transfer", output_type: "chat", input_value: "Generate testcases for fund transfer", output_type: "chat", session_id: "e5076dc5-64b2-4103-a0f9-afe52a49d567"}



c) Response

Testcases generated in the response

The screenshot displays a web browser window with a chat application on the left and a network inspector on the right.

Chat Interface (Left):

- Header: Chat
- Status: We'll reply as soon as we can
- Testcase Steps:
 1. Navigate to Fund Transfer
 2. Enter beneficiary details
 3. Enter amount within daily limit
 4. Enter OTP
 5. Submit transaction Expected Result: Transaction completes successfully and confirmation is shown
- Testcase Title: TC_BT_005 Title: Verify fund transfer failure due to network connectivity issues
- Preconditions: User is logged in with an active account and network connectivity is lost Steps:
 1. Navigate to Fund Transfer
 2. Enter beneficiary details
 3. Enter amount within daily limit
 4. Submit transaction Expected Result: Transaction fails with network connectivity error
- Input field: Type your message...

Network Inspector (Right):

- Filter: All, Fetch/XHR, Doc, CSS, JS, Font, Img, Media, Manifest, Socket, Wasm, Other
- Timeline: 0 to 140,000 ms
- Selected Request: 6e...
- Response Tab:

```
{
  "results": {
    "message": {
      "text_key": "text",
      "data": {
        "timestamp": "2026-06-03 20:04:26 UTC",
        "sender": "Machine",
        "sender_name": "AI",
        "session_id": "e5076dc5-64b2-4103-a0f9-afe52a49d567",
        "context_id": "",
        "text": "TC_BT_001\\nTitle: Verify successful fund transfer wi",
        "files": [],
        "error": false,
        "edit": false,
        "properties": {
          "": " "
        }
      }
    }
  }
}
```

3 reqs {} 10 characters selected