



Customizing Default Langflow Chat

Here we are going to see the customization of Langflow chat UI with changes in font text etc

Making changes in chat text positioning chat UI in html from [langflow-ai/langflow-embedded-chat](https://github.com/langflow-ai/langflow-embedded-chat):
[The Langflow Embedded Chat is a powerful web component that enables seamless communication with Langflow](https://github.com/langflow-ai/langflow-embedded-chat)

Langflow Github link: <https://github.com/langflow-ai/langflow-embedded-chat>
Colorsandstyles:https://www.w3schools.com/colors/colors_picker.asp

Common step for Customization:

- 1) Open the Html file in notepad or vscode
- 2) Add the customization attributes from Langflow github
- 3) Save it
- 4) Open the Html in browser (or refresh the same in browser) and view the changes

Customizations

- 1) Change the colour of the bot message in default Langflow chat
Json values should be in single quotes ,see the code in **After**

Before



After

For color changes reference : https://www.w3schools.com/colors/colors_picker.asp

```
<html>
<head>
  <script src="https://cdn.jsdelivr.net/gh/langflow-ai/langflow-embedded-
chat@main/dist/build/static/js/bundle.min.js"></script>
</head>
<body>
  <langflow-chat
    window_title="TestcaseGenerator-May-GenAI"
```



```
flow_id="6eacd943-b7fc-477c-977d-c1208eb0822e"  
host_url="http://localhost:7860"  
api_key="sk-OWovDNGBmh2Ngi_vPdVkMQdMTYTXhXoa_Qv7351y9U4"  
bot_message_style='{ "color": "#333", "backgroundColor": "#cc6699" }'  
></langflow-chat>  
</body>  
</html>
```



After color changes


The screenshot shows a web browser window with a chat interface on the left and a network tab on the right. The chat interface is titled "TestcaseGenerator-May-GenAI" and displays a message about invalid beneficiary details. The network tab shows a single request to "bundle.min.js" with a status of 200 and a type of xhr.

2) start_open (By default Chat UI will be Opened)

`start_open="true"`

Example: { "borderRadius": "8px", "boxShadow": "0 2px 8px rgba(0,0,0,0.1)" }


```
<html>
<head>
  <script src="https://cdn.jsdelivr.net/gh/langflow-ai/langflow-embedded-
chat@main/dist/build/static/js/bundle.min.js"></script>
</head>
<body>
  <langflow-chat
    window_title="TestcaseGenerator-May-GenAI"
    flow_id="6eacd943-b7fc-477c-977d-c1208eb0822e"
    host_url="http://localhost:7860"
    api_key="sk-OWovDNGBmh2Ngi_vPdVkmQdMTYTXhXoa_Qv7351y9U4"
    bot_message_style='{ "color": "#333", "backgroundColor": "#cc6699" }'
    start_open="true"
  ></langflow-chat>
</body>
</html>
```



3) Add the place holder text for Testcase Generator chat UI

```
placeholder='Give your input for generating testcases'  
placeholder_sending="Generating testcases"
```

```
<html>  
<head>  
  <script src="https://cdn.jsdelivr.net/gh/langflow-ai/langflow-embedded-  
chat@main/dist/build/static/js/bundle.min.js"></script>  
</head>  
<body>  
  <langflow-chat  
    window_title="Testcase Generator"  
    flow_id="6eacd943-b7fc-477c-977d-c1208eb0822e"  
    host_url="http://localhost:7860"  
    api_key="sk-hA7fu2Ijxno9pow8607Ab6zdaGcbBK_I6mt9MDzZYgg"  
    chat_position='bottom-right'  
    bot_message_style='{ "color": "#ffffff", "backgroundColor": "#0066cc" }'  
    start_open="true"  
    placeholder='Give your input for generating testcases'  
    placeholder_sending="Generating testcases"  
  ></langflow-chat>  
</body>  
</html>
```



Change the color and background of send icon button

```
send_button_style='{ "backgroundColor": "#66ffcc", "color": "#ff6666" }'
```

```
<html>
  <head>
    <script src="https://cdn.jsdelivr.net/gh/langflow-ai/langflow-embedded-
chat@main/dist/build/static/js/bundle.min.js"></script>
  </head>
  <body>
    <langflow-chat
      window_title="Testcase Generator"
      flow_id="6eacd943-b7fc-477c-977d-c1208eb0822e"
      host_url="http://localhost:7860"
      api_key="sk-hA7fu2Ijxno9pow8607Ab6zdaGcbBK_I6mt9MDzZYgg"
      chat_position='bottom-right'
      bot_message_style='{ "color": "#ffffff", "backgroundColor": "#0066cc" }'
      start_open="true"
      placeholder='Give your input for generating testcases'
      placeholder_sending="Generating testcases"
      send_button_style='{ "backgroundColor": "66ffcc", "color": "#ff6666" }'
    ></langflow-chat>
  </body>
</html>
```





Testcase Generator

• We'll reply as soon as we can

Give your input for generating testcases

