

Student 4 **ANUMULA VS SANTHOSH RADHA KRISHNA MURTHY** 192312043RA

4 / 4 submitted

Q1. ARRAYS

CODE

```
#include <stdio.h>
int main(){
    int i,j=0,n;
    int a[]={0,1,9,8,0,2};
    n=sizeof(a)/sizeof(a[0]);
    for(i=0;i<n;i++){
        if(a[i]!=0)
            a[j++]=a[i];
    }
    while(j<n){
        a[j]=0;
        j++;
    }
    for(i=0;i<n;i++)
        printf("%d ",a[i]);
    return 0;
}
```

OUTPUT

(no output)

Q2. ARRAYS

CODE

```
#include <stdio.h>
int main(){
    int a[7]={2,2,1,5,1,3,3};
    int fre[7]={0,0,0,0,0,0,0};
    int i,j;
    for(i=0;i<7;i++){
        if(fre[i]==1)
            continue;
        int count=1;
        for(j=i+1;j<7;j++){
            if(a[i]==a[j]){
                fre[j]=1;
                count++;
            }
        }
        printf("Element %d occurs %d times",a[i],count);
    }
    return 0;
}
```

OUTPUT

(no output)

Q3. ARRAYS

CODE

```
#include <stdio.h>
int main(){
    int a[]={1,2,3,4,5};
    int i,n;
    n=sizeof(a)/sizeof(a[0]);
    for(i=0;i<n;i++){
        a[i]=a[i+1];
    }
    printf("Array after rotation= %d ",a[i]);
    return 0;
}
```

OUTPUT

(no output)

Q4. ARRAYS

CODE

```
#include <stdio.h>
int main(){
    int a[3][3]={{1,2,3},{4,5,6},{7,8,9}};
    int i,j,c[i][j];
    for(i=0;i<3;i++){
        for(j=0;j<3;j++){
            a[i][j]=a[i][j];
        }
    }
    printf("Rotated matrix = %d ",a[i][j]);
    return 0;
}
```

OUTPUT

(no output)