

Tenable Vulnerability Management Report

Tenable Vulnerability Management

Sun, 14 Jun 2026 20:50:28 UTC

Table Of Contents

- Vulnerabilities By Host..... 3
 - ws25-dc01.....4
- Assets Summary (Executive).....70
 - ws25-dc01.....71

Vulnerabilities By Host

ws25-dc01

Scan Information

Start Time

2026-06-14T20:50:28.579Z

Completed Time

2026-06-14T21:03:07.617Z

Host Information

DNS Name

ws25-dc01

Netbios Name

WS25-DC01

IP

10.2.0.28

OS

Microsoft Windows Server 2025 Datacenter Azure Edition Build 26100

Results Summary

Critical

High

Medium

Low

Info

Total

0

1

0

0

113

114

Results Details

/

166555 - WinVerifyTrust Signature Validation CVE-2013-3900 Mitigation (EnableCertPaddingCheck), High

Synopsis

The remote Windows host is potentially missing a mitigation for a remote code execution vulnerability.

Description

The remote system may be in a vulnerable state to CVE-2013-3900 due to a missing or misconfigured registry keys: - HKEY_LOCAL_MACHINE\Software\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck - HKEY_LOCAL_MACHINE\Software\Wow6432Node\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck An unauthenticated, remote attacker could exploit this, by sending specially crafted requests, to execute arbitrary code on an affected host.

See Also

https://msrc.microsoft.com/update-guide/vulnerability/CVE-2013-3900

http://www.nessus.org/u?9780b9d2

Solution

Add and enable registry value EnableCertPaddingCheck: - HKEY_LOCAL_MACHINE\Software\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck Additionally, on 64 Bit OS systems, Add and enable registry value EnableCertPaddingCheck: - HKEY_LOCAL_MACHINE\Software\Wow6432Node\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck

Risk Factor

High

Stig Severity

II

Vulnerability Priority Rating (VPR)

9.0

CVSS v3.0 Base Score

8.8 (AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)

CVSS v3.0 Temporal Score

8.4 (E:H/RL:O/RC:C)

CVSS Base Score

7.6 (AV:N/AC:H/Au:N/C:C/I:C/A:C)

CVSS Temporal Score

6.6 (E:H/RL:OF/RC:C)

References

XREF IAVA-2013-A-0227
CISA-KNOWN-EXPLOITED-2022/07/10

CVE CVE-2013-3900

Plugin Information:

Publication Date: 2022/10/26, Modification Date: 2025/12/17

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Nessus detected the following potentially insecure registry key configuration:

- Software\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck is not present in the registry.
- Software\Wow6432Node\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck is not present in the registry.

10150 - Windows NetBIOS / SMB Remote Host Information Disclosure, Info

Synopsis

It was possible to obtain the network name of the remote host.

Description

The remote host is listening on UDP port 137 or TCP port 445, and replies to NetBIOS nbtscan or SMB requests. Note that this plugin gathers information to be used in other plugins, but does not itself generate a report.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 1999/10/12, Modification Date: 2021/02/10

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following 2 NetBIOS names have been gathered :

WS25-DC01 = Computer name
LABABEL = Workgroup / Domain name

10394 - Microsoft Windows SMB Log In Possible, Info

Synopsis

It was possible to log into the remote host.

Description

The remote host is running a Microsoft Windows operating system or Samba, a CIFS/SMB server for Unix. It was possible to log into it using one of the following accounts : - Guest account - Supplied credentials - Randomly generated credentials

See Also

<http://www.nessus.org/u?5c2589f6>

<https://support.microsoft.com/en-us/help/246261>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2000/05/09, Modification Date: 2026/04/08

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

- The SMB tests will be done as lababel.local\lababel/*****

10395 - Microsoft Windows SMB Shares Enumeration, Info

Synopsis

It is possible to enumerate remote network shares.

Description

By connecting to the remote host, Nessus was able to enumerate the network share names.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2000/05/09, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Here are the SMB shares available on the remote host when logged in as lababel:

- ADMIN\$
- C\$
- IPC\$
- NETLOGON
- SYSVOL

10396 - Microsoft Windows SMB Shares Access, Info

Synopsis

It is possible to access a network share.

Description

The remote has one or more Windows shares that can be accessed through the network with the given credentials. Depending on the share rights, it may allow an attacker to read / write confidential data.

Solution

To restrict access under Windows, open Explorer, do a right click on each share, go to the 'sharing' tab, and click on 'permissions'.

Risk Factor

None

Plugin Information:

Publication Date: 2000/05/09, Modification Date: 2021/10/04

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following shares can be accessed as lababel :

- SYSVOL - (readable,writable)
+ Content of this share :
..
lababel.local
- NETLOGON - (readable,writable)
+ Content of this share :

```
..
- C$ - (readable,writable)
  + Content of this share :
Documents and Settings
DumpStack.log.tmp
inetpub
Packages
pagefile.sys
PerfLogs
Program Files
Program Files (x86)
ProgramData
Recovery
System Volume Information
Temp
Users
Windows
WindowsAzure

- ADMIN$ - (readable,writable)
  + Content of this share :
..
ADFS
ADWS
AppCompat
apppatch
AppReadiness
assembly
bcastdvr
bfsvc.exe
Boot
bootstat.dat
Branding
BrowserCore
CbsTemp
Cursors
debug
diagnostics
DiagTrack
DigitalLocker
Downloaded Program Files
drivers
DtcInstall.log
ELAMBKUP
en-US
explorer.exe
Fonts
Globalization
Help
HelpPane.exe
hh.exe
IdentityCRL
IME
ImmersiveControlPanel
INF
InputMethod
Installer
L2Schemas
LanguageOverlayCache
LiveKernelReports
Logs
lsasetup.log
mbcab
Media
mib.bin
Microsoft
Microsoft.NET
Migration
ModemLogs
notepad.exe
NTDS
OCR
OEM
Offline Web Pages
```

Panther
Performance
PFR0.log
PLA
PolicyDefinitions
Prefetch
Provisioning
regedit.exe
Registration
RemotePackages
rescache
resources
SchCache
schemas
SecureBoot
security
ServerTurbine.xml
ServiceProfiles
ServiceState
servicing
Setup
setupact.log
setuperr.log
ShellComponents
ShellExperiences
SKB
SoftwareDistribution
Speech
Speech_OneCore
splwow64.exe
System
system.ini
System32
SystemApps
SystemResources
SystemTemp
SYSVOL
SysWOW64
TAPI
Tasks
Temp
tracing
twain_32
twain_32.dll

10400 - Microsoft Windows SMB Registry Remotely Accessible, Info

Synopsis

Access the remote Windows Registry.

Description

It was possible to access the remote Windows Registry using the login / password combination used for the Windows local checks (SMB tests).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2000/05/09, Modification Date: 2025/12/16

10413 - Microsoft Windows SMB Registry : Remote PDC/BDC Detection, Info

Synopsis

The remote system is a Domain Controller.

Description

The remote host seems to be a Primary Domain Controller or a Backup Domain Controller. This can be verified by the value of the registry key 'ProductType' under 'HKLM\SYSTEM\CurrentControlSet\Control\ProductOptions'.

Solution

N/A

Risk Factor

None

References

XREF	IAVT-0001-T-0030
	IAVT-0001-T-0942

Plugin Information:

Publication Date: 2000/05/20, Modification Date: 2023/08/17

10456 - Microsoft Windows SMB Service Enumeration, Info

Synopsis

It is possible to enumerate remote services.

Description

This plugin implements the SvcOpenSCManager() and SvcEnumServices() calls to obtain, using the SMB protocol, the list of active and inactive services of the remote host. An attacker may use this feature to gain better knowledge of the remote host.

Solution

To prevent the listing of the services from being obtained, you should either have tight login restrictions, so that only trusted users can access your host, and/or you should filter incoming traffic to this port.

Risk Factor

None

References

XREF	IAVT-0001-T-0751
------	------------------

Plugin Information:

Publication Date: 2000/07/03, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Active Services :

Active Directory Web Services [ADWS]
Application Information [Appinfo]
AppX Deployment Service (AppXSvc) [AppXSvc]
Windows Audio Endpoint Builder [AudioEndpointBuilder]
Windows Audio [Audiosrv]
Base Filtering Engine [BFE]
Background Tasks Infrastructure Service [BrokerInfrastructure]
Capability Access Manager Service [camsvc]
Connected Devices Platform Service [CDPSvc]
Certificate Propagation [CertPropSvc]
CoreMessaging [CoreMessagingRegistrar]
Cryptographic Services [CryptSvc]
DCOM Server Process Launcher [DcomLaunch]
DFS Namespace [Dfs]
DFS Replication [DFSR]
DHCP Client [Dhcp]
Connected User Experiences and Telemetry [DiagTrack]
Display Policy Service [DispBrokerDesktopSvc]
DNS Server [DNS]
DNS Client [Dnscache]
Diagnostic Policy Service [DPS]
Windows Event Log [EventLog]
COM+ Event System [EventSystem]
Windows Font Cache Service [FontCache]

```

Group Policy Client [ gpsvc ]
IKE and AuthIP IPsec Keying Modules [ IKEEXT ]
Inventory and Compatibility Appraisal service [ InventorySvc ]
IP Helper [ iphlpsvc ]
Intersite Messaging [ IsmServ ]
Kerberos Key Distribution Center [ Kdc ]
CNG Key Isolation [ KeyIso ]
Server [ LanmanServer ]
Workstation [ LanmanWorkstation ]
TCP/IP NetBIOS Helper [ lmhosts ]
Local Session Manager [ LSM ]
Microsoft Defender Core Service [ MDCoreSvc ]
Windows Defender Firewall [ mpssvc ]
Distributed Transaction Coordinator [ MSDTC ]
Network Connection Broker [ NcbService ]
Netlogon [ Netlogon ]
Network List Service [ netprofm ]
Network Store Interface Service [ nsi ]
Active Directory Domain Services [ NTDS ]
Performance Logs & Alerts [ pla ]
Plug and Play [ PlugPlay ]
IPsec Policy Agent [ PolicyAgent ]
Power [ Power ]
User Profile Service [ ProfSvc ]
RdAgent [ RdAgent ]
Remote Registry [ RemoteRegistry ]
Radio Management Service [ RmSvc ]
RPC Endpoint Mapper [ RpcEptMapper ]
Remote Procedure Call (RPC) [ RpcSs ]
Special Administration Console Helper [ saccsvr ]
Security Account Manager [ ... ]

```

10736 - DCE Services Enumeration, Info

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2001/08/26, Modification Date: 2021/10/04

Ports

ws25-dc01(TCP/49664) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49664 :

```

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

```

```

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

```

Object UUID : 7364746e-0000-0000-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

Object UUID : 5fc860e0-6f6e-4fc2-83cd-46324f25e90b
UUID : 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0.0
Description : Unknown RPC service
Annotation : RemoteAccessCheck
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

Object UUID : 9a81c2bd-a525-471d-a4ed-49907c0b23da
UUID : 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0.0
Description : Unknown RPC service
Annotation : RemoteAccessCheck
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

ws25-dc01(TCP/135) (Vulnerability State: Active)

The following DCERPC services are available locally :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : NETLOGON_LRPC

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : NTDS_LPC

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : 0LE17472B8614D891604C41F8FC5C03

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : MicrosoftLaps_LRPC_0fb2f016-fe45-4a08-a7f9-a467f5e5fa0b

Object UUID : 00000000-0000-0000-0000-000000000000

UUID : cc105610-da03-467e-bc73-5b9e2937458d, version 1.0
Description : Unknown RPC service
Annotation : LiveIdSvc RPC Interface
Type : Local RPC service
Named pipe : LRPC-afacf9251a3827d5aa

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : faf2447b-b348-4feb-8dbe-beee5b7f7778, version 1.0
Description : Unknown RPC service
Annotation : OnlineProviderCert RPC Interface
Type : Local RPC service
Named pipe : LRPC-afacf9251a3827d5aa

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 572e35b4-1344-4565-96a1-f5df3bfa89bb, version 1.0
Description : Unknown RPC service
Annotation : LiveIdSvcNotify RPC Interface
Type : Local RPC service
Named pipe : liveidsvcnotify

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d2716e94-25cb-4820-bc15-537866578562, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : 0LED2C8878D713A45EC7F8CB1F5425E

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d2716e94-25cb-4820-bc [...]

ws25-dc01(TCP/49676) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49676 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49676
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e3514235-4b06-11d1-ab04-00c04fc2dcd2, version 4.0
Description : Active Directory Replication Interface
Windows process : unknown
Annotation : MS NT Directory DRS Interface
Type : Remote RPC service
TCP Port : 49676
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ab, version 0.0
Description : Local Security Authority
Windows process : lsass.exe
Type : Remote RPC service
TCP Port : 49676
IP : 10.2.0.28

Object UUID : 5fc860e0-6f6e-4fc2-83cd-46324f25e90b
UUID : 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0.0
Description : Unknown RPC service
Annotation : RemoteAccessCheck
Type : Remote RPC service
TCP Port : 49676
IP : 10.2.0.28

Object UUID : 9a81c2bd-a525-471d-a4ed-49907c0b23da
UUID : 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0.0
Description : Unknown RPC service
Annotation : RemoteAccessCheck
Type : Remote RPC service
TCP Port : 49676
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000

UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Remote RPC service
TCP Port : 49676
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49676
IP : 10.2.0.28

ws25-dc01(TCP/49753) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49753 :

Object UUID : 5bc1ed07-f5f5-485f-9dfd-6fd0acf9a23c
UUID : 897e2e5f-93f3-4376-9c9c-fd2277495c27, version 1.0
Description : Unknown RPC service
Annotation : Frs2 Service
Type : Remote RPC service
TCP Port : 49753
IP : 10.2.0.28

ws25-dc01(TCP/49668) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49668 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 29770a8f-829b-4158-90a2-78cd488501f7, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49668
IP : 10.2.0.28

ws25-dc01(TCP/49671) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49671 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49671
IP : 10.2.0.28

Object UUID : 7364746e-0000-0000-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Remote RPC service
TCP Port : 49671
IP : 10.2.0.28

Object UUID : 5fc860e0-6f6e-4fc2-83cd-46324f25e90b
UUID : 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0.0
Description : Unknown RPC service
Annotation : RemoteAccessCheck
Type : Remote RPC service
TCP Port : 49671
IP : 10.2.0.28

Object UUID : 9a81c2bd-a525-471d-a4ed-49907c0b23da
UUID : 0b1c2170-5732-4e0e-8cd3-d9b16f3b84d7, version 0.0
Description : Unknown RPC service

Annotation : RemoteAccessCheck
Type : Remote RPC service
TCP Port : 49671
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Remote RPC service
TCP Port : 49671
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49671
IP : 10.2.0.28

ws25-dc01(TCP/49666) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49666 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1.0
Description : Unknown RPC service
Annotation : Windows Event Log
Type : Remote RPC service
TCP Port : 49666
IP : 10.2.0.28

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following DCERPC services are available remotely :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
Named pipe : \pipe\19e0354d1525616f
Netbios name : \\WS25-DC01

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 338cd001-2244-31f1-aaaa-900038001003, version 1.0
Description : Remote Registry
Windows process : svchost.exe
Annotation : RemoteRegistry Interface
Type : Remote RPC service
Named pipe : \PIPE\winreg
Netbios name : \\WS25-DC01

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : da5a86c5-12c2-4943-ab30-7f74a813d853, version 1.0
Description : Unknown RPC service
Annotation : RemoteRegistry Perflib Interface
Type : Remote RPC service
Named pipe : \PIPE\winreg
Netbios name : \\WS25-DC01

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 29770a8f-829b-4158-90a2-78cd488501f7, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \pipe\SessEnvPublicRpc
Netbios name : \\WS25-DC01

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f1343fe-50a9-4927-a778-0c5859517bac, version 1.0

Description : Unknown RPC service
Annotation : DfsDs service
Type : Remote RPC service
Named pipe : \PIPE\wkssvc
Netbios name : \\WS25-DC01

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1ff70682-0a51-30e8-076d-740be8cee98b, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\WS25-DC01

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 378e52b0-c0a9-11cf-822d-00aa0051e40f, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\WS25-DC01

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\atsvc
[...]

ws25-dc01(TCP/49680) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49680 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 367abb81-9844-35f1-ad32-98f038001003, version 2.0
Description : Service Control Manager
Windows process : svchost.exe
Type : Remote RPC service
TCP Port : 49680
IP : 10.2.0.28

ws25-dc01(TCP/49681) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49681 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49681
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345678-1234-abcd-ef00-01234567cffb, version 1.0
Description : Network Logon Service
Windows process : lsass.exe
Type : Remote RPC service
TCP Port : 49681
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Remote RPC service
TCP Port : 49681
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service

Type : Remote RPC service
TCP Port : 49681
IP : 10.2.0.28

ws25-dc01(TCP/49667) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49667 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49667
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49667
IP : 10.2.0.28

ws25-dc01(TCP/49665) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49665 :

Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d9safe70-a6d5-4259-822e-2c84da1ddb0d, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49665
IP : 10.2.0.28

ws25-dc01(TCP/49766) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49766 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 50abc2a4-574d-40b3-9d66-ee4fd5fba076, version 5.0
Description : DNS Server
Windows process : dns.exe
Type : Remote RPC service
TCP Port : 49766
IP : 10.2.0.28

ws25-dc01(TCP/49669) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49669 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345678-1234-abcd-ef00-0123456789ab, version 1.0
Description : IPsec Services (Windows XP & 2003)
Windows process : lsass.exe
Type : Remote RPC service
TCP Port : 49669
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0b6edbfa-4a24-4fc6-8a23-942b1eca65d1, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49669
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ae33069b-a2a8-46ee-a235-ddfd339be281, version 1.0

Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49669
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4a452661-8290-4b36-8fbe-7f4093a94978, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49669
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76f03f96-cdfd-44fc-a22c-64950a001209, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49669
IP : 10.2.0.28

10785 - Microsoft Windows SMB NativeLanManager Remote System Information Disclosure, Info Synopsis

It was possible to obtain information about the remote operating system.

Description

Nessus was able to obtain the remote operating system name and version (Windows and/or Samba) by sending an authentication request to port 139 or 445.
Note that this plugin requires SMB to be enabled on the host.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2001/10/17, Modification Date: 2021/09/20

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Nessus was able to obtain the following information about the host, by parsing the SMB2 Protocol's NTLM SSP message:

Target Name: LABABEL
NetBIOS Domain Name: LABABEL
NetBIOS Computer Name: WS25-DC01
DNS Domain Name: lababel.local
DNS Computer Name: WS25-DC01.lababel.local
DNS Tree Name: lababel.local
Product Version: 10.0.26100

10859 - Microsoft Windows SMB LsaQueryInformationPolicy Function SID Enumeration, Info Synopsis

It is possible to obtain the host SID for the remote host.

Description

By emulating the call to LsaQueryInformationPolicy(), it was possible to obtain the host SID (Security Identifier).
The host SID can then be used to get the list of local users.

See Also

<http://technet.microsoft.com/en-us/library/bb418944.aspx>

Solution

You can prevent anonymous lookups of the host SID by setting the 'RestrictAnonymous' registry setting to an appropriate value. Refer to the 'See also' section for guidance.

Risk Factor

None

Plugin Information:

Publication Date: 2002/02/13, Modification Date: 2024/01/31

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The remote host SID value is : S-1-5-21-1966757112-4080728653-1421271985

The value of 'RestrictAnonymous' setting is : 1

10902 - Microsoft Windows 'Administrators' Group User List, Info

Synopsis

There is at least one user in the 'Administrators' group.

Description

Using the supplied credentials, it is possible to extract the member list of the 'Administrators' group. Members of this group have complete access to the remote system.

Solution

Verify that each member of the group should have this type of access.

Risk Factor

None

Plugin Information:

Publication Date: 2002/03/15, Modification Date: 2018/05/16

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following users are members of the 'Administrators' group :

- LABABEL\lababel (User)
- LABABEL\Enterprise Admins (Group)
- LABABEL\Domain Admins (Group)

11011 - Microsoft Windows SMB Service Detection, Info

Synopsis

A file / print sharing service is listening on the remote host.

Description

The remote service understands the CIFS (Common Internet File System) or Server Message Block (SMB) protocol, used to provide shared access to files, printers, etc between nodes on a network.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2002/06/05, Modification Date: 2021/02/11

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

A CIFS server is running on this port.

11457 - Microsoft Windows SMB Registry : Winlogon Cached Password Weakness, Info

Synopsis

User credentials are stored in memory.

Description

The registry key 'HKLM\Software\Microsoft\WindowsNT\CurrentVersion\Winlogon\CachedLogonsCount' is not 0.

Using a value greater than 0 for the CachedLogonsCount key indicates that the remote Windows host locally caches the passwords of the users when they login, in order to continue to allow the users to login in the case of the failure of the primary domain controller (PDC). Cached logon credentials could be accessed by an attacker and subjected to brute force attacks.

See Also

<http://www.nessus.org/u?184d3eab>

<http://www.nessus.org/u?fe16cea8>

<https://technet.microsoft.com/en-us/library/cc957390.aspx>

Solution

Consult Microsoft documentation and best practices.

Risk Factor

None

Plugin Information:

Publication Date: 2003/03/24, Modification Date: 2018/06/05

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Max cached logons : 4

11777 - Microsoft Windows SMB Share Hosting Possibly Copyrighted Material, Info

Synopsis

The remote host may contain material (movies/audio) infringing copyright.

Description

This plugin displays a list of media files (such as .mp3, .ogg, .mpg, .avi) which have been found on the remote SMB shares.

Some of these files may contain copyrighted materials, such as commercial movies or music files, that are being shared without the owner's permission.

If any of these files actually contain copyrighted material, and if they are freely swapped around, your organization might be held liable for copyright infringement by associations such as the RIAA or the MPAA.

Solution

Delete the files infringing copyright.

Risk Factor

None

Plugin Information:

Publication Date: 2003/06/26, Modification Date: 2012/11/29

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Here is a list of files which have been found on the remote SMB shares.
Some of these files may contain copyrighted materials, such as commercial movies or music files.

+ C\$:

```
C:\Windows\ImmersiveControlPanel\SystemSettings\Assets\Aria.mp3
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.32995_none_66ca1f943eb47f16\Jenny.mp3
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.32995_none_66ca1f943eb47f16\Guy.mp3
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.32995_none_66ca1f943eb47f16\Aria.mp3
C:\Windows\ImmersiveControlPanel\SystemSettings\Assets\Jenny.mp3
C:\Windows\ImmersiveControlPanel\SystemSettings\Assets\Guy.mp3
```

16193 - Antivirus Software Check, Info

Synopsis

An antivirus application is installed on the remote host.

Description

An antivirus application is installed on the remote host, and its engine and virus definitions are up to date.

See Also

<http://www.nessus.org/u?3ed73b52>

<https://www.tenable.com/blog/auditing-anti-virus-products-with-nessus>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2005/01/18, Modification Date: 2025/05/27

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Forefront_Endpoint_Protection :

A Microsoft anti-malware product is installed on the remote host :

Product name	: Windows Defender
Path	: C:\ProgramData\Microsoft\Windows Defender\Platform
\4.18.26050.15-0\	
Version	: 4.18.26050.15
Engine version	: 1.1.26050.11
Antivirus signature version	: 1.453.94.0
Antispyware signature version	: 1.453.94.0

17651 - Microsoft Windows SMB : Obtains the Password Policy, Info

Synopsis

It is possible to retrieve the remote host's password policy using the supplied credentials.

Description

Using the supplied credentials it was possible to extract the password policy for the remote Windows host. The password policy must conform to the Informational System Policy.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2005/03/30, Modification Date: 2015/01/12

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following password policy is defined on the remote host:

Minimum password len:	7
Password history len:	24
Maximum password age (d):	42
Password must meet complexity requirements:	Enabled
Minimum password age (d):	1
Forced logoff time (s):	Not set
Locked account time (s):	900

Time between failed logon (s): 900
Number of invalid logon before locked out (s): 3

19506 - Nessus Scan Information, Info

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself : - The version of the plugin set. - The type of scanner (Nessus or Nessus Home). - The version of the Nessus Engine. - The port scanner(s) used. - The port range scanned. - The ping round trip time - Whether credentialed or third-party patch management checks are possible. - Whether the display of superseded patches is enabled - The date of the scan. - The duration of the scan. - The number of hosts scanned in parallel. - The number of checks done in parallel.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2005/08/26, Modification Date: 2026/03/04

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Information about this scan :

Nessus version : 10.12.0
Nessus build : 20184
Plugin feed version : 202606131613
Scanner edition used : Nessus
Scanner OS : WINDOWS
Scanner distribution : win-x86-64
Scan type : Normal
Scan name : abel-win25-server-stig-scan2
Scan policy used : abel-win25-server-stig-scan1
Scanner IP : 10.0.0.8
Port scanner(s) : wmi_netstat
Port range : default
Ping RTT : 31.251 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : yes
Credentialed checks : yes, as 'lababel.local\lababel' via SMB
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 80
Max checks : 5
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2026/6/14 20:51 UTC
Scan duration : 708 sec
Scan for malware : no
Fully Scan Operational Technology devices : no
Safely Scan Operational Technology devices with OT Discovery : no

20811 - Microsoft Windows Installed Software Enumeration (credentialed check), Info

Synopsis

It is possible to enumerate installed software.

Description

This plugin lists software potentially installed on the remote host by crawling the registry entries in : HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall HKLM\SOFTWARE\Microsoft\Updates Note that these entries do not necessarily mean the applications are actually installed on the remote host - they may have been left behind by uninstallers, or the associated files may have been manually removed.

Solution

Remove any applications that are not compliant with your organization's acceptable use and security policies.

Risk Factor

None

References

XREF IAVT-0001-T-0501

Plugin Information:

Publication Date: 2006/01/26, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following software are installed on the remote host :

Microsoft Edge [version 149.0.4022.69] [installed on 2026/06/14]
Microsoft Edge Update [version 1.3.241.13]
Microsoft Edge WebView2 Runtime [version 149.0.4022.69] [installed on 2026/06/14]

23974 - Microsoft Windows SMB Share Hosting Office Files, Info

Synopsis

The remote share contains Office-related files.

Description

This plugin connects to the remotely accessible SMB shares and attempts to find office related files (such as .doc, .ppt, .xls, .pdf etc).

Solution

Make sure that the files containing confidential information have proper access controls set on them.

Risk Factor

None

Plugin Information:

Publication Date: 2007/01/04, Modification Date: 2011/03/21

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Here is a list of office files which have been found on the remote SMB shares :

+ C\$:

- C:\Windows\WinSxS\wow64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.5074_none_b413a7fad9bdd241\MsoIrmProtector.doc
- C:\Windows\WinSxS\wow64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.1_none_151382ec926a1266\MsoIrmProtector.doc
- C:\Windows\WinSxS\amd64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.5074_none_a9befda8a55d1046\MsoIrmProtector.doc
- C:\Windows\SysWOW64\MSDRM\MsoIrmProtector.doc
- C:\Windows\System32\MSDRM\MsoIrmProtector.doc
- C:\Windows\WinSxS\wow64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.5074_none_b413a7fad9bdd241\MsoIrmProtector.ppt
- C:\Windows\WinSxS\wow64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.1_none_151382ec926a1266\MsoIrmProtector.ppt
- C:\Windows\WinSxS\amd64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.5074_none_a9befda8a55d1046\MsoIrmProtector.ppt
- C:\Windows\SysWOW64\MSDRM\MsoIrmProtector.ppt
- C:\Windows\System32\MSDRM\MsoIrmProtector.ppt

- C:\Windows\WinSxS\wow64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.5074_none_b413a7fad9bdd241\MsoIrmProtector.xls
- C:\Windows\WinSxS\wow64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.1_none_151382ec926a1266\MsoIrmProtector.xls
- C:\Windows\WinSxS\amd64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.5074_none_a9befda8a55d1046\MsoIrmProtector.xls
- C:\Windows\SysWOW64\MSDRM\MsoIrmProtector.xls
- C:\Windows\System32\MSDRM\MsoIrmProtector.xls

24269 - WMI Available, Info

Synopsis

WMI queries can be made against the remote host.

Description

The supplied credentials can be used to make WMI (Windows Management Instrumentation) requests against the remote host over DCOM.

These requests can be used to gather information about the remote host, such as its current state, network interface configuration, etc.

See Also

<https://docs.microsoft.com/en-us/windows/win32/wmisdk/wmi-start-page>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2007/02/03, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The remote host returned the following caption from Win32_OperatingSystem:

Microsoft Windows Server 2025 Datacenter Azure Edition

24270 - Computer Manufacturer Information (WMI), Info

Synopsis

It is possible to obtain the name of the remote computer manufacturer.

Description

By making certain WMI queries, it is possible to obtain the model of the remote computer as well as the name of its manufacturer and its serial number.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2007/02/02, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Computer Manufacturer : Microsoft Corporation
 Computer Model : Virtual Machine
 Computer SerialNumber : 0000-0006-5559-1018-2993-9374-61
 Computer Type : Desktop

Computer Physical CPU's : 1
 Computer Logical CPU's : 2
 CPU0
 Architecture : x64
 Physical Cores: 1

Logical Cores : 2

Computer Memory : 4090 MB

None

Form Factor: Unknown

Type : Unknown

Capacity : 1024 MB

None

Form Factor: Unknown

Type : Unknown

Capacity : 3072 MB

24272 - Network Interfaces Enumeration (WMI), Info

Synopsis

Nessus was able to obtain the list of network interfaces on the remote host.

Description

Nessus was able, via WMI queries, to extract a list of network interfaces on the remote host and the IP addresses attached to them. Note that this plugin only enumerates IPv6 addresses for systems running Windows Vista or later.

See Also

<http://www.nessus.org/u?b362cab2>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2007/02/03, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

+ Network Interface Information :

- Network Interface = [00000000] Microsoft Hyper-V Network Adapter
- MAC Address = 7C:1E:52:A3:EE:3B
- IPAddress/IPSubnet = 10.2.0.28/255.255.255.248.0
- IPAddress/IPSubnet = fe80::887b:5bdb:4b3:81c3/64

+ Network Interface Information :

- Network Interface = [00000002] Mellanox ConnectX-5 Ex Virtual Adapter
- MAC Address = 7C:1E:52:A3:EE:3B

+ Routing Information :

Destination	Netmask	Gateway
-----	-----	-----
0.0.0.0	0.0.0.0	10.2.0.1
10.2.0.0	255.255.248.0	0.0.0.0
10.2.0.28	255.255.255.255	0.0.0.0
10.2.7.255	255.255.255.255	0.0.0.0
127.0.0.0	255.0.0.0	0.0.0.0
127.0.0.1	255.255.255.255	0.0.0.0
127.255.255.255	255.255.255.255	0.0.0.0
168.63.129.16	255.255.255.255	10.2.0.1
169.254.169.254	255.255.255.255	10.2.0.1
224.0.0.0	240.0.0.0	0.0.0.0
224.0.0.0	240.0.0.0	0.0.0.0
255.255.255.255	255.255.255.255	0.0.0.0
255.255.255.255	255.255.255.255	0.0.0.0

34096 - BIOS Info (WMI), Info

Synopsis

The BIOS info could be read.

Description

It is possible to get information about the BIOS via the host's WMI interface.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2008/09/05, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Vendor : Microsoft Corporation
Version : Hyper-V UEFI Release v4.1
Release date : 20260108000000.000000+000
UUID : 5AFB4593-A4B8-4435-BFF3-719EFDAC26B1
Secure boot : enabled

34097 - BIOS Info (SMB), Info

Synopsis

BIOS info could be read.

Description

It is possible to get information about the BIOS via the host's SMB interface.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2008/09/08, Modification Date: 2024/06/11

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Version : Hyper-V UEFI Release v4.1
Release date : 20260108000000.000000+000
Secure boot : enabled

34220 - Netstat Portscanner (WMI), Info

Synopsis

Remote open ports can be enumerated via WMI.

Description

Using the WMI interface, Nessus was able to run 'netstat' on the remote host to enumerate the open ports.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2008/09/16, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```

{"listening":
[{"port":445,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"cifs","plugin_output":n
{"port":135,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"epmap","plugin_output":n
{"port":49664,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49665,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49666,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49667,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49668,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49669,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49671,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49676,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49680,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49681,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":49753,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":null},
{"port":0,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":null,"plugin_output":"\nNot
that 2502 UDP ports belonging to DNS.exe have been ignored."},
{"port":22,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"ssh","plugin_output":null},
{"port":88,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":null,"plugin_output":null},
{"port":389,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"ldap","plugin
[...]
```

34252 - Microsoft Windows Remote Listeners Enumeration (WMI), Info

Synopsis

It is possible to obtain the names of processes listening on the remote UDP and TCP ports.

Description

This script uses WMI to list the processes running on the remote host and listening on TCP / UDP ports.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2008/09/23, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```

{"listening":
[{"port":445,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"cifs","plugin_output":n
Win32 process 'System' is listening on this port (pid 4)."},
{"port":135,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"epmap","plugin_output":n
Win32 process 'svchost.exe' is listening on this port (pid 940).\n\nThis process
'svchost.exe' (pid 940) is hosting the following Windows services :\nRpcEptMapper
(@%windir%\system32\RpcEpMap.dll,-1001)\nRpcSs (@combase.dll,-5010)\n\n"},
{"port":49664,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":n\nThe Win32 process 'lsass.exe' is listening on this port (pid 876).
\n\nThis process 'lsass.exe' (pid 876) is hosting the following Windows services :\nKdc (@
%SystemRoot%\System32\kdcsvc.dll,-1)\nKeyIso (@keyiso.dll,-100)\nNetlogon (@%SystemRoot%\
\System32\netlogon.dll,-102)\nNTDS (@%SystemRoot%\System32\ntdsmsg.dll,-1)\nSamSs (@%SystemRoot
%\System32\samsrv.dll,-1)\nVaultSvc (@%SystemRoot%\system32\vaultsvc.dll,-1003)\n\n"},
{"port":49665,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":n\nThe Win32 process 'wininit.exe' is listening on this port (pid 716)."},
{"port":49666,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":n\nThe Win32 process 'svchost.exe' is listening on this port
(pid 1956).\n\nThis process 'svchost.exe' (pid 1956) is hosting the following
Windows services :\nEventLog (@%SystemRoot%\system32\wevtmsvc.dll,-200)\n\n"},
{"port":49667,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-
rpc","plugin_output":n\nThe Win32 process 'svchost.exe' is listening on this port
(pid 2224).\n\nThis process 'svchost.exe' (pid 2224) is hosting the following
```

```
Windows services : \nSchedule (@%SystemRoot%\system32\schedsvc.dll, -100)\n\n"},
{"port": 49668, "protocol": "TCP", "interfaces": null, "all_interfaces": false, "service_name": "dce-
rpc", "plugin": [...] }
```

38689 - Microsoft Windows SMB Last Logged On User Disclosure, Info

Synopsis

Nessus was able to identify the last logged on user on the remote host.

Description

By connecting to the remote host with the supplied credentials, Nessus was able to identify the username associated with the last successful logon. Microsoft documentation notes that interactive console logons change the DefaultUserName registry entry to be the last logged-on user.

See Also

<http://www.nessus.org/u?a29751b5>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2009/05/05, Modification Date: 2019/09/02

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Last Successful logon : .\Administrator

42410 - Microsoft Windows NTLMSSP Authentication Request Remote Network Name Disclosure, Info

Synopsis

It is possible to obtain the network name of the remote host.

Description

The remote host listens on tcp port 445 and replies to SMB requests. By sending an NTLMSSP authentication request it is possible to obtain the name of the remote system and the name of its domain.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2009/11/06, Modification Date: 2019/11/22

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following 2 NetBIOS names have been gathered :

WS25-DC01	= Computer name
LABABEL	= Workgroup / Domain name

44401 - Microsoft Windows SMB Service Config Enumeration, Info

Synopsis

It was possible to enumerate configuration parameters of remote services.

Description

Nessus was able to obtain, via the SMB protocol, the launch parameters of each active service on the remote host (executable path, logon type, etc.).

Solution

Ensure that each service is configured properly.

Risk Factor

None

References

XREF

IAVT-0001-T-0752

Plugin Information:

Publication Date: 2010/02/05, Modification Date: 2022/05/16

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following services are set to start automatically :

ADWS startup parameters :

Display name : Active Directory Web Services

Service name : ADWS

Log on as : LocalSystem

Executable path : C:\Windows\ADWS\Microsoft.ActiveDirectory.WebServices.exe

AppXSvc startup parameters :

Display name : AppX Deployment Service (AppXSVC)

Service name : AppXSvc

Log on as : LocalSystem

Executable path : C:\Windows\system32\svchost.exe -k wsappx -p

Dependencies : rpcss/staterepository/

AudioEndpointBuilder startup parameters :

Display name : Windows Audio Endpoint Builder

Service name : AudioEndpointBuilder

Log on as : LocalSystem

Executable path : C:\Windows\System32\svchost.exe -k LocalSystemNetworkRestricted -p

Audiosrv startup parameters :

Display name : Windows Audio

Service name : Audiosrv

Log on as : NT AUTHORITY\LocalService

Executable path : C:\Windows\System32\svchost.exe -k LocalServiceNetworkRestricted -p

Dependencies : AudioEndpointBuilder/RpcSs/

BFE startup parameters :

Display name : Base Filtering Engine

Service name : BFE

Log on as : NT AUTHORITY\LocalService

Executable path : C:\Windows\system32\svchost.exe -k LocalServiceNoNetworkFirewall -p

Dependencies : RpcSs/

BrokerInfrastructure startup parameters :

Display name : Background Tasks Infrastructure Service

Service name : BrokerInfrastructure

Log on as : LocalSystem

Executable path : C:\Windows\system32\svchost.exe -k DcomLaunch -p

Dependencies : RpcEptMapper/DcomLaunch/RpcSs/

CDPSvc startup parameters :

Display name : Connected Devices Platform Service

Service name : CDPSvc

Log on as : NT AUTHORITY\LocalService

Executable path : C:\Windows\system32\svchost.exe -k LocalService -p

Dependencies : ncbsservice/RpcSS/Tcpip/

CDPUserSvc_41401e startup parameters :

Display name : Connected Devices Platform User Service_41401e

Service name : CDPUserSvc_41401e

Executable path : C:\Windows\system32\svchost. [...]

44871 - WMI Windows Feature Enumeration, Info

Synopsis

It is possible to enumerate Windows features using WMI.

Description

Nessus was able to enumerate the server features of the remote host by querying the 'Win32_ServerFeature' class of the '\Root\cimv2' WMI namespace for Windows Server versions or the 'Win32_OptionalFeature' class of the '\Root\cimv2' WMI namespace for Windows Desktop versions. Note that Features can only be enumerated for Windows 7 and later for desktop versions.

See Also

<https://msdn.microsoft.com/en-us/library/cc280268>

<https://docs.microsoft.com/en-us/windows/desktop/WmiSdk/querying-the-status-of-optional-features>

Solution

N/A

Risk Factor

None

References

XREF

IAVT-0001-T-0754

Plugin Information:

Publication Date: 2010/02/24, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Nessus enumerated the following Windows features :

- .NET Framework 4.8
- .NET Framework 4.8 Features
- AD DS Snap-Ins and Command-Line Tools
- AD DS Tools
- AD DS and AD LDS Tools
- Active Directory Administrative Center
- Active Directory Domain Services
- Active Directory module for Windows PowerShell
- BitLocker Drive Encryption
- DNS Server
- DNS Server Tools
- Enhanced Storage
- File Server
- File and Storage Services
- File and iSCSI Services
- Group Policy Management
- Microsoft Defender Antivirus
- Remote Server Administration Tools
- Role Administration Tools
- Storage Services
- System Data Archiver
- TCP Port Sharing
- WCF Services
- Windows PowerShell
- Windows PowerShell 5.1
- Wireless LAN Service
- WoW64 Support
- XPS Viewer

48337 - Windows ComputerSystemProduct Enumeration (WMI), Info

Synopsis

It is possible to obtain product information from the remote host using WMI.

Description

By querying the WMI class 'Win32_ComputerSystemProduct', it is possible to extract product information about the computer system such as UUID, IdentifyingNumber, vendor, etc.

See Also

<http://www.nessus.org/u?a21ce849>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/08/16, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

- + Computer System Product
 - IdentifyingNumber : 0000-0006-5559-1018-2993-9374-61
 - Description : Computer System Product
 - Vendor : Microsoft Corporation
 - Name : Virtual Machine
 - UUID : 5AFB4593-A4B8-4435-BFF3-719EFDAC26B1
 - Version : Hyper-V UEFI Release v4.1

48763 - Microsoft Windows 'CWDIllegalInDllSearch' Registry Setting, Info

Synopsis

CWDIllegalInDllSearch Settings: Improper settings could allow code execution attacks.

Description

Windows Hosts can be hardened against DLL hijacking attacks by setting the The 'CWDIllegalInDllSearch' registry entry in to one of the following settings: - 0xFFFFFFFF (Removes the current working directory from the default DLL search order) - 1 (Blocks a DLL Load from the current working directory if the current working directory is set to a WebDAV folder) - 2 (Blocks a DLL Load from the current working directory if the current working directory is set to a remote folder)

See Also

- <http://www.nessus.org/u?0c574c56>
- <http://www.nessus.org/u?5234ef0c>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/08/26, Modification Date: 2019/12/20

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Name : SYSTEM\CurrentControlSet\Control\Session Manager\CWDIllegalInDllSearch
Value : Registry Key Empty or Missing

48942 - Microsoft Windows SMB Registry : OS Version and Processor Architecture, Info

Synopsis

It was possible to determine the processor architecture, build lab strings, and Windows OS version installed on the remote system.

Description

Nessus was able to determine the processor architecture, build lab strings, and the Windows OS version installed on the remote system by connecting to the remote registry with the supplied credentials.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/08/31, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Operating system version = 10.26100

Architecture = x64

Build lab extended = 26100.1.amd64fre.ge_release.240331-1435

51186 - WMI Trusted Platform Module Enumeration, Info

Synopsis

The remote Windows host has a Trusted Platform Module available.

Description

By connecting to the remote host with the supplied credentials, this plugin enumerates information about the Trusted Platform Module installed on the remote host via WMI.

See Also

<http://www.nessus.org/u?69aba7c6>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/12/14, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Here is the info about the Trusted Platform Modules installed on the remote system :

+ ManufacturerId : MSFT/1297303124

- IsActivated_InitialValue : 1
- IsEnabled_InitialValue : 1
- IsOwned_InitialValue : 1
- ManufacturerVersion : 8224.786.18.3
- PhysicalPresenceVersionInfo : 1.3
- SpecVersion : 2.0, 0, 1.38

51187 - WMI Encryptable Volume Enumeration, Info

Synopsis

The remote Windows host has encryptable volumes available.

Description

By connecting to the remote host with the supplied credentials, this plugin enumerates encryptable volume information available on the remote host via WMI.

See Also

<http://www.nessus.org/u?8aa7973e>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/12/15, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Here is a list of encryptable volumes available on the remote system :

+ DriveLetter C:

- BitLocker Version : None
- Conversion Status : Fully Decrypted
- DeviceID : \\?\Volume{dc7fb68f-0d7f-47a5-af4a-436cd1ca474f}\
- Encryption Method : None
- Identification Field : None
- Key Protectors : None Found
- Lock Status : Unlocked
- Percentage Encrypted : 0.0%
- Protection Status : Protection Off
- Size : 126.45 GB

51351 - Microsoft .NET Framework Detection, Info

Synopsis

A software framework is installed on the remote host.

Description

Microsoft .NET Framework, a software framework for Microsoft Windows operating systems, is installed on the remote host.

See Also

<https://www.microsoft.com/net>

<http://www.nessus.org/u?15ae6806>

Solution

N/A

Risk Factor

None

References

XREF

IAVT-0001-T-0655

Plugin Information:

Publication Date: 2010/12/20, Modification Date: 2025/10/15

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Nessus detected 2 installs of Microsoft .NET Framework:

Path : C:\Windows\Microsoft.NET\Framework64\v4.0.30319\
Version : 4.8.1
Full Version : 4.8.09221
Install Type : Full
Release : 533509

Path : C:\Windows\Microsoft.NET\Framework64\v4.0.30319\
Version : 4.8.1
Full Version : 4.8.09221
Install Type : Client
Release : 533509

52001 - WMI QuickFixEngineering (QFE) Enumeration, Info

Synopsis

The remote Windows host has quick-fix engineering updates installed.

Description

By connecting to the remote host with the supplied credentials, this plugin enumerates quick-fix engineering updates installed on the remote host via WMI.

See Also

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2011/02/16, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Here is a list of quick-fix engineering updates installed on the remote system :

- + KB5087051
 - Description : Update
 - InstalledOn : 6/7/2026
- + KB5094125
 - Description : Security Update
 - InstalledOn : 6/7/2026
- + KB5094137
 - Description : Security Update
 - InstalledOn : 6/7/2026

Note that for detailed information on installed QFE's such as InstalledBy, Caption, and so on, please run the scan with 'Report Verbosity' set to 'verbose'.

57033 - Microsoft Patch Bulletin Feasibility Check, Info

Synopsis

Nessus is able to check for Microsoft patch bulletins.

Description

Using credentials supplied in the scan policy, Nessus is able to collect information about the software and patches installed on the remote Windows host and will use that information to check for missing Microsoft security updates. Note that this plugin is purely informational.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2011/12/06, Modification Date: 2021/07/12

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Nessus is able to test for missing patches using :
Nessus

58181 - Windows DNS Server Enumeration, Info

Synopsis

Nessus enumerated the DNS servers being used by the remote Windows host.

Description

Nessus was able to enumerate the DNS servers configured on the remote Windows host by looking in the registry.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2012/03/01, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Nessus enumerated DNS servers for the following interfaces :

Interface: {c8425a66-6d34-495b-ac80-f526cb5e3fc1}
Network Connection : Ethernet
NameServer: 127.0.0.1
DhcpNameServer: 168.63.129.16

Interface: Default
DhcpNameServer: 168.63.129.16

58452 - Microsoft Windows Startup Software Enumeration, Info

Synopsis

It is possible to enumerate startup software.

Description

This plugin lists software that is configured to run on system startup by crawling the registry entries in : - HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run - HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Run

Solution

Review the list of applications and remove any that are not compliant with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication Date: 2012/03/23, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following startup item was found :

SecurityHealth - %windir%\system32\SecurityHealthSystray.exe

60119 - Microsoft Windows SMB Share Permissions Enumeration, Info

Synopsis

It was possible to enumerate the permissions of remote network shares.

Description

By using the supplied credentials, Nessus was able to enumerate the permissions of network shares. User permissions are enumerated for each network share that has a list of access control entries (ACEs).

See Also

<https://technet.microsoft.com/en-us/library/bb456988.aspx>
<https://technet.microsoft.com/en-us/library/cc783530.aspx>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2012/07/25, Modification Date: 2022/08/11

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

```
Share path : \\WS25-DC01\NETLOGON
Local path : C:\Windows\SYSTEM32\lababel.local\SCRIPTS
Comment : Logon server share
[*] Allow ACE for Everyone (S-1-1-0): 0x001200a9
    FILE_GENERIC_READ:      YES
    FILE_GENERIC_WRITE:     NO
    FILE_GENERIC_EXECUTE:   YES
[*] Allow ACE for BUILTIN\Administrators (S-1-5-32-544): 0x001f01ff
    FILE_GENERIC_READ:      YES
    FILE_GENERIC_WRITE:     YES
    FILE_GENERIC_EXECUTE:   YES

Share path : \\WS25-DC01\SYSTEM32
Local path : C:\Windows\SYSTEM32\sysvol
Comment : Logon server share
[*] Allow ACE for Everyone (S-1-1-0): 0x001200a9
    FILE_GENERIC_READ:      YES
    FILE_GENERIC_WRITE:     NO
    FILE_GENERIC_EXECUTE:   YES
[*] Allow ACE for BUILTIN\Administrators (S-1-5-32-544): 0x001f01ff
    FILE_GENERIC_READ:      YES
    FILE_GENERIC_WRITE:     YES
    FILE_GENERIC_EXECUTE:   YES
[*] Allow ACE for NT AUTHORITY\Authenticated Users (S-1-5-11): 0x001f01ff
    FILE_GENERIC_READ:      YES
    FILE_GENERIC_WRITE:     YES
    FILE_GENERIC_EXECUTE:   YES
```

63080 - Microsoft Windows Mounted Devices, Info

Synopsis

It is possible to get a list of mounted devices that may have been connected to the remote system in the past.

Description

By connecting to the remote host with the supplied credentials, this plugin enumerates mounted devices that have been connected to the remote host in the past.

See Also

<http://www.nessus.org/u?99fcc329>

Solution

Make sure that the mounted drives agree with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication Date: 2012/11/28, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

```
Name      : \\??\volume{dbbcf7f5-6821-11f1-b19b-806e6f6e6963}
Data      : \\??\SCSI\CdRom&Ven_Msft&Prod_Virtual_DVD-ROM#5&394b69d0&0&000002#{53f5630d-
b6bf-11d0-94f2-00a0c91efb8b}
Raw data  :
5c003f003f005c00530043005300490023004300640052006f006d002600560065006e005f004d007300660074002600500072006f006

Name      : \dosdevices\d:
Data      : \\??\SCSI\CdRom&Ven_Msft&Prod_Virtual_DVD-ROM#5&394b69d0&0&000002#{53f5630d-
b6bf-11d0-94f2-00a0c91efb8b}
Raw data  :
5c003f003f005c00530043005300490023004300640052006f006d002600560065006e005f004d007300660074002600500072006f006

Name      : \dosdevices\c:
```

Data : DMI0:ID: GJCLG0
Raw data : 444d494f3a49443a8fb67fdc7f0da547af4a436cd1ca474f

63620 - Windows Product Key Retrieval, Info

Synopsis

This plugin retrieves the Windows Product key of the remote Windows host.

Description

Using the supplied credentials, Nessus was able to obtain the retrieve the Windows host's partial product key'.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/01/18, Modification Date: 2013/01/18

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Product key : XXXXX-XXXXX-XXXXX-XXXXX-8MCRC

Note that all but the final portion of the key has been obfuscated.

66424 - Microsoft Malicious Software Removal Tool Installed, Info

Synopsis

An antimalware application is installed on the remote Windows host.

Description

The Microsoft Malicious Software Removal Tool is installed on the remote host.
This tool is an application that attempts to detect and remove known malware from Windows systems.

See Also

<http://www.nessus.org/u?47a3e94d>

<https://support.microsoft.com/en-us/help/891716>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/05/15, Modification Date: 2023/01/10

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

File : C:\Windows\system32\MRT.exe
Version : 5.142.26060.1001
Release at last run : unknown
Report infection information to Microsoft : Yes

70329 - Microsoft Windows Process Information, Info

Synopsis

Use WMI to obtain running process information.

Description

Report details on the running processes on the machine. This plugin is informative only and could be used for forensic investigation, malware detection, and to confirm that your system processes conform to your system policies.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/10/08, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Process Overview :

SID: Process (PID)

```
0 : System Idle Process (0)
0 : |- System (4)
0 :   |- smss.exe (452)
0 : Registry (104)
0 : csrss.exe (644)
0 : Secure System (68)
2 : ServerManager.exe (6844)
2 : csrss.exe (7112)
2 : winlogon.exe (7156)
2 : |- fontdrvhost.exe (5780)
2 : |- dwm.exe (5828)
0 : wininit.exe (716)
0 : |- fontdrvhost.exe (4260)
0 : |- services.exe (848)
0 :   |- svchost.exe (1088)
0 :   |- svchost.exe (1164)
2 :     |- rdpclip.exe (6664)
0 :   |- svchost.exe (1220)
0 :   |- svchost.exe (1228)
0 :   |- svchost.exe (1236)
0 :   |- svchost.exe (1288)
0 :   |- svchost.exe (1296)
0 :   |- svchost.exe (1376)
0 :   |- svchost.exe (1396)
0 :   |- svchost.exe (1436)
0 :   |- svchost.exe (1492)
0 :   |- svchost.exe (1544)
0 :   |- svchost.exe (1604)
0 :   |- svchost.exe (1620)
0 :   |- svchost.exe (1668)
0 :   |- svchost.exe (1712)
0 :   |- svchost.exe (1744)
0 :   |- svchost.exe (1816)
0 :   |- svchost.exe (1884)
0 :   |- svchost.exe (1956)
0 :   |- svchost.exe (1976)
0 :   |- svchost.exe (2020)
0 :   |- svchost.exe (2204)
0 :   |- svchost.exe (2216)
0 :   |- svchost.exe (2224)
0 :     |- taskhostw.exe (4200)
0 :     |- MicrosoftEdgeUpdate.exe (4904)
2 :     |- taskhostw.exe (5880)
2 :     |- explorer.exe (7568)
2 :       |- powershell.exe (6784)
2 :       |- conhost.exe (7496)
0 :   |- svchost.exe (2300)
0 :   |- svchost.exe (2308)
0 :   |- svchost.exe (2324)
0 :   |- svchost.exe (2412)
0 :   |- svchost.exe (2448)
0 :   |- svchost.exe (2488)
2 :     |- ctfmon.exe (8316)
0 :   |- svchost.exe (2568)
0 :   |- svchost.exe (2648)
0 :   |- spoolsv.exe (2732)
0 :   |- svchost.exe (2776)
2 :     |- sihost.exe (3312)
2 :     |- ShellHost.exe (7576)
0 :   |- svchost.exe (2904)
```

```

0 :      |- svchost.exe (2992)
0 :      |- svchost.exe (3044)
0 :      |- svchost.exe (3068)
0 :      |- svchost.exe (3232)
0 :      |- svchost.exe (3300)
[ ... ]

```

70331 - Microsoft Windows Process Module Information, Info

Synopsis

Use WMI to obtain running process module information.

Description

Report details on the running processes modules on the machine. This plugin is informative only and could be used for forensic investigation, malware detection, and to that confirm your system processes conform to your system policies.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/10/08, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Process_Modules_10.2.0.28.csv : lists the loaded modules for each process.

71246 - Enumerate Local Group Memberships, Info

Synopsis

Nessus was able to connect to a host via SMB to retrieve a list of local Groups and their Members.

Description

Nessus was able to connect to a host via SMB to retrieve a list of local Groups and their Members. Note: Unable to query local Domain Controllers during Agent scans. Rendering Group data obtained by plugin 171956.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/12/06, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```

Group Name : Administrators
Host Name  : WS25-DC01
Group SID  : S-1-5-32-544
Members   :
  Name : lababel
    Domain : LABABEL
    Class  : Win32_UserAccount
    SID    : S-1-5-21-1966757112-4080728653-1421271985-500
  Name : Enterprise Admins
    Domain : LABABEL
    Class  : Win32_Group
    SID    : S-1-5-21-1966757112-4080728653-1421271985-519
  Name : Domain Admins
    Domain : LABABEL
    Class  : Win32_Group
    SID    : S-1-5-21-1966757112-4080728653-1421271985-512

Group Name : Users
Host Name  : WS25-DC01
Group SID  : S-1-5-32-545

```

```

Members      :
  Name : INTERACTIVE
  Domain : WS25-DC01
  Class : Win32_SystemAccount
  SID   : S-1-5-4
  Name : Authenticated Users
  Domain : WS25-DC01
  Class : Win32_SystemAccount
  SID   : S-1-5-11
  Name : Domain Users
  Domain : LABABEL
  Class : Win32_Group
  SID   : S-1-5-21-1966757112-4080728653-1421271985-513

```

```

Group Name : Guests
Host Name  : WS25-DC01
Group SID  : S-1-5-32-546
Members    :
  Name : Guest
  Domain : LABABEL
  Class : Win32_UserAccount
  SID   : S-1-5-21-1966757112-4080728653-1421271985-501
  Name : Domain Guests
  Domain : LABABEL
  Class : Win32_Group
  SID   : S-1-5-21-1966757112-4080728653-1421271985-514

```

```

Group Name : Print Operators
Host Name  : WS25-DC01
Group SID  : S-1-5-32-550
Members    :

```

```

Group Name : Backup Operators
Host Name  : WS25-DC01
Group SID  : S-1-5-32-551
Members    :

```

```

Group Name : Replicator
Host Name  : WS25-DC01
Group SID  : S-1-5-32-552
Members    :

```

```

Group Name : Remote Desktop Users
Host Name  : WS25-DC01
Group SID  : S-1-5-32-555
Members    :

```

```

Group Name : Network Configuration Operators
Host Name  : WS25-DC01
Group SID  : S-1-5-32-556
Members    :

```

```

Group Name : Performance Monitor Users
Host Name  : WS25-DC01
Group SID  : S-1-5-32-558
Members    :

```

```

Group Name : Performance Log Users
Host Name  : WS25-DC01
Group SID  : S-1-5-32-559
Members    :

```

```

Group Name : Distributed COM Users
Host Name  : WS25-DC01
Group SID  : S-1-5-32-562
Members    :

```

```

Group Name : IIS_IUSRS
Host Name [...]

```

72367 - Microsoft Internet Explorer Version Detection, Info

Synopsis

Internet Explorer is installed on the remote host.

Description

The remote Windows host contains Internet Explorer, a web browser created by Microsoft.

See Also

<https://support.microsoft.com/en-us/help/17621/internet-explorer-downloads>

Solution

N/A

Risk Factor

None

References

XREF IAVT-0001-T-0509

Plugin Information:

Publication Date: 2014/02/06, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Version : 11.32860.26100.0

72482 - Windows Display Driver Enumeration, Info

Synopsis

Nessus was able to enumerate one or more of the display drivers on the remote host.

Description

Nessus was able to enumerate one or more of the display drivers on the remote host via WMI.

See Also

<http://www.nessus.org/u?b6e87533>

Solution

N/A

Risk Factor

None

References

XREF IAVT-0001-T-0756

Plugin Information:

Publication Date: 2014/02/06, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Device Name : Microsoft Hyper-V Video
Driver File Version : 10.0.26100.1150
Driver Date : 06/21/2006

Device Name : Microsoft Remote Display Adapter
Driver File Version : 10.0.26100.7309
Driver Date : 06/21/2006

72879 - Microsoft Internet Explorer Enhanced Security Configuration Detection, Info

Synopsis

The remote host supports IE Enhanced Security Configuration.

Description

Nessus detects if the remote Windows host supports IE Enhanced Security Configuration (ESC) and if IE ESC features are enabled or disabled.

See Also

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2014/03/07, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Type : Admin Groups
Is Enabled : True

Type : User Groups
Is Enabled : True

85736 - Windows Store Application Enumeration, Info

Synopsis

It is possible to obtain the list of applications installed from the Windows Store.

Description

This plugin connects to the remote Windows host with the supplied credentials and uses WMI and Powershell to enumerate applications installed on the host from the Windows Store.

See Also

<https://www.microsoft.com/en-us/store/apps>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2015/09/02, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

-1527c705-839a-4832-9118-54d4Bd6a0c89
Version : 10.0.19640.1000
InstallLocation : C:\Windows\SystemApps\Microsoft.Windows.FilePicker_cw5n1h2txyewy
Architecture : Neutral
Publisher : CN=Microsoft Windows, O=Microsoft Corporation, L=Redmond, S=Washington, C=US

-c5e2524a-ea46-4f67-841f-6a9465d9d515
Version : 10.0.26100.1
InstallLocation : C:\Windows\SystemApps\Microsoft.Windows.FileExplorer_cw5n1h2txyewy
Architecture : Neutral
Publisher : CN=Microsoft Windows, O=Microsoft Corporation, L=Redmond, S=Washington, C=US

-E2A4F912-2574-4A75-9BB0-0D023378592B
Version : 10.0.19640.1000
InstallLocation : C:\Windows\SystemApps\Microsoft.Windows.AppResolverUX_cw5n1h2txyewy
Architecture : Neutral
Publisher : CN=Microsoft Windows, O=Microsoft Corporation, L=Redmond, S=Washington, C=US

-F46D4000-FD22-4DB4-AC8E-4E1DDDE828FE
Version : 10.0.26100.1
InstallLocation : C:\Windows\SystemApps
Microsoft.Windows.AddSuggestedFoldersToLibraryDialog_cw5n1h2txyewy
Architecture : Neutral
Publisher : CN=Microsoft Windows, O=Microsoft Corporation, L=Redmond, S=Washington, C=US

-Microsoft.AAD.BrokerPlugin

```

Version : 1000.19580.1000.2
InstallLocation : C:\Windows\SystemApps\Microsoft.AAD.BrokerPlugin_cw5n1h2txyewy
Architecture : Neutral
Publisher : CN=Microsoft Windows, O=Microsoft Corporation, L=Redmond, S=Washington, C=US

-Microsoft.AccountsControl
  Version : 10.0.26100.1
  InstallLocation : C:\Windows\SystemApps\Microsoft.AccountsControl_cw5n1h2txyewy
  Architecture : Neutral
  Publisher : CN=Microsoft Windows, O=Microsoft Corporation, L=Redmond, S=Washington, C=US

-Microsoft.AsyncTextService
  Version : 10.0.26100.1
  InstallLocation : C:\Windows\SystemApps\Microsoft.AsyncTextService_8wekyb3d8bbwe
  Architecture : Neutral
  Publisher : CN=Microsoft Corporation, O=Microsoft Corporation, L=Redmond, S=Washington, C=US

-Microsoft.BioEnrollment
  Version : 10.0.19587.1000
[...]
```

92364 - Microsoft Windows Environment Variables, Info

Synopsis

Nessus was able to collect and report environment variables from the remote host.

Description

Nessus was able to collect system and active account environment variables on the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

References

XREF IAVT-0001-T-0757

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2026/01/29

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```

Global Environment Variables :
  processor_level : 25
  comspec : %SystemRoot%\system32\cmd.exe
  number_of_processors : 2
  username : SYSTEM
  os : Windows_NT
  temp : %SystemRoot%\TEMP
  processor_revision : 1101
  path : %SystemRoot%\system32;%SystemRoot%;%SystemRoot%\System32\Wbem;%SYSTEMROOT%\
\System32\WindowsPowerShell\v1.0\;%SYSTEMROOT%\System32\OpenSSH\
  tmp : %SystemRoot%\TEMP
  processor_identifier : AMD64 Family 25 Model 17 Stepping 1, AuthenticAMD
  driverdata : C:\Windows\System32\Drivers\DriverData
  pathext : .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
  processor_architecture : AMD64
  psmodulepath : %ProgramFiles%\WindowsPowerShell\Modules;%SystemRoot%\system32\WindowsPowerShell
\v1.0\Modules
  windir : %SystemRoot%

Active User Environment Variables
- S-1-5-21-1966757112-4080728653-1421271985-500
  userdomain : LABABEL
  username : lababel
  temp : %USERPROFILE%\AppData\Local\Temp
  path : %USERPROFILE%\AppData\Local\Microsoft\WindowsApps;
  localappdata : C:\Users\lababel\AppData\Local
  logonserver : \\WS25-DC01
  tmp : %USERPROFILE%\AppData\Local\Temp
  homedrive : C:
```

```
homepath : \Users\lababel
userdnsdomain : LABABEL.LOCAL
userprofile : C:\Users\lababel
userdomain_roamingprofile : LABABEL
appdata : C:\Users\lababel\AppData\Roaming
```

92365 - Microsoft Windows Hosts File, Info

Synopsis

Nessus was able to collect the hosts file from the remote host.

Description

Nessus was able to collect the hosts file from the remote Windows host and report it as attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2020/01/27

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Windows hosts file attached.

MD5: 3688374325b992def12793500307566d

SHA-1: 4bed0823746a2a8577ab08ac8711b79770e48274

SHA-256: 2d6bdfb341be3a6234b24742377f93aa7c7cfb0d9fd64efa9282c87852e57085

92366 - Microsoft Windows Last Boot Time, Info

Synopsis

Nessus was able to collect the remote host's last boot time in a human readable format.

Description

Nessus was able to collect and report the remote host's last boot time as an ISO 8601 timestamp.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/07/09

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Last reboot : 2026-06-14T20:44:44+00:00 (20260614204444.971685+000)

92368 - Microsoft Windows Scripting Host Settings, Info

Synopsis

Nessus was able to collect and report the Windows scripting host settings from the remote host.

Description

Nessus was able to collect system and user level Windows scripting host settings from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/23

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```
HKLM\SOFTWARE\Microsoft\Windows Script Host\Settings\displaylogo : 1
HKLM\SOFTWARE\Microsoft\Windows Script Host\Settings\usewinsafer : 1
HKLM\SOFTWARE\Microsoft\Windows Script Host\Settings\silentterminate : 0
HKLM\SOFTWARE\Microsoft\Windows Script Host\Settings\activedebugging : 1
HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows Script Host\Settings\displaylogo : 1
HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows Script Host\Settings\usewinsafer : 1
HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows Script Host\Settings\silentterminate : 0
HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows Script Host\Settings\activedebugging : 1
```

Windows scripting host configuration attached.

92369 - Microsoft Windows Time Zone Information, Info

Synopsis

Nessus was able to collect and report time zone information from the remote host.

Description

Nessus was able to collect time zone information from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2023/06/06

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\TimeZoneKeyName : UTC
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\StandardName : @tzres.dll,-932
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\DaylightName : @tzres.dll,-931
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\DynamicDaylightTimeDisabled : 0x00000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\StandardBias : 0x00000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\DaylightBias : 0x00000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\Bias : 0x00000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\DaylightStart :
00000000000000000000000000000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\StandardStart :
00000000000000000000000000000000
```

92370 - Microsoft Windows ARP Table, Info

Synopsis

Nessus was able to collect and report ARP table information from the remote host.

Description

Nessus was able to collect ARP table information from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```
10.2.0.1 : 12-34-56-78-9a-bc
224.0.0.22 : 01-00-5e-00-00-16
224.0.0.251 : 01-00-5e-00-00-fb
224.0.0.252 : 01-00-5e-00-00-fc
```

255.255.255.255 : ff-ff-ff-ff-ff-ff

Extended ARP table information attached.

92371 - Microsoft Windows DNS Cache, Info

Synopsis

Nessus was able to collect and report DNS cache information from the remote host.

Description

Nessus was able to collect details of the DNS cache from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```
16.129.63.168.in-addr.arpa.
37ed3020-09da-4e7d-89de-1f5ca85f38d7._msdcs.lababel.local
DomainDnsZones.lababel.local.
ForestDnsZones.lababel.local.
_gc._tcp.Default-First-Site-Name._sites.lababel.local.
_gc._tcp.lababel.local.
_kerberos._tcp.Default-First-Site-Name._sites.dc._msdcs.lababel.local
_kerberos._tcp.Default-First-Site-Name._sites.dc._msdcs.lababel.local.
_kerberos._tcp.Default-First-Site-Name._sites.lababel.local.
_kerberos._tcp.dc._msdcs.lababel.local
_kerberos._tcp.dc._msdcs.lababel.local.
_kerberos._tcp.lababel.local.
_kerberos._udp.lababel.local.
_kpasswd._tcp.lababel.local.
_kpasswd._udp.lababel.local.
_ldap._tcp.2a5834db-2ef2-4433-94bb-f93a7712a267.domains._msdcs.lababel.local.
_ldap._tcp.Default-First-Site-Name._sites.DomainDnsZones.lababel.local.
_ldap._tcp.Default-First-Site-Name._sites.ForestDnsZones.lababel.local.
_ldap._tcp.Default-First-Site-Name._sites.WS25-DC01.lababel.local.
_ldap._tcp.Default-First-Site-Name._sites.dc._msdcs.WS25-DC01
_ldap._tcp.Default-First-Site-Name._sites.dc._msdcs.lababel.local.
_ldap._tcp.Default-First-Site-Name._sites.gc._msdcs.lababel.local.
_ldap._tcp.Default-First-Site-Name._sites.lababel.local.
_ldap._tcp.DomainDnsZones.lababel.local.
_ldap._tcp.ForestDnsZones.lababel.local.
_ldap._tcp.WS25-DC01.lababel.local.
_ldap._tcp.dc._msdcs.WS25-DC01
_ldap._tcp.dc._msdcs.lababel.local.
_ldap._tcp.gc._msdcs.lababel.local.
_ldap._tcp.lababel.local.
_ldap._tcp.pdc._msdcs.lababel.local.
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
_msdcs.lababel.local
edr-eus3.us.endpoint.security.microsoft.com
gc._msdcs.lababel.local.
lababel.local
lababel.local
lababel.local
lababel.local
[...]
```

92373 - Microsoft Windows SMB Sessions, Info

Synopsis

Nessus was able to collect and report SMB session information from the remote host.

Description

Nessus was able to collect details of SMB sessions from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

lababel

Extended SMB session information attached.

92415 - Application Compatibility Cache, Info

Synopsis

Nessus was able to gather application compatibility settings on the remote host.

Description

Nessus was able to generate a report on the application compatibility cache on the remote Windows host.

See Also

https://dl.mandiant.com/EE/library/Whitepaper_ShimCacheParser.pdf

<http://www.nessus.org/u?4a076105>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/23

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Application compatibility cache report attached.

92421 - Internet Explorer Typed URLs, Info

Synopsis

Nessus was able to enumerate URLs that were manually typed into the Internet Explorer address bar.

Description

Nessus was able to generate a list URLs that were manually typed into the Internet Explorer address bar.

See Also

<https://forensafe.com/blogs/typedurls.html>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2024/05/08

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

<http://go.microsoft.com/fwlink/p/?LinkId=255141>

Internet Explorer typed URL report attached.

92424 - MUICache Program Execution History, Info

Synopsis

Nessus was able to enumerate recently executed programs on the remote host.

Description

Nessus was able to query the MUIcache registry key to find evidence of program execution.

See Also

<https://forensicartifacts.com/2010/08/registry-muicache/>

<http://windowsir.blogspot.com/2005/12/mystery-of-muicachesolved.html>

http://www.nirsoft.net/utils/muicache_view.html

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/16

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

@%systemroot%\system32\drivers\wpdupfltr.sys,-100 : WPD Upper Class Filter Driver
@%systemroot%\system32\svcs\dll,-100 : Server
@tzres.dll,-352 : FLE Standard Time
@combase.dll,-5013 : The DCOMLAUNCH service launches COM and DCOM servers in response to object activation requests. If this service is stopped or disabled, programs using COM or DCOM will not function properly. It is strongly recommended that you have the DCOMLAUNCH service running.
@tzres.dll,-671 : AUS Eastern Daylight Time
@tzres.dll,-2980 : (UTC+03:00) Moscow, St. Petersburg
@%systemroot%\system32\axinstsv.dll,-103 : ActiveX Installer (AxInstSV)
@%systemroot%\system32\smphost.dll,-101 : Host service for the Microsoft Storage Spaces management provider. If this service is stopped or disabled, Storage Spaces cannot be managed.
@%systemroot%\system32\appxdeploymentserver.dll,-1 : AppX Deployment Service (AppXSVC)
@tzres.dll,-630 : (UTC+09:00) Osaka, Sapporo, Tokyo
@%systemroot%\system32\wlidsvc.dll,-100 : Microsoft Account Sign-in Assistant
@%systemroot%\system32\wcnscvc.dll,-3 : Windows Connect Now - Config Registrar
@%systemroot%\system32\refsdedupsvc.exe,-101 : ReFS data deduplication and compression service to track file changes and run scheduled optimization jobs.
@%windir%\system32\drivers\pacer.sys,-101 : QoS Packet Scheduler
@%systemroot%\system32\efssvc.dll,-100 : Encrypting File System (EFS)
@%systemroot%\system32\lltdres.dll,-6 : Link-Layer Topology Discovery Mapper I/O Driver
@tzres.dll,-252 : Dateline Standard Time
@tzres.dll,-401 : Arabic Daylight Time
@tzres.dll,-2890 : (UTC+02:00) Khartoum
@%systemroot%\system32\drivers\rdpdr.sys,-100 : Remote Desktop Device Redirector Driver
@tzres.dll,-82 : Atlantic Standard Time
@%systemroot%\system32\aphostres.dll,-10002 : Sync Host
@c:\windows\system32\rdpendp.dll,-1001 : Remote Audio
@tzres.dll,-620 : (UTC+09:00) Seoul
@%systemroot%\system32\devicesetupmanager.dll,-1000 : Device Setup Manager
@tzres.dll,-372 : Jerusalem Standard Time
@%systemroot%\system32\workfoldersvc.dll,-101 : This servic [...]

92429 - Recycle Bin Files, Info

Synopsis

Nessus was able to enumerate files in the recycle bin on the remote host.

Description

Nessus was able to generate a list of all files found in \$Recycle.Bin subdirectories.

See Also

<http://www.nessus.org/u?0c1a03df>

<http://www.nessus.org/u?61293b38>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/11/15

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```
C:\\$Recycle.Bin\\.  
C:\\$Recycle.Bin\\..  
C:\\$Recycle.Bin\\S-1-5-21-1966757112-4080728653-1421271985-500  
C:\\$Recycle.Bin\\S-1-5-21-3795267455-1332109155-230469034-500  
C:\\$Recycle.Bin\\S-1-5-21-1966757112-4080728653-1421271985-500\\.  
C:\\$Recycle.Bin\\S-1-5-21-1966757112-4080728653-1421271985-500\\..  
C:\\$Recycle.Bin\\S-1-5-21-1966757112-4080728653-1421271985-500\\desktop.ini  
C:\\$Recycle.Bin\\S-1-5-21-3795267455-1332109155-230469034-500\\.  
C:\\$Recycle.Bin\\S-1-5-21-3795267455-1332109155-230469034-500\\..  
C:\\$Recycle.Bin\\S-1-5-21-3795267455-1332109155-230469034-500\\desktop.ini
```

92431 - User Shell Folders Settings, Info

Synopsis

Nessus was able to find the folder paths for user folders on the remote host.

Description

Nessus was able to gather a list of settings from the target system that store common user folder locations. A few of the more common locations are listed below : - Administrative Tools - AppData - Cache - CD Burning - Cookies - Desktop - Favorites - Fonts - History - Local AppData - My Music - My Pictures - My Video - NetHood - Personal - PrintHood - Programs - Recent - SendTo - Start Menu - Startup - Templates

See Also

<https://technet.microsoft.com/en-us/library/cc962613.aspx>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/16

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```
LABABEL.LOCAL\\lababel  
- {7d1d3a04-debb-4115-95cf-2f29da2920da} : C:\\Users\\lababel\\Searches  
- {1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} : C:\\Users\\lababel\\AppData\\Roaming\\Microsoft\\Windows  
\\Libraries  
- {374de290-123f-4565-9164-39c4925e467b} : C:\\Users\\lababel\\Downloads  
- recent : C:\\Users\\lababel\\AppData\\Roaming\\Microsoft\\Windows\\Recent  
- my video : C:\\Users\\lababel\\Videos  
- my music : C:\\Users\\lababel\\Music  
- {56784854-c6cb-462b-8169-88e350acb882} : C:\\Users\\lababel\\Contacts  
- {bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968} : C:\\Users\\lababel\\Links  
- {a520a1a4-1780-4ff6-bd18-167343c5af16} : C:\\Users\\lababel\\AppData\\LocalLow  
- sendto : C:\\Users\\lababel\\AppData\\Roaming\\Microsoft\\Windows\\SendTo  
- start menu : C:\\Users\\lababel\\AppData\\Roaming\\Microsoft\\Windows\\Start Menu  
- cookies : C:\\Users\\lababel\\AppData\\Local\\Microsoft\\Windows\\INETCookies  
- personal : C:\\Users\\lababel\\Documents
```


- administrative tools : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Administrative Tools
- startup : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup
- nethood : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Network Shortcuts
- history : C:\Users\lababel\AppData\Local\Microsoft\Windows\History
- {4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4} : C:\Users\lababel\Saved Games
- {00bcfc5a-ed94-4e48-96a1-3f6217f21990} : C:\Users\lababel\AppData\Local\Microsoft\Windows\RoamingTiles
- !do not use this registry key : Use the SHGetFolderPath or SHGetKnownFolderPath function instead
- local appdata : C:\Users\lababel\AppData\Local
- my pictures : C:\Users\lababel\Pictures
- templates : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Templates
- printhood : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Printer Shortcuts
- cache : C:\Users\lababel\AppData\Local\Microsoft\Windows\INetCache
- desktop : C:\Users\lababel\Desktop
- programs : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Start Menu\Programs
- fonts : C:\Windows\Fonts
- cd burning [...]

92434 - User Download Folder Files, Info

Synopsis

Nessus was able to enumerate downloaded files on the remote host.

Description

Nessus was able to generate a report of all files listed in the default user download folder.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/16

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

C:\\Users\\lababel\\Downloads\\desktop.ini
C:\\Users\\Public\\Downloads\\desktop.ini

Download folder content report attached.

92435 - UserAssist Execution History, Info

Synopsis

Nessus was able to enumerate program execution history on the remote host.

Description

Nessus was able to gather evidence from the UserAssist registry key that has a list of programs that have been executed.

See Also

https://www.nirsoft.net/utils/userassist_view.html

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2019/11/12

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

{a77f5d77-2e2b-44c3-a6a2-aba601054a51}\\windows powershell\\windows powershell.lnk
microsoft.windowsterminal_8wekyb3d8bbwe!app
microsoft.windowsfeedbackhub_8wekyb3d8bbwe!app

```
{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}\windowspowershell\v1.0\powershell.exe
{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}\pickerhost.exe
ueme_ctlcuaccount:ctor
microsoft.windows.cloudexperiencehost_cw5n1h2txyewy!app
ueme_ctlsession
{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}\servermanager.exe
microsoftwindows.client.cbs_cw5n1h2txyewy!cortanau
```

Extended userassist report attached.

93962 - Microsoft Security Rollup Enumeration, Info

Synopsis

This plugin enumerates installed Microsoft security rollups.

Description

Nessus was able to enumerate the Microsoft security rollups installed on the remote Windows host.

See Also

<http://www.nessus.org/u?9e856df0>
<http://www.nessus.org/u?9604179f>
<http://www.nessus.org/u?82026847>
<http://www.nessus.org/u?6d4c0e5f>
<http://www.nessus.org/u?30cde378>
<http://www.nessus.org/u?6f204fb5>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/10/11, Modification Date: 2026/03/06

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

```
Hotpatching      : Enrolled
Cumulative Rollup : 06_2026 [KB5094125]
Cumulative Rollup : 05_2026
Cumulative Rollup : 04_2026
Cumulative Rollup : 03_2026
Cumulative Rollup : 02_2026
Cumulative Rollup : 01_2026

Latest effective update level : 06_2026
File checked                   : C:\Windows\system32\ntoskrnl.exe
File version                   : 10.0.26100.32995
Associated KB                   : 5094125
```

99364 - Microsoft .NET Security Rollup Enumeration, Info

Synopsis

This plugin enumerates installed Microsoft .NET security rollups.

Description

Nessus was able to enumerate the Microsoft .NET security rollups installed on the remote Windows host.

See Also

<http://www.nessus.org/u?662e30c9>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2017/04/14, Modification Date: 2026/05/15

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Path : C:\Windows\Microsoft.NET\Framework\v4.0.30319\system.core.dll
Version : 4.8.9335.0
.NET Version : 4.8.1
Associated KB : 5087051
Latest effective update level : 05_2026

100871 - Microsoft Windows SMB Versions Supported (remote check), Info

Synopsis

It was possible to obtain information about the version of SMB running on the remote host.

Description

Nessus was able to obtain the version of SMB running on the remote host by sending an authentication request to port 139 or 445. Note that this plugin is a remote check and does not work on agents.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2017/06/19, Modification Date: 2019/11/22

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The remote host supports the following versions of SMB :
SMBv2

103871 - Microsoft Windows Network Adapters, Info

Synopsis

Identifies the network adapters installed on the remote host.

Description

Using the supplied credentials, this plugin enumerates and reports the installed network adapters on the remote Windows host.

Solution

Make sure that all of the installed network adapters agrees with your organization's acceptable use and security policies.

Risk Factor

None

References

XREF IAVT-0001-T-0758

Plugin Information:

Publication Date: 2017/10/17, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Network Adapter Driver Description : Mellanox ConnectX-5 Ex Virtual Adapter
Network Adapter Driver Version : 23.4.26054.1

106716 - Microsoft Windows SMB2 and SMB3 Dialects Supported (remote check), Info

Synopsis

It was possible to obtain information about the dialects of SMB2 and SMB3 available on the remote host.

Description

Nessus was able to obtain the set of SMB2 and SMB3 dialects running on the remote host by sending an authentication request to port 139 or 445.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2018/02/09, Modification Date: 2020/03/11

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The remote host supports the following SMB dialects :

version	_introduced in windows version_
2.0.2	Windows 2008
2.1	Windows 7
3.0	Windows 8
3.0.2	Windows 8.1
3.1.1	Windows 10

The remote host does NOT support the following SMB dialects :

version	_introduced in windows version_
2.2.2	Windows 8 Beta
2.2.4	Windows 8 Beta
3.1	Windows 10

112279 - Windows Defender Advanced Threat Protection Installed (Windows), Info

Synopsis

Windows Defender Advanced Threat Protection is installed on the remote Windows host.

Description

Windows Defender Advanced Threat Protection, a unified platform for preventative protection, post-breach detection, automated investigation, and response, is installed on the remote Windows host.

See Also

<http://www.nessus.org/u?a7391db8>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2018/09/05, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Path	: C:\Program Files\Windows Defender Advanced Threat Protection\
Version	: 2.13
Full Version	: Windows Defender Advanced Threat Protection Service (2.13)
Security Agent Identifier	: bb9baa1a-f502-43ee-af72-4e2fcc9c62aa

117885 - Target Credential Issues by Authentication Protocol - Intermittent Authentication Failure, Info

Synopsis

Nessus was able to log in to the remote host using the provided credentials, but there were intermittent authentication failures.

Description

Nessus was able to successfully authenticate to the remote host on an authentication protocol at least once using credentials provided in the scan policy. However, one or more plugins failed to authenticate to the remote host on the same port and protocol using the same credential set that was previously successful. This may indicate an intermittent authentication problem with the remote host, which could be caused by session rate limits, session concurrency limits, or other issues preventing consistent authentication success. These intermittent authentication failures may have affected the results of some plugins. See plugin output for failure details.

Solution

N/A

Risk Factor

None

References

XREF IAVB-0001-B-0509

Plugin Information:

Publication Date: 2018/10/02, Modification Date: 2024/03/25

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Nessus was able to successfully log into the remote host as :

User: 'lababel.local\lababel'
Port: 445
Proto: SMB
Method: password

Successful authentication was reported by the following plugin :

Plugin : smb_login.nasl
Plugin ID : 10394
Plugin Name : Microsoft Windows SMB Log In Possible

However, one or more subsequent plugins failed to authenticate to the remote host on the same port and protocol using the same credential set that previously succeeded. This may indicate an intermittent authentication problem with the remote host which may have affected the results of the following plugins.

Error message statistics :

6 Failed to open a socket on port 445. This failure may have prevented a login attempt. The failure references the previously successful login account for tracking purposes.

Failure Details :

- Plugin : installshield_installscrip_library_loading.nasl
Plugin ID : 31724
Plugin Name : Macrovision InstallShield InstallScript One-Click Install ActiveX Arbitrary Code Execution
Message :

Failed to open a socket on port 445. This failure may have prevented a login attempt. The failure references the previously successful login account for tracking purposes.

- Plugin : imesh_imwebcontrol_activex_sethandler_code_exec.nasl
Plugin ID : 31050
Plugin Name : iMesh IMWeb.IMWebControl ActiveX (IMWeb.dll) SetHandler Method Arbitrary Code Execution
Message :

Failed to open a socket on port 445. This failure may have prevented a login attempt. The failure references the previously successful login account for tracking purposes.

```
- Plugin      : imagestation_setlogging_overflow.nasl
  Plugin ID   : 33484
  Plugin Name : Sony ImageStation AxRUploadServer.AxRUploadControl ActiveX (AxRUploadServer.dll)
  SetLogging Method Overflow
  Message     :
```

Failed to open a socket on port 445. This failure may have prevented a login attempt. The failure references the previously successful login account for tracking pu [...]

117887 - OS Security Patch Assessment Available, Info

Synopsis

Nessus was able to log in to the remote host using the provided credentials and enumerate OS security patch levels.

Description

Nessus was able to determine OS security patch levels by logging into the remote host and running commands to determine the version of the operating system and its components.

The remote host was identified as an operating system or device that Nessus supports for patch and update assessment.

The necessary information was obtained to perform these checks.

Solution

N/A

Risk Factor

None

References

XREF IAVB-0001-B-0516

Plugin Information:

Publication Date: 2018/10/02, Modification Date: 2021/07/12

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

OS Security Patch Assessment is available.

Account : lababel.local\lababel
Protocol : SMB

125835 - Microsoft Remote Desktop Connection Installed, Info

Synopsis

A graphical interface connection utility is installed on the remote Windows host

Description

Microsoft Remote Desktop Connection (also known as Remote Desktop Protocol or Terminal Services Client) is installed on the remote Windows host.

See Also

<http://www.nessus.org/u?1c33f0e7>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2019/06/12, Modification Date: 2022/10/10

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Path : C:\Windows\System32\mstsc.exe
Version : 10.0.26100.32995

126527 - Microsoft Windows SAM user enumeration, Info

Synopsis

Nessus was able to enumerate domain users from the local SAM.

Description

Using the domain security identifier (SID), Nessus was able to enumerate the domain users on the remote Windows system using the Security Accounts Manager. Note: Unable to obtain SMB SAMR user data during Agent scans. Rendering User data obtained by plugin 171956

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2019/07/08, Modification Date: 2025/06/04

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

- Guest (id S-1-5-21-1966757112-4080728653-501, Built-in account for guest access to the computer/domain, Guest account)
- krbtgt (id S-1-5-21-1966757112-4080728653-502, Kerberos account, Key Distribution Center Service Account)
- lababel (id S-1-5-21-1966757112-4080728653-500, Built-in account for administering the computer/domain, Administrator account)

131023 - Windows Defender Installed, Info

Synopsis

Windows Defender is installed on the remote Windows host.

Description

Windows Defender, an antivirus component of Microsoft Windows is installed on the remote Windows host.

See Also

<https://www.microsoft.com/en-us/windows/comprehensive-security>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2019/11/15, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Path : C:\ProgramData\Microsoft\Windows Defender\Platform
\4.18.26050.15-0\
Version : 4.18.26050.15
Engine Version : 1.1.26050.11
Malware Signature Timestamp : Jun. 14, 2026 at 12:55:11 GMT
Malware Signature Version : 1.453.94.0
Security Agent Identifier : bb9baa1a-f502-43ee-af72-4e2fcc9c62aa
Signatures Last Updated : Jun. 14, 2026 at 20:42:20 GMT

136969 - Microsoft Edge Chromium Installed, Info

Synopsis

Microsoft Edge (Chromium-based) is installed on the remote host.

Description

Microsoft Edge (Chromium-based), a Chromium-based web browser, is installed on the remote host.

See Also

<https://www.microsoft.com/en-us/edge>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2020/05/29, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Path : C:\Program Files (x86)\Microsoft\Edge\Application
Version : 149.0.4022.69
Channel : stable

139785 - DISM Package List (Windows), Info

Synopsis

Use DISM to extract package info from the host.

Description

Using the Deployment Image Servicing Management tool, this plugin enumerates installed packages.

See Also

<http://www.nessus.org/u?cbb428b2>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2020/08/25, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following packages were enumerated using the Deployment Image Servicing and Management Tool:

Package : Downlevel-NLS-Sorting-Versions-Server-FoD-
Package~31bf3856ad364e35~amd64~~10.0.26100.1742
State : Staged
Release Type : OnDemand Pack
Install Time :

Package : Downlevel-NLS-Sorting-Versions-Server-FoD-
Package~31bf3856ad364e35~amd64~~10.0.26100.32995
State : Installed
Release Type : OnDemand Pack
Install Time : 6/7/2026 7:19 AM

Package : Downlevel-NLS-Sorting-Versions-Server-FoD-
Package~31bf3856ad364e35~wow64~~10.0.26100.1742
State : Staged
Release Type : OnDemand Pack
Install Time :

Package : Downlevel-NLS-Sorting-Versions-Server-FoD-
Package~31bf3856ad364e35~wow64~~10.0.26100.32995
State : Installed

Release Type : OnDemand Pack
Install Time : 6/7/2026 7:19 AM

Package : Microsoft-OneCore-ApplicationModel-Sync-Desktop-FOD-
Package~31bf3856ad364e35~amd64~~10.0.26100.1742
State : Staged
Release Type : OnDemand Pack
Install Time :

Package : Microsoft-OneCore-ApplicationModel-Sync-Desktop-FOD-
Package~31bf3856ad364e35~amd64~~10.0.26100.32995
State : Installed
Release Type : OnDemand Pack
Install Time : 6/7/2026 7:19 AM

Package : Microsoft-OneCore-DirectX-Database-FOD-
Package~31bf3856ad364e35~amd64~~10.0.26100.1742
State : Staged
Release Type : OnDemand Pack
Install Time :

Package : Microsoft-OneCore-DirectX-Database-FOD-
Package~31bf3856ad364e35~amd64~~10.0.26100.32995
State : Installed
Release Type : OnDemand Pack
Install Time : 6/7/2026 7:19 AM

Package : Microsoft-OneCore-RasSstp-Api-Package~31bf3856ad364e35~amd64~~10.0.26100.1
State : Staged
Release Type : Feature Pack
Install Time :

Package : Microsoft-OneCore-RasSstp-Api-Package~31bf3856ad364e35~amd64~~10.0.26100.32995
State : Staged
Release Type : Feature Pack
Install Time :

Package : Microsoft-Windows-FodMetadataServicing-Server-CompDB-
Package~31bf3856ad364e35~amd64~~10.0.26100.1
State : Installed
Release Type : F [...]

141118 - Target Credential Status by Authentication Protocol - Valid Credentials Provided, Info

Synopsis

Valid credentials were provided for an available authentication protocol.

Description

Nessus was able to determine that valid credentials were provided for an authentication protocol available on the remote target because it was able to successfully authenticate directly to the remote target using that authentication protocol at least once.

Authentication was successful because the authentication protocol service was available remotely, the service was able to be identified, the authentication protocol was able to be negotiated successfully, and a set of credentials provided in the scan policy for that authentication protocol was accepted by the remote service. See plugin output for details, including protocol, port, and account. Please note the following : - This plugin reports per protocol, so it is possible for valid credentials to be provided for one protocol and not another. For example, authentication may succeed via SSH but fail via SMB, while no credentials were provided for an available SNMP service. - Providing valid credentials for all available authentication protocols may improve scan coverage, but the value of successful authentication for a given protocol may vary from target to target depending upon what data (if any) is gathered from the target via that protocol.

For example, successful authentication via SSH is more valuable for Linux targets than for Windows targets, and likewise successful authentication via SMB is more valuable for Windows targets than for Linux targets.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2020/10/15, Modification Date: 2024/03/25

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Nessus was able to log in to the remote host via the following :

User: 'lababel.local\lababel'
Port: 445
Proto: SMB
Method: password

148541 - Windows Language Settings Detection, Info

Synopsis

This plugin enumerates language files on a windows host.

Description

By connecting to the remote host with the supplied credentials, this plugin enumerates language IDs listed on the host.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2021/04/14, Modification Date: 2022/02/01

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Default Install Language Code: 1033

Default Active Language Code: 1033

Other common microsoft Language packs may be scanned as well.

151440 - Microsoft Windows Print Spooler Service Enabled, Info

Synopsis

The Microsoft Windows Print Spooler service on the remote host is enabled.

Description

The Microsoft Windows Print Spooler service (spoolsv.exe) on the remote host is enabled.

See Also

<http://www.nessus.org/u?8fc5df24>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2021/07/07, Modification Date: 2021/07/07

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The Microsoft Windows Print Spooler service on the remote host is enabled.

155963 - Windows Printer Driver Enumeration, Info

Synopsis

Nessus was able to enumerate one or more of the printer drivers on the remote host.

Description

Nessus was able to enumerate one or more of the printer drivers on the remote host via WMI.

See Also

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2021/12/09, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

--- Universal Print Class Driver ---

Path : C:\Windows\System32\DriverStore\FileRepository
\ntprint.inf_amd64_d4af2d02ff822199\Amd64\mxwdrv.dll
Version : 10.0.26100.32995
Supported Platform : Windows x64

--- Microsoft Virtual Print Class Driver ---

Path : C:\Windows\System32\DriverStore\FileRepository
\ntprint4.inf_amd64_28261fe7ca713d75e\Amd64\msdwdrv.dll
Version : 10.0.26100.32995
Supported Platform : Windows x64

--- Microsoft enhanced Point and Print compatibility driver ---

Nessus detected 2 installs of Microsoft enhanced Point and Print compatibility driver:

Path : C:\Windows\system32\spool\DRIVERS\x64\3\mxwdrv.dll
Version : 10.0.26100.32995
Supported Platform : Windows x64

Path : C:\Windows\system32\spool\DRIVERS\W32X86\3\mxwdrv.dll
Version : 10.0.26100.32995
Supported Platform : Windows NT x86

--- Microsoft Print To PDF ---

Path : C:\Windows\System32\DriverStore\FileRepository
\ntprint.inf_amd64_d4af2d02ff822199\Amd64\mxwdrv.dll
Version : 10.0.26100.4484
Supported Platform : Windows x64

--- Microsoft IPP Class Driver ---

Path : C:\Windows\System32\DriverStore\FileRepository
\ntprint.inf_amd64_d4af2d02ff822199\Amd64\mxwdrv.dll
Version : 10.0.26100.32995
Supported Platform : Windows x64

--- Remote Desktop Easy Print ---

Path : C:\Windows\system32\spool\DRIVERS\x64\3\mxwdrv.dll
Version : 10.0.26100.1882
Supported Platform : Windows x64

159817 - Windows Credential Guard Status, Info

Synopsis

Retrieves the status of Windows Credential Guard.

Description

Retrieves the status of Windows Credential Guard. Credential Guard prevents attacks such as Pass-the-Hash or Pass-The-Ticket by protecting NTLM password hashes, Kerberos Ticket Granting Tickets, and credentials stored by applications as domain credentials.

See Also

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/04/18, Modification Date: 2023/08/25

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Windows Credential Guard is not fully enabled.

The following registry keys have not been set :

- System\CurrentControlSet\Control\DeviceGuard\RequirePlatformSecurityFeatures : Key not found.
- System\CurrentControlSet\Control\LSA\LsaCfgFlags : Key not found.
- System\CurrentControlSet\Control\DeviceGuard\EnableVirtualizationBasedSecurity : is enabled.

159929 - Windows LSA Protection Status, Info

Synopsis

Windows LSA Protection is disabled on the remote Windows host.

Description

The LSA Protection validates users for local and remote sign-ins and enforces local security policies to prevent reading memory and code injection by non-protected processes.

This provides added security for the credentials that the LSA stores and manages.

This protects against Pass-the-Hash or Mimikatz-style attacks.

Solution

Enable LSA Protection per your corporate security guidelines.

Risk Factor

None

Plugin Information:

Publication Date: 2022/04/20, Modification Date: 2025/06/16

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

LSA Protection Key \SYSTEM\CurrentControlSet\Control\Lsa\RunAsPPL not found.

160486 - Server Message Block (SMB) Protocol Version Detection, Info

Synopsis

Verify the version of SMB on the remote host.

Description

The Server Message Block (SMB) Protocol provides shared access to files and printers across nodes on a network.

See Also

<http://www.nessus.org/u?f463096b>

<http://www.nessus.org/u?1a4b3744>

Solution

Disable SMB version 1 and block all versions of SMB at the network boundary by blocking TCP port 445 with related protocols on UDP ports 137-138 and TCP port 139, for all boundary devices.

Risk Factor

None

Plugin Information:

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

- SYSTEM\CurrentControlSet\Services\LanmanServer\Parameters\SMB2 : Key not found.
- SYSTEM\CurrentControlSet\Services\LanmanServer\Parameters\SMB3 : Key not found.
- SYSTEM\CurrentControlSet\Services\LanmanServer\Parameters\SMB1 : SMBv1 is disabled.

160576 - Windows Services Registry ACL, Info

Synopsis

Checks Windows Registry for Service ACLs

Description

Checks Windows Registry for Service ACLs.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/05/05, Modification Date: 2024/01/15

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Verbosity must be set to 'Report as much information as possible' for this plugin to produce output.

161502 - Microsoft Windows Logged On Users, Info

Synopsis

Nessus was able to determine the logged on users from the registry

Description

Using the HKU registry, Nessus was able to enumerate the SIDs of logged on users

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/05/25, Modification Date: 2025/10/01

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

Logged on users :
- S-1-5-21-1966757112-4080728653-1421271985-500
Domain : LABABEL
Username : lababel

161691 - The Microsoft Windows Support Diagnostic Tool (MSDT) RCE Workaround Detection (CVE-2022-30190), Info

Synopsis

Checks for the HKEY_CLASSES_ROOT\ms-msdt registry key.

Description

The remote host has the HKEY_CLASSES_ROOT\ms-msdt registry key.
This is a known exposure for CVE-2022-30190. Note that Nessus has not tested for CVE-2022-30190.
It is only checking if the registry key exists.
The recommendation is to apply the latest patch.

See Also

<http://www.nessus.org/u?440e4ba1>

<https://msrc.microsoft.com/update-guide/vulnerability/CVE-2022-30190>

<http://www.nessus.org/u?b9345997>

Solution

Apply the latest Cumulative Update.

Risk Factor

None

Plugin Information:

Publication Date: 2022/05/31, Modification Date: 2022/07/28

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The HKEY_CLASSES_ROOT\ms-msdt registry key exists on the target. This may indicate that the target is vulnerable to CVE-2022-30190, if the vendor patch is not applied.

162174 - Windows Always Installed Elevated Status, Info

Synopsis

Windows AlwaysInstallElevated policy status was found on the remote Windows host

Description

Windows AlwaysInstallElevated policy status was found on the remote Windows host. You can use the AlwaysInstallElevated policy to install a Windows Installer package with elevated (system) privileges. This option is equivalent to granting full administrative rights, which can pose a massive security risk. Microsoft strongly discourages the use of this setting.

Solution

If enabled, disable AlwaysInstallElevated policy per your corporate security guidelines.

Risk Factor

None

Plugin Information:

Publication Date: 2022/06/14, Modification Date: 2022/06/14

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

AlwaysInstallElevated policy is not enabled under HKEY_LOCAL_MACHINE.
AlwaysInstallElevated policy is not enabled under HKEY_USERS
user:S-1-5-21-1966757112-4080728653-1421271985-500

162560 - Microsoft Internet Explorer Installed, Info

Synopsis

A web browser is installed on the remote Windows host.

Description

Microsoft Internet Explorer, a web browser bundled with Microsoft Windows, is installed on the remote Windows host.

See Also

<https://support.microsoft.com/products/internet-explorer>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/06/28, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Path : C:\Windows\system32\mshtml.dll
Version : 11.0.26100.32995

164690 - Windows Disabled Command Prompt Enumeration, Info

Synopsis

This plugin determines if the DisableCMD policy is enabled or disabled on the remote host for each local user.

Description

The remote host may employ the DisableCMD policy on a per user basis. Enumerated local users may have the following registry key: 'HKLM\Software\Policies\Microsoft\Windows\System\DisableCMD' - Unset or 0: The command prompt is enabled normally. - 1: The command prompt is disabled. - 2: The command prompt is disabled however windows batch processing is allowed.

See Also

<http://www.nessus.org/u?b40698bc>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/09/06, Modification Date: 2026/01/26

170631 - Host Active Directory Configuration (Windows), Info

Synopsis

The Windows host is joined to an Active Directory domain.

Description

The Windows host is joined to an Active Directory domain and it was possible to retrieve certain Active Directory configuration attributes, including: Computer information in AD: - Common Name - DNS Name - Distinguished Name - Domain Role - Object SID - SamAccountName AD domain and forest information: - Domain FQDN - Domain GUID - Domain NetBIOS Name - Domain SID - Forest FQDN

See Also

<http://www.nessus.org/u?56077cfb>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/01/25, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Computer information in AD:

Common Name : CN=WS25-DC01
DNS Name : WS25-DC01
Distinguished Name : CN=WS25-DC01,OU=Domain Controllers,DC=lababel,DC=local
Domain Role : PrimaryDomainController
Object SID : S-1-5-21-1966757112-4080728653-1421271985-1000
SamAccountName : WS25-DC01\$

AD domain and forest information:

Domain FQDN : lababel.local
Domain GUID : 2a5834db-2ef2-4433-94bb-f93a7712a267
Domain NetBIOS Name : LABABEL
Domain SID : S-1-5-21-1966757112-4080728653-1421271985
Forest FQDN : lababel.local

171860 - Curl Installed (Windows), Info

Synopsis

Curl is installed on the remote Windows host.

Description

Curl, a command line tool for transferring data with URLs, was detected on the remote Windows host. Please note, if the installation is located in either the Windows\System32 or Windows\SysWOW64 directory, it will be considered as managed by the OS.

In this case, paranoid scanning is required to trigger downstream vulnerability checks.

Paranoid scanning has no effect on this plugin itself.

See Also

<https://curl.se/>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/02/23, Modification Date: 2026/05/26

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Nessus detected 2 installs of Curl:

Path : c:\windows\system32\curl.exe
Version : 8.16.0.0
Managed by OS : True

Path : c:\windows\syswow64\curl.exe
Version : 8.16.0.0
Managed by OS : True

171956 - Windows Enumerate Accounts, Info

Synopsis

Enumerate Windows accounts.

Description

Enumerate Windows accounts.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/02/28, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Windows accounts enumerated. Results output to DB.

User data gathered in scan starting at : 2026/6/14 20:51 UTC

178102 - Microsoft Windows Installed Software Version Enumeration, Info

Synopsis

Enumerates installed software versions.

Description

This plugin enumerates the installed software version by interrogating information obtained from various registry entries and files on disk.

This plugin provides a best guess at the software version and a confidence level for that version. Note that the versions detected here do not necessarily indicate the actual installed version nor do they necessarily mean that the application is actually installed on the remote host.
In some cases there may be artifacts left behind by uninstallers on the system.

Solution

Remove any applications that are not compliant with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication Date: 2023/07/10, Modification Date: 2024/07/15

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following software information is available on the remote host :

```
- Microsoft Edge WebView2 Runtime
  Best Confidence Version : 149.0.4022.69
  Version Confidence Level : 3
  All Possible Versions : 149.0.4022.69
  Other Version Data
    [InstallDate] :
      Raw Value : 2026/06/14
    [DisplayIcon] :
      Raw Value : C:\Program Files (x86)\Microsoft\EdgeWebView\Application
\149.0.4022.69\msedgewebview2.exe,0
      Parsed File Path : C:\Program Files (x86)\Microsoft\EdgeWebView\Application
\149.0.4022.69\msedgewebview2.exe
      Parsed File Version : 149.0.4022.69
    [InstallLocation] :
      Raw Value : C:\Program Files (x86)\Microsoft\EdgeWebView\Application
    [UninstallString] :
      Raw Value : "C:\Program Files (x86)\Microsoft\EdgeWebView\Application
\149.0.4022.69\Installer\setup.exe" --uninstall --msedgewebview --system-level --verbose-logging
      Parsed File Path : C:\Program Files (x86)\Microsoft\EdgeWebView\Application
\149.0.4022.69\Installer\setup.exe
      Parsed File Version : 149.0.4022.69
    [VersionMinor] :
      Raw Value : 69
    [Version] :
      Raw Value : 149.0.4022.69
    [VersionMajor] :
      Raw Value : 4022
    [DisplayVersion] :
      Raw Value : 149.0.4022.69
    [DisplayName] :
      Raw Value : Microsoft Edge WebView2 Runtime

- Microsoft Edge
  Best Confidence Version : 149.0.4022.69
  Version Confidence Level : 3
  All Possible Versions : 149.0.4022.69
  Other Version Data
    [InstallDate] :
      Raw Value : 2026/06/14
    [DisplayIcon] :
      Raw Value : C:\Program Files (x86)\Microsoft\Edge\Application
\149.0.4022.69\msedge.exe,0
      Parsed File Path : C:\Program Files (x86)\Microsoft\Edge\Application
\149.0.4022.69\msedge.exe
      Parsed File Version : 149.0.4022.69
    [InstallLoca [...]
```

187318 - Microsoft Windows Installed, Info

Synopsis

The remote host is running Microsoft Windows.

Description

The remote host is running Microsoft Windows.

See Also

<https://www.microsoft.com/en-us/windows>

<https://www.microsoft.com/en-us/windows-server>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/12/27, Modification Date: 2026/01/05

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

```
OS Name      : Microsoft Windows Server 2025 24H2
Vendor       : Microsoft
Product      : Windows Server
Release      : 2025 24H2
Edition      : Datacenter Azure Edition
Version      : 10.0.26100.32995
Role         : server
Kernel       : Windows NT 10.0
Architecture : x64
CPE v2.2     : cpe:/
o:microsoft:windows_server_2025:10.0.26100.32995:-::~datacenter_azure_edition~~x64~
CPE v2.3     :
cpe:2.3:o:microsoft:windows_server_2025:10.0.26100.32995:-::~datacenter_azure_edition:*:x64:*
Type         : local
Method       : SMB
Confidence   : 100
```

200493 - Microsoft Windows Start Menu Software Version Enumeration, Info

Synopsis

Enumerates Start Menu software versions.

Description

This plugin enumerates the installed software version by interrogating information obtained from various registry entries and files on disk.

This plugin provides a best guess at the software version and a confidence level for that version. Note that the versions detected here do not necessarily indicate the actual installed version nor do they necessarily mean that the application is actually installed on the remote host.

In some cases there may be artifacts left behind by uninstallers on the system.

Solution

Remove any applications that are not compliant with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication Date: 2024/06/13, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/445) (Vulnerability State: Active)

The following software information is available on the remote host :

- Calculator.lnk
 - .lnk Path : C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Calculator.lnk
 - Target : C:\Windows\system32\win32calc.exe
 - Version : 10.0.26100.7019
- Microsoft Edge.lnk
 - .lnk Path : C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Microsoft Edge.lnk

```

Target      : C:\Program Files (x86)\Microsoft\Edge\Application\msedge.exe
Version     : 149.0.4022.69

- Notepad.lnk
  .lnk Path  : C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Notepad.lnk
  Target     : C:\Windows\system32\notepad.exe
  Version    : 10.0.26100.7309

- Paint.lnk
  .lnk Path  : C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Paint.lnk
  Target     : C:\Windows\system32\mspaint.exe
  Version    : 10.0.26100.7309

- Server Manager.lnk
  .lnk Path  : C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Server Manager.lnk
  Target     : C:\Windows\system32\ServerManager.exe
  Version    : 10.0.26100.1591

- Snipping Tool.lnk
  .lnk Path  : C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Snipping Tool.lnk
  Target     : C:\Windows\system32\SnippingTool.exe
  Version    : 10.0.26100.7309

- Remote Desktop Connection.lnk
  .lnk Path  : C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Accessories\Remote
Desktop Connection.lnk
  Target     : C:\Windows\system32\mstsc.exe
  Version    : 10.0.26100.32995

- Steps Recorder.lnk
  .lnk Path  : C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Accessories\Steps
Recorder.lnk
  Target     : C:\Windows\system32\psr.exe
  Version    : 10.0.26100.32995

- Windows Media Player Legacy.lnk
  .lnk Path  : C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Accessories\Windows
Media Player Legacy.lnk
  Target     : C:\Program Files (x86)\Windows Media Player\wmplayer.exe
  Version    : 12.0.26100.1882

- XPS Viewer.lnk
  .lnk Path  : C [...]

```

204960 - Windows System Driver Enumeration (Windows), Info

Synopsis

One or more kernel or file system drivers were enumerated on the remote Windows host.

Description

One or more kernel or file system drivers were enumerated on the remote Windows host.

See Also

<http://www.nessus.org/u?43f8ab81>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2024/08/01, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Total : 393

```

Name      : 1394ohci
Path      : C:\Windows\system32\drivers\1394ohci.sys
Service Type : Kernel Driver
Description : 1394 OHCI Compliant Host Controller

```

```

State      : Stopped

Name       : 3ware
Path       : C:\Windows\system32\drivers\3ware.sys
Service Type : Kernel Driver
Description : 3ware
State      : Stopped

Name       : ACPI
Path       : C:\Windows\system32\drivers\ACPI.sys
Service Type : Kernel Driver
Description : Microsoft ACPI Driver
State      : Running

Name       : AcpiAudioCompositorInbox
Path       : C:\Windows\system32\DriverStore\FileRepository
\acpiaudiocompositor.inf_amd64_047f553a6f70b169\AcpiAudioCompositor.sys
Service Type : Kernel Driver
Description : ACPI Audio Compositor Driver
State      : Stopped

Name       : AcpiDev
Path       : C:\Windows\system32\drivers\AcpiDev.sys
Service Type : Kernel Driver
Description : ACPI Devices driver
State      : Stopped

Name       : acpiex
Path       : C:\Windows\system32\Drivers\acpiex.sys
Service Type : Kernel Driver
Description : Microsoft ACPIEx Driver
State      : Running

Name       : acpipagr
Path       : C:\Windows\system32\DriverStore\FileRepository
\acpipagr.inf_amd64_d1093347a27ff89c\acpipagr.sys
Service Type : Kernel Driver
Description : ACPI Processor Aggregator Driver
State      : Stopped

Name       : AcpiPmi
Path       : C:\Windows\system32\DriverStore\FileRepository
\acpipmi.inf_amd64_3ced06eb61dcc792\acpipmi.sys
Service Type : Kernel Driver
Description : ACPI Power Meter Driver
State      : Stopped

Name       : acpitime
Path       : C:\Windows\system32\drivers\acpitime.sys
Service Type : Kernel Driver
Description : ACPI Wake Alarm Driver
State      : Stopped

Name       : Acx01000
Path       : C:\Windows\system32\drivers\Acx01000.sys
Service Type : Kernel Driver
Description : Acx01000
State      : Stopped

Name       : ADP80XX
Path       : C:\Win [...]

```

280146 - Microsoft Azure Guest Agent Installed (Windows), Info

Synopsis

Microsoft Azure Guest Agent is installed on the remote Windows host.

Description

Microsoft Azure Guest Agent is installed on the remote Windows host.

See Also

<http://www.nessus.org/u?4da9ec88>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2025/12/30, Modification Date: 2026/05/13

Ports

ws25-dc01(TCP/0) (Vulnerability State: Active)

Path : C:\WindowsAzure\GuestAgent_2.7.41491.1216_2026-06-14_185207\CollectVMHealth.exe
Version : 2.7.41491.1216

Assets Summary (Executive)

ws25-dc01					
Summary					
Critical	High	Medium	Low	Info	Total
0	1	0	0	113	114
Details					
Severity	Plugin Id	Name			
High	166555	WinVerifyTrust Signature Validation CVE-2013-3900 Mitigation (EnableCertPaddingCheck)			
Info	10150	Windows NetBIOS / SMB Remote Host Information Disclosure			
Info	10394	Microsoft Windows SMB Log In Possible			
Info	10395	Microsoft Windows SMB Shares Enumeration			
Info	10396	Microsoft Windows SMB Shares Access			
Info	10400	Microsoft Windows SMB Registry Remotely Accessible			
Info	10413	Microsoft Windows SMB Registry : Remote PDC/BDC Detection			
Info	10456	Microsoft Windows SMB Service Enumeration			
Info	10736	DCE Services Enumeration			
Info	10785	Microsoft Windows SMB NativeLanManager Remote System Information Disclosure			
Info	10859	Microsoft Windows SMB LsaQueryInformationPolicy Function SID Enumeration			
Info	10902	Microsoft Windows 'Administrators' Group User List			
Info	11011	Microsoft Windows SMB Service Detection			
Info	11457	Microsoft Windows SMB Registry : Winlogon Cached Password Weakness			
Info	11777	Microsoft Windows SMB Share Hosting Possibly Copyrighted Material			
Info	16193	Antivirus Software Check			
Info	17651	Microsoft Windows SMB : Obtains the Password Policy			
Info	19506	Nessus Scan Information			
Info	20811	Microsoft Windows Installed Software Enumeration (credentialed check)			
Info	23974	Microsoft Windows SMB Share Hosting Office Files			
Info	24269	WMI Available			
Info	24270	Computer Manufacturer Information (WMI)			
Info	24272	Network Interfaces Enumeration (WMI)			
Info	34096	BIOS Info (WMI)			

Info	34097	BIOS Info (SMB)
Info	34220	Netstat Portscanner (WMI)
Info	34252	Microsoft Windows Remote Listeners Enumeration (WMI)
Info	38689	Microsoft Windows SMB Last Logged On User Disclosure
Info	42410	Microsoft Windows NTLMSSP Authentication Request Remote Network Name Disclosure
Info	44401	Microsoft Windows SMB Service Config Enumeration
Info	44871	WMI Windows Feature Enumeration
Info	48337	Windows ComputerSystemProduct Enumeration (WMI)
Info	48763	Microsoft Windows 'CWDIllegalInDllSearch' Registry Setting
Info	48942	Microsoft Windows SMB Registry : OS Version and Processor Architecture
Info	51186	WMI Trusted Platform Module Enumeration
Info	51187	WMI Encryptable Volume Enumeration
Info	51351	Microsoft .NET Framework Detection
Info	52001	WMI QuickFixEngineering (QFE) Enumeration
Info	57033	Microsoft Patch Bulletin Feasibility Check
Info	58181	Windows DNS Server Enumeration
Info	58452	Microsoft Windows Startup Software Enumeration
Info	60119	Microsoft Windows SMB Share Permissions Enumeration
Info	63080	Microsoft Windows Mounted Devices
Info	63620	Windows Product Key Retrieval
Info	66424	Microsoft Malicious Software Removal Tool Installed
Info	70329	Microsoft Windows Process Information
Info	70331	Microsoft Windows Process Module Information
Info	71246	Enumerate Local Group Memberships
Info	72367	Microsoft Internet Explorer Version Detection
Info	72482	Windows Display Driver Enumeration
Info	72879	Microsoft Internet Explorer Enhanced Security Configuration Detection
Info	85736	Windows Store Application Enumeration
Info	92364	Microsoft Windows Environment Variables
Info	92365	Microsoft Windows Hosts File
Info	92366	Microsoft Windows Last Boot Time

Info	92368	Microsoft Windows Scripting Host Settings
Info	92369	Microsoft Windows Time Zone Information
Info	92370	Microsoft Windows ARP Table
Info	92371	Microsoft Windows DNS Cache
Info	92373	Microsoft Windows SMB Sessions
Info	92415	Application Compatibility Cache
Info	92421	Internet Explorer Typed URLs
Info	92424	MUICache Program Execution History
Info	92429	Recycle Bin Files
Info	92431	User Shell Folders Settings
Info	92434	User Download Folder Files
Info	92435	UserAssist Execution History
Info	93962	Microsoft Security Rollup Enumeration
Info	99364	Microsoft .NET Security Rollup Enumeration
Info	100871	Microsoft Windows SMB Versions Supported (remote check)
Info	103871	Microsoft Windows Network Adapters
Info	106716	Microsoft Windows SMB2 and SMB3 Dialects Supported (remote check)
Info	112279	Windows Defender Advanced Threat Protection Installed (Windows)
Info	117885	Target Credential Issues by Authentication Protocol - Intermittent Authentication Failure
Info	117887	OS Security Patch Assessment Available
Info	125835	Microsoft Remote Desktop Connection Installed
Info	126527	Microsoft Windows SAM user enumeration
Info	131023	Windows Defender Installed
Info	136969	Microsoft Edge Chromium Installed
Info	139785	DISM Package List (Windows)
Info	141118	Target Credential Status by Authentication Protocol - Valid Credentials Provided
Info	148541	Windows Language Settings Detection
Info	151440	Microsoft Windows Print Spooler Service Enabled
Info	155963	Windows Printer Driver Enumeration
Info	159817	Windows Credential Guard Status
Info	159929	Windows LSA Protection Status

Info	160486	Server Message Block (SMB) Protocol Version Detection
Info	160576	Windows Services Registry ACL
Info	161502	Microsoft Windows Logged On Users
Info	161691	The Microsoft Windows Support Diagnostic Tool (MSDT) RCE Workaround Detection (CVE-2022-30190)
Info	162174	Windows Always Installed Elevated Status
Info	162560	Microsoft Internet Explorer Installed
Info	164690	Windows Disabled Command Prompt Enumeration
Info	170631	Host Active Directory Configuration (Windows)
Info	171860	Curl Installed (Windows)
Info	171956	Windows Enumerate Accounts
Info	178102	Microsoft Windows Installed Software Version Enumeration
Info	187318	Microsoft Windows Installed
Info	200493	Microsoft Windows Start Menu Software Version Enumeration
Info	204960	Windows System Driver Enumeration (Windows)
Info	280146	Microsoft Azure Guest Agent Installed (Windows)