

Tenable Vulnerability Management Report

Tenable Vulnerability Management

Sun, 14 Jun 2026 17:56:40 UTC

Table Of Contents

Vulnerabilities By Host.....	3
•abel-win11-stig.....	4
Assets Summary (Executive).....	89
•abel-win11-stig.....	90
Remediations.....	95
•Suggested Remediations.....	96

Vulnerabilities By Host

abel-win11-stig					
Scan Information					
Start Time	2026-06-14T17:56:40.131Z				
Completed Time	2026-06-14T18:27:42.388Z				
Host Information					
DNS Name	abel-win11-stig				
Netbios Name	abel-win11-stig				
IP	10.2.0.28				
OS	Microsoft Windows 11 Pro Build 26200				
Results Summary					
Critical	High	Medium	Low	Info	Total
0	3	4	1	141	149
Results Details					
/					
166555 - WinVerifyTrust Signature Validation CVE-2013-3900 Mitigation (EnableCertPaddingCheck), High					
Synopsis					
The remote Windows host is potentially missing a mitigation for a remote code execution vulnerability.					
Description					
The remote system may be in a vulnerable state to CVE-2013-3900 due to a missing or misconfigured registry keys: - HKEY_LOCAL_MACHINE\Software\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck - HKEY_LOCAL_MACHINE\Software\Wow6432Node\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck An unauthenticated, remote attacker could exploit this, by sending specially crafted requests, to execute arbitrary code on an affected host.					
See Also					
https://msrc.microsoft.com/update-guide/vulnerability/CVE-2013-3900 http://www.nessus.org/u?9780b9d2					
Solution					
Add and enable registry value EnableCertPaddingCheck: - HKEY_LOCAL_MACHINE\Software\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck Additionally, on 64 Bit OS systems, Add and enable registry value EnableCertPaddingCheck: - HKEY_LOCAL_MACHINE\Software\Wow6432Node\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck					
Risk Factor					
High					
Stig Severity					
II					
Vulnerability Priority Rating (VPR)					
9.0					
CVSS v3.0 Base Score					
8.8 (AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H)					
CVSS v3.0 Temporal Score					
8.4 (E:H/RL:O/RC:C)					
CVSS Base Score					
7.6 (AV:N/AC:H/Au:N/C:C/I:C/A:C)					

CVSS Temporal Score

6.6 (E:H/RL:OF/RC:C)

References

XREF IAVA-2013-A-0227
CISA-KNOWN-EXPLOITED-2022/07/10

CVE CVE-2013-3900

Plugin Information:

Publication Date: 2022/10/26, Modification Date: 2025/12/17

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Nessus detected the following potentially insecure registry key configuration:

- Software\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck is not present in the registry.
- Software\Wow6432Node\Microsoft\Cryptography\Wintrust\Config\EnableCertPaddingCheck is not present in the registry.

303594 - SQLite <= 3.51.1 Information Disclosure, High

Synopsis

The remote host is missing a security update.

Description

The version of SQLite installed on the remote host is prior to 3.51.2. It is, therefore, affected by an information disclosure issue where the zipfileInflate function, responsible for decompressing ZIP file contents, fails to properly validate or sanitize data during the inflation process. When processing a maliciously crafted ZIP file, the function can be manipulated to return uninitialized or adjacent heap memory contents to the caller, effectively leaking sensitive information from the application's memory space. Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://www.sqlite.org/cves.html>
<http://www.nessus.org/u?56362c62>

Solution

Upgrade to SQLite 3.51.2 or later.

Risk Factor

High

Stig Severity

II

Vulnerability Priority Rating (VPR)

4.4

CVSS v3.0 Base Score

7.5 (AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N)

CVSS v3.0 Temporal Score

6.7 (E:P/RL:O/RC:C)

CVSS Base Score

7.8 (AV:N/AC:L/Au:N/C:C/I:N/A:N)

CVSS Temporal Score

6.1 (E:POC/RL:OF/RC:C)

References

CVE CVE-2025-70873

XREF IAVA-2026-A-0245

Plugin Information:

Publication Date: 2026/03/25, Modification Date: 2026/04/20

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Path : C:\Windows\System32\winsqlite3.dll
Installed version : 3.51.1.0
Fixed version : 3.51.2

Path : C:\Windows\SysWOW64\winsqlite3.dll
Installed version : 3.51.1.0
Fixed version : 3.51.2

311420 - libcurl 7.71.0 < 8.20.0 Cookie Leak via Stale Host Header, High

Synopsis

The remote host has a program that is affected by a cookie leak vulnerability.

Description

The version of libcurl installed on the remote host is 7.71.0 prior to 8.20.0. It is, therefore, affected by a cookie leak vulnerability: - When using the same connection handle for multiple HTTP requests, if a custom Host: header is removed in a subsequent request, the second request would use stale information and pass on cookies meant for the first host in the second request. This primarily affects clear text HTTP transfers, as HTTPS connections require proper SNI configuration making the vulnerability less exploitable. (CVE-2026-6276) Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://curl.se/docs/CVE-2026-6276.html>

Solution

Upgrade libcurl to version 8.20.0 or later

Risk Factor

High

Stig Severity

I

Vulnerability Priority Rating (VPR)

4.4

CVSS v3.0 Base Score

7.5 (AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H)

CVSS v3.0 Temporal Score

6.7 (E:P/RL:O/RC:C)

CVSS Base Score

7.8 (AV:N/AC:L/Au:N/C:N/I:N/A:C)

CVSS Temporal Score

6.1 (E:POC/RL:OF/RC:C)

References

CVE CVE-2026-6276

XREF IAVA-2026-A-0397

Plugin Information:

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Path : C:\Program Files\WindowsApps\MSTeams_1.0.0.1_x64__8wekyb3d8bbwe
\libcurl.dll
Installed version : 8.18.0.0
Fixed version : 8.20.0
Potential Vulnerability : Component

51192 - SSL Certificate Cannot Be Trusted, Medium

Synopsis

The SSL certificate for this service cannot be trusted.

Description

The server's X.509 certificate cannot be trusted.

This situation can occur in three different ways, in which the chain of trust can be broken, as stated below : - First, the top of the certificate chain sent by the server might not be descended from a known public certificate authority.

This can occur either when the top of the chain is an unrecognized, self-signed certificate, or when intermediate certificates are missing that would connect the top of the certificate chain to a known public certificate authority. - Second, the certificate chain may contain a certificate that is not valid at the time of the scan.

This can occur either when the scan occurs before one of the certificate's 'notBefore' dates, or after one of the certificate's 'notAfter' dates. - Third, the certificate chain may contain a signature that either didn't match the certificate's information or could not be verified.

Bad signatures can be fixed by getting the certificate with the bad signature to be re-signed by its issuer.

Signatures that could not be verified are the result of the certificate's issuer using a signing algorithm that Nessus either does not support or does not recognize. If the remote host is a public host in production, any break in the chain makes it more difficult for users to verify the authenticity and identity of the web server. This could make it easier to carry out man-in-the-middle attacks against the remote host.

See Also

<https://www.itu.int/rec/T-REC-X.509/en>

<https://en.wikipedia.org/wiki/X.509>

Solution

Purchase or generate a proper SSL certificate for this service.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N)

CVSS Base Score

6.4 (AV:N/AC:L/Au:N/C:P/I:P/A:N)

Plugin Information:

Publication Date: 2010/12/15, Modification Date: 2025/06/16

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

The following certificate was at the top of the certificate chain sent by the remote host, but it is signed by an unknown certificate authority :

| -Subject : CN=abel-win11-stig
| -Issuer : CN=abel-win11-stig

57582 - SSL Self-Signed Certificate, Medium

Synopsis

The SSL certificate chain for this service ends in an unrecognized self-signed certificate.

Description

The X.509 certificate chain for this service is not signed by a recognized certificate authority. If the remote host is a public host in production, this nullifies the use of SSL as anyone could establish a man-in-the-middle attack against the remote host. Note that this plugin does not check for certificate chains that end in a certificate that is not self-signed, but is signed by an unrecognized certificate authority.

Solution

Purchase or generate a proper SSL certificate for this service.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N)

CVSS Base Score

6.4 (AV:N/AC:L/Au:N/C:P/I:P/A:N)

Plugin Information:

Publication Date: 2012/01/17, Modification Date: 2022/06/14

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

The following certificate was found at the top of the certificate chain sent by the remote host, but is self-signed and was not found in the list of known certificate authorities :

| -Subject : CN=abel-win11-stig

311421 - libcurl 7.14.0 < 8.20.0 Netrc Password Leak on HTTP Redirect, Medium

Synopsis

The remote host has a program that is affected by a netrc password leak vulnerability.

Description

The version of libcurl installed on the remote host is 7.14.0 prior to 8.20.0. It is, therefore, affected by a netrc password leak vulnerability: - When asked to both use a .netrc file for credentials and to follow HTTP redirects, libcurl could leak the password used for the first host to the followed-to host under certain circumstances. The issue requires that both the original and redirect destinations use unencrypted http:// URLs, both requests traverse an identical HTTP proxy, and the connection between client and proxy gets reused. (CVE-2026-6429) Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://curl.se/docs/CVE-2026-6429.html>

Solution

Upgrade libcurl to version 8.20.0 or later

Risk Factor

Medium

Stig Severity

I

Vulnerability Priority Rating (VPR)

4.4

CVSS v3.0 Base Score

5.3 (AV:N/AC:H/PR:L/UI:N/S:U/C:H/I:N/A:N)

CVSS v3.0 Temporal Score

4.8 (E:P/RL:O/RC:C)

CVSS Base Score

5.0 (AV:N/AC:L/Au:N/C:P/I:N/A:N)

CVSS Temporal Score

3.9 (E:POC/RL:OF/RC:C)

References

CVE CVE-2026-6429

XREF IAVA-2026-A-0397

Plugin Information:

Publication Date: 2026/05/01, Modification Date: 2026/05/15

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Path : C:\Program Files\WindowsApps\MSTeams_1.0.0.1_x64__8wekyb3d8bbwe
\libcurl.dll
Installed version : 8.18.0.0
Fixed version : 8.20.0
Potential Vulnerability : Component

311422 - libcurl 7.12.0 < 8.20.0 Cross-Proxy Digest Auth State Leak, Medium

Synopsis

The remote host has a program that is affected by a cross-proxy digest auth state leak vulnerability.

Description

The version of libcurl installed on the remote host is 7.12.0 prior to 8.20.0. It is, therefore, affected by a cross-proxy digest auth state leak vulnerability: - libcurl improperly handles Digest authentication headers when reusing handles across different HTTP proxies. When a client switches from one proxy to another using the same connection handle, the library incorrectly forwards the Proxy-Authorization header intended for the first proxy to the second one. An evil proxyB could use this incoming request header field to impersonate the client in communicating with proxyA, as the header contains the authenticated state. (CVE-2026-7168) Note that Nessus has not tested for this issue but has instead relied only on the application's self-reported version number.

See Also

<https://curl.se/docs/CVE-2026-7168.html>

Solution

Upgrade libcurl to version 8.20.0 or later

Risk Factor

Medium

Stig Severity

I

Vulnerability Priority Rating (VPR)

2.2

CVSS v3.0 Base Score

5.3 (AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N)

CVSS v3.0 Temporal Score

4.8 (E:P/RL:O/RC:C)

CVSS Base Score

5.0 (AV:N/AC:L/Au:N/C:P/I:N/A:N)

CVSS Temporal Score

References

CVE	CVE-2026-7168
XREF	IAVA-2026-A-0397

Plugin Information:

Publication Date: 2026/05/01, Modification Date: 2026/05/15

Ports**abel-win11-stig(TCP/445) (Vulnerability State: Active)**

Path : C:\Program Files\WindowsApps\MSTeams_1.0.0.1_x64__8wekyb3d8bbwe
 \libcurl.dll
 Installed version : 8.18.0.0
 Fixed version : 8.20.0
 Potential Vulnerability : Component

10114 - ICMP Timestamp Request Remote Date Disclosure, Low**Synopsis**

It is possible to determine the exact time set on the remote host.

Description

The remote host answers to an ICMP timestamp request.
 This allows an attacker to know the date that is set on the targeted machine, which may assist an unauthenticated, remote attacker in defeating time-based authentication protocols. Timestamps returned from machines running Windows Vista / 7 / 2008 / 2008 R2 are deliberately incorrect, but usually within 1000 seconds of the actual system time.

Solution

Filter out the ICMP timestamp requests (13), and the outgoing ICMP timestamp replies (14).

Risk Factor

Low

Vulnerability Priority Rating (VPR)

2.2

CVSS Base Score

2.1 (AV:L/AC:L/Au:N/C:P/I:N/A:N)

References

CVE	CVE-1999-0524
XREF	CWE-200

Plugin Information:

Publication Date: 1999/08/01, Modification Date: 2024/10/07

Ports**abel-win11-stig(ICMP/0) (Vulnerability State: Active)**

The ICMP timestamps seem to be in little endian format (not in network format)
 The remote clock is synchronized with the local clock.

10150 - Windows NetBIOS / SMB Remote Host Information Disclosure, Info**Synopsis**

It was possible to obtain the network name of the remote host.

Description

The remote host is listening on UDP port 137 or TCP port 445, and replies to NetBIOS nbtscan or SMB requests. Note that this plugin gathers information to be used in other plugins, but does not itself generate a report.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 1999/10/12, Modification Date: 2021/02/10

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following 2 NetBIOS names have been gathered :

abel-win11-stig = Computer name
abel-win11-stig = Workgroup / Domain name

10287 - Traceroute Information, Info

Synopsis

It was possible to obtain traceroute information.

Description

Makes a traceroute to the remote host.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 1999/11/27, Modification Date: 2026/04/27

Ports

abel-win11-stig(UDP/0) (Vulnerability State: Active)

For your information, here is the traceroute from 10.0.0.8 to 10.2.0.28 :
10.0.0.8
10.2.0.28

Hop Count: 1

10394 - Microsoft Windows SMB Log In Possible, Info

Synopsis

It was possible to log into the remote host.

Description

The remote host is running a Microsoft Windows operating system or Samba, a CIFS/SMB server for Unix.
It was possible to log into it using one of the following accounts : - Guest account - Supplied credentials - Randomly generated credentials

See Also

<http://www.nessus.org/u?5c2589f6>
<https://support.microsoft.com/en-us/help/246261>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2000/05/09, Modification Date: 2026/04/08

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

- The SMB tests will be done as lababel/*****

10395 - Microsoft Windows SMB Shares Enumeration, Info

Synopsis

It is possible to enumerate remote network shares.

Description

By connecting to the remote host, Nessus was able to enumerate the network share names.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2000/05/09, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Here are the SMB shares available on the remote host when logged in as lababel:

- ADMIN\$
- C\$
- IPC\$

10396 - Microsoft Windows SMB Shares Access, Info

Synopsis

It is possible to access a network share.

Description

The remote has one or more Windows shares that can be accessed through the network with the given credentials. Depending on the share rights, it may allow an attacker to read / write confidential data.

Solution

To restrict access under Windows, open Explorer, do a right click on each share, go to the 'sharing' tab, and click on 'permissions'.

Risk Factor

None

Plugin Information:

Publication Date: 2000/05/09, Modification Date: 2021/10/04

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following shares can be accessed as lababel :

- ADMIN\$ - (readable,writable)
 - + Content of this share :
- ..
- appcompat
- apppatch
- AppReadiness
- assembly
- bcastdvr
- bfsvc.exe
- Boot
- bootstat.dat
- Branding
- BrowserCore
- CbsTemp
- command_results.log
- Containers
- CSC
- Cursors

debug
diagnostics
DiagTrack
DigitalLocker
Downloaded Program Files
DtcInstall.log
ELAMBKUP
en-US
explorer.exe
Fonts
GameBarPresenceWriter
Globalization
Help
HelpPane.exe
hh.exe
IdentityCRL
IME
ImmersiveControlPanel
InboxApps
INF
InputMethod
Installer
L2Schemas
LanguageOverlayCache
LiveKernelReports
Logs
lsasetup.log
Media
mib.bin
Microsoft
Microsoft.NET
Migration
ModemLogs
notepad.exe
OCR
OEM
Offline Web Pages
Panther
Performance
PFR0.log
PLA
PolicyDefinitions
Prefetch
Professional.xml
Provisioning
regedit.exe
Registration
RemotePackages
rescache
Resources
SchCache
schemas
SecureBoot
security
ServiceProfiles
ServiceState
servicing
Setup
setupact.log
setuperr.log
ShellComponents
ShellExperiences
SKB
SoftwareDistribution
Speech
Speech_OneCore
splwow64.exe
System
system.ini
System32
SystemApps
SystemResources
SystemTemp
SysWOW64
TAPI

Tasks

```
- C$ - (readable,writable)
+ Content of this share :
Documents and Settings
DumpStack.log.tmp
inetpub
Packages
pagefile.sys
PerfLogs
Program Files
Program Files (x86)
ProgramData
Recovery
swapfile.sys
System Volume Information
Users
Windows
WindowsAzure
```

10400 - Microsoft Windows SMB Registry Remotely Accessible, Info

Synopsis

Access the remote Windows Registry.

Description

It was possible to access the remote Windows Registry using the login / password combination used for the Windows local checks (SMB tests).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2000/05/09, Modification Date: 2025/12/16

10456 - Microsoft Windows SMB Service Enumeration, Info

Synopsis

It is possible to enumerate remote services.

Description

This plugin implements the SvcOpenSCManager() and SvcEnumServices() calls to obtain, using the SMB protocol, the list of active and inactive services of the remote host. An attacker may use this feature to gain better knowledge of the remote host.

Solution

To prevent the listing of the services from being obtained, you should either have tight login restrictions, so that only trusted users can access your host, and/or you should filter incoming traffic to this port.

Risk Factor

None

References

XREF IAVT-0001-T-0751

Plugin Information:

Publication Date: 2000/07/03, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Active Services :

```
Application Identity [ AppIDSvc ]
Application Information [ Appinfo ]
AppX Deployment Service (AppXSVC) [ AppXSvc ]
```

```

Windows Audio Endpoint Builder [ AudioEndpointBuilder ]
Windows Audio [ Audiosrv ]
BitLocker Drive Encryption Service [ BDESVC ]
Base Filtering Engine [ BFE ]
Background Tasks Infrastructure Service [ BrokerInfrastructure ]
Capability Access Manager Service [ camsvc ]
Connected Devices Platform Service [ CDPSvc ]
Certificate Propagation [ CertPropSvc ]
Client License Service (ClipSVC) [ ClipSVC ]
CoreMessaging [ CoreMessagingRegistrar ]
Cryptographic Services [ CryptSvc ]
DCOM Server Process Launcher [ DcomLaunch ]
DHCP Client [ Dhcp ]
Connected User Experiences and Telemetry [ DiagTrack ]
Display Policy Service [ DispBrokerDesktopSvc ]
DNS Client [ Dnscache ]
Delivery Optimization [ DoSvc ]
Diagnostic Policy Service [ DPS ]
Data Usage [ DusmSvc ]
Windows Event Log [ EventLog ]
COM+ Event System [ EventSystem ]
Windows Font Cache Service [ FontCache ]
Group Policy Client [ gpsvc ]
IKE and AuthIP IPsec Keying Modules [ IKEEXT ]
Microsoft Store Install Service [ InstallService ]
Inventory and Compatibility Appraisal service [ InventorySvc ]
IP Helper [ iphlpsvc ]
CNG Key Isolation [ KeyIso ]
Server [ LanmanServer ]
Workstation [ LanmanWorkstation ]
Geolocation Service [ lfsvc ]
TCP/IP NetBIOS Helper [ lmhosts ]
Local Session Manager [ LSM ]
Microsoft Defender Core Service [ MDCoreSvc ]
Windows Defender Firewall [ mpssvc ]
Network Connection Broker [ NcbService ]
Network List Service [ netprofm ]
Network Store Interface Service [ nsi ]
Program Compatibility Assistant Service [ PcaSvc ]
Performance Logs & Alerts [ pla ]
Plug and Play [ PlugPlay ]
IPsec Policy Agent [ PolicyAgent ]
Power [ Power ]
User Profile Service [ ProfSvc ]
RdAgent [ RdAgent ]
Remote Registry [ RemoteRegistry ]
Radio Management Service [ RmSvc ]
RPC Endpoint Mapper [ RpcEptMapper ]
Remote Procedure Call (RPC) [ RpcSs ]
Special Administration Console Helper [ sa [...]

```

10736 - DCE Services Enumeration, Info

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2001/08/26, Modification Date: 2021/10/04

Ports

abel-win11-stig(TCP/49664) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49664 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49664
IP : 10.2.0.28

abel-win11-stig(TCP/135) (Vulnerability State: Active)

The following DCERPC services are available locally :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : samss lpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : SidKey Local End Point

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : protected_storage

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsasspirpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsapolicylookup

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSA_EAS_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSA_IDPEXT_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsacap

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc [...]

abel-win11-stig(TCP/49668) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49668 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345678-1234-abcd-ef00-0123456789ab, version 1.0
Description : IPsec Services (Windows XP & 2003)
Windows process : lsass.exe
Type : Remote RPC service
TCP Port : 49668
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0b6edbfa-4a24-4fc6-8a23-942b1eca65d1, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49668
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ae33069b-a2a8-46ee-a235-ddfd339be281, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49668
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4a452661-8290-4b36-8fbe-7f4093a94978, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49668
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76f03f96-cdfd-44fc-a22c-64950a001209, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49668
IP : 10.2.0.28

abel-win11-stig(TCP/49671) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49671 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 29770a8f-829b-4158-90a2-78cd488501f7, version 1.0

Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49671
IP : 10.2.0.28

abel-win11-stig(TCP/49678) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49678 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1.0
Description : Unknown RPC service
Annotation : Remote Fw APIs
Type : Remote RPC service
TCP Port : 49678
IP : 10.2.0.28

abel-win11-stig(TCP/49666) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49666 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49666
IP : 10.2.0.28

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49666
IP : 10.2.0.28

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following DCERPC services are available remotely :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 29770a8f-829b-4158-90a2-78cd488501f7, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \pipe\SessEnvPublicRpc
Netbios name : \\abel-win11-stig

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f1343fe-50a9-4927-a778-0c5859517bac, version 1.0
Description : Unknown RPC service
Annotation : DfsDs service
Type : Remote RPC service
Named pipe : \PIPE\wkssvc
Netbios name : \\abel-win11-stig

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1.0
Description : Unknown RPC service
Annotation : Windows Event Log
Type : Remote RPC service
Named pipe : \pipe\eventlog
Netbios name : \\abel-win11-stig

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1ff70682-0a51-30e8-076d-740be8cee98b, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\abel-win11-stig

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 378e52b0-c0a9-11cf-822d-00aa0051e40f, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\abel-win11-stig

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\abel-win11-stig

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\abel-win11-stig

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\abel-win11-stig

Object UUID : b08669ee-8cb5-43a5-a017-84fe0000 [...]

abel-win11-stig(TCP/49670) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49670 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 367abb81-9844-35f1-ad32-98f038001003, version 2.0
Description : Service Control Manager
Windows process : svchost.exe
Type : Remote RPC service
TCP Port : 49670
IP : 10.2.0.28

abel-win11-stig(TCP/49667) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49667 :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1.0
Description : Unknown RPC service
Annotation : Windows Event Log
Type : Remote RPC service
TCP Port : 49667
IP : 10.2.0.28

abel-win11-stig(TCP/49665) (Vulnerability State: Active)

The following DCERPC services are available on TCP port 49665 :

Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49665
IP : 10.2.0.28

Synopsis

It was possible to obtain information about the remote operating system.

Description

Nessus was able to obtain the remote operating system name and version (Windows and/or Samba) by sending an authentication request to port 139 or 445.
Note that this plugin requires SMB to be enabled on the host.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2001/10/17, Modification Date: 2021/09/20

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Nessus was able to obtain the following information about the host, by parsing the SMB2 Protocol's NTLM SSP message:

Target Name: abel-win11-stig
NetBIOS Domain Name: abel-win11-stig
NetBIOS Computer Name: abel-win11-stig
DNS Domain Name: abel-win11-stig
DNS Computer Name: abel-win11-stig
DNS Tree Name: unknown
Product Version: 10.0.26100

10859 - Microsoft Windows SMB LsaQueryInformationPolicy Function SID Enumeration, Info

Synopsis

It is possible to obtain the host SID for the remote host.

Description

By emulating the call to LsaQueryInformationPolicy(), it was possible to obtain the host SID (Security Identifier).
The host SID can then be used to get the list of local users.

See Also

<http://technet.microsoft.com/en-us/library/bb418944.aspx>

Solution

You can prevent anonymous lookups of the host SID by setting the 'RestrictAnonymous' registry setting to an appropriate value. Refer to the 'See also' section for guidance.

Risk Factor

None

Plugin Information:

Publication Date: 2002/02/13, Modification Date: 2024/01/31

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The remote host SID value is : S-1-5-21-1900297511-865123394-4177113028

The value of 'RestrictAnonymous' setting is : 0

10863 - SSL Certificate Information, Info

Synopsis

This plugin displays the SSL certificate.

Description

This plugin connects to every SSL-related port and attempts to extract and dump the X.509 certificate.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2008/05/19, Modification Date: 2021/02/03

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

Subject Name:

Common Name: abel-win11-stig

Issuer Name:

Common Name: abel-win11-stig

Serial Number: 37 6E A0 BD 1D 1F 46 A3 4E E7 AA 4B 4A 60 82 82

Version: 3

Signature Algorithm: SHA-256 With RSA Encryption

Not Valid Before: Jun 13 15:33:49 2026 GMT

Not Valid After: Dec 13 15:33:49 2026 GMT

Public Key Info:

Algorithm: RSA Encryption

Key Length: 2048 bits

Public Key: 00 E4 A2 32 AE BA 44 50 C2 32 2C 25 1E 7B 15 4C 1C 69 6A 1A
B0 BC 88 61 05 9A 2B FB 60 87 5C 56 D6 FB 52 E6 56 01 1C DC
BB 86 8A 6B B8 10 D8 89 92 BB 40 62 60 27 81 E4 79 0A EA 8E
01 7A B3 C0 EA 18 8F 22 71 94 7D 77 2C FD B7 AA 96 3D 51 AA
32 2C 72 5F 71 D5 DB AE E1 86 F4 C7 50 E6 93 9C 65 E9 2A 56
32 7B 22 31 79 5E 9D 6D DD 23 36 33 FC 58 E1 3A 2C 04 58 34
B2 41 60 43 DE C6 1D 92 E8 B7 65 46 60 00 90 98 F4 68 F9 F5
0C B5 8C BC 11 A6 96 A6 69 D8 14 AE F5 2B 0E D3 E6 EB C5 DA
6F EE 99 7B 39 AE 34 5F 08 A9 F6 23 E8 44 12 63 16 08 8C 79
F3 8F C3 8D 58 74 75 C1 3E 25 30 0F 80 5A CE 86 54 57 DB 60
F9 B0 05 2E DC 9C 21 D1 18 E2 2E 3B 8C E5 D9 E4 A0 57 EA EC
23 56 0E E6 06 D3 9D CD 42 A7 7F 3B 9D A7 7D 9C DF 1F 22 B7
33 24 40 80 31 61 6B C7 C4 34 79 CE 23 91 7C 4A E1

Exponent: 01 00 01

Signature Length: 256 bytes / 2048 bits

Signature: 00 7E 1D 4F 95 7D 3E B3 A1 1D F3 F7 8E 47 2E 29 C9 0E 80 BB
01 EC 24 88 6B F1 F0 E2 78 BF B6 D6 58 88 E9 82 7F 72 AF 0E
0E 91 35 18 6B B9 FF BA 2E 53 57 DF 64 6A 10 52 14 EC 74 02
35 63 B3 5F 2C B1 B5 1D B7 D9 41 BC E1 F3 29 1A 2A 76 C1 B7
39 E1 B9 79 A3 2D 6B 38 AB 15 BD BE 87 E9 79 F4 D3 1E 0F 12
39 39 50 1D 40 05 8F 78 04 F6 21 D2 FF E6 85 74 57 D4 5F B0
8C EC F3 88 B8 77 06 04 5F F2 89 75 7C 18 6C 07 4B 2F EF BE
7F 77 42 9A 2D 34 A5 58 68 77 64 81 55 05 5A 86 CF 5B 48 61
2E 75 0E DA B0 8F FD 9B D6 90 1D 27 AB 81 28 E9 B9 D4 01 44
A4 4C 6E E5 A9 CB [...]

10902 - Microsoft Windows 'Administrators' Group User List, Info

Synopsis

There is at least one user in the 'Administrators' group.

Description

Using the supplied credentials, it is possible to extract the member list of the 'Administrators' group. Members of this group have complete access to the remote system.

Solution

Verify that each member of the group should have this type of access.

Risk Factor

None

Plugin Information:

Publication Date: 2002/03/15, Modification Date: 2018/05/16

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following user is a member of the 'Administrators' group :

- abel-win11-stig\lababel (User)

11011 - Microsoft Windows SMB Service Detection, Info

Synopsis

A file / print sharing service is listening on the remote host.

Description

The remote service understands the CIFS (Common Internet File System) or Server Message Block (SMB) protocol, used to provide shared access to files, printers, etc between nodes on a network.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2002/06/05, Modification Date: 2021/02/11

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

A CIFS server is running on this port.

abel-win11-stig(TCP/139) (Vulnerability State: Active)

An SMB server is running on this port.

11457 - Microsoft Windows SMB Registry : Winlogon Cached Password Weakness, Info

Synopsis

User credentials are stored in memory.

Description

The registry key 'HKLM\Software\Microsoft\WindowsNT\CurrentVersion\Winlogon\CachedLogonsCount' is not 0.

Using a value greater than 0 for the CachedLogonsCount key indicates that the remote Windows host locally caches the passwords of the users when they login, in order to continue to allow the users to login in the case of the failure of the primary domain controller (PDC). Cached logon credentials could be accessed by an attacker and subjected to brute force attacks.

See Also

<http://www.nessus.org/u?184d3eab>

<http://www.nessus.org/u?fe16cea8>

<https://technet.microsoft.com/en-us/library/cc957390.aspx>

Solution

Consult Microsoft documentation and best practices.

Risk Factor

None

Plugin Information:

Publication Date: 2003/03/24, Modification Date: 2018/06/05

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Max cached logons : 10

11777 - Microsoft Windows SMB Share Hosting Possibly Copyrighted Material, Info

Synopsis

The remote host may contain material (movies/audio) infringing copyright.

Description

This plugin displays a list of media files (such as .mp3, .ogg, .mpg, .avi) which have been found on the remote SMB shares.

Some of these files may contain copyrighted materials, such as commercial movies or music files, that are being shared without the owner's permission.

If any of these files actually contain copyrighted material, and if they are freely swapped around, your organization might be held liable for copyright infringement by associations such as the RIAA or the MPAA.

Solution

Delete the files infringing copyright.

Risk Factor

None

Plugin Information:

Publication Date: 2003/06/26, Modification Date: 2012/11/29

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Here is a list of files which have been found on the remote SMB shares.
Some of these files may contain copyrighted materials, such as commercial movies or music files.

+ C\$:

```
C:\Windows\ImmersiveControlPanel\SystemSettings\Assets\Aria.mp3
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.8521_none_b67710d34714d46c\Jenny.mp3
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.8521_none_b67710d34714d46c\Guy.mp3
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.8521_none_b67710d34714d46c\Aria.mp3
C:\Windows\ImmersiveControlPanel\SystemSettings\Assets\Jenny.mp3
C:\Windows\ImmersiveControlPanel\SystemSettings\Assets\Guy.mp3
C:\Windows\ImmersiveControlPanel\SystemSettings\Assets\SDRSampleAccessibility.mkv
C:\Windows\SystemResources\Windows.UI.SettingsAppThreshold\SystemSettings\Assets
\EdrCalibration.mkv
C:\Windows\SystemResources\Windows.UI.SettingsAppThreshold\SystemSettings\Assets\HDRSample.mkv
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.8521_none_b67710d34714d46c
\SDRSampleAccessibility.mkv
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.8521_none_b67710d34714d46c\SDRSample.mkv
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.8521_none_b67710d34714d46c\HDRSample.mkv
C:\Windows\WinSxS\amd64_microsoft-windows-
i..ntrolpanel.appxmain_31bf3856ad364e35_10.0.26100.8521_none_b67710d34714d46c\EdrCalibration.mkv
C:\Windows\SystemResources\Windows.UI.SettingsAppThreshold\SystemSettings\Assets\SDRSample.mkv
C:\Windows\SystemApps\Microsoft.Windows.CloudExperienceHost_cw5n1h2txyewy\media\oobe-intro.mp4
C:\Windows\WinSxS\amd64_microsoft-windows-
c..st.appxmain.desktop_31bf3856ad364e35_10.0.26100.8521_none_24ce0ced740ae21\oobe-intro.mp4
```

11936 - OS Identification, Info

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use.

It is also possible sometimes to guess the version of the operating system.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2003/12/09, Modification Date: 2025/06/03

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Remote operating system : Microsoft Windows 11 Pro Build 26200

Confidence level : 101

Method : Misc

Not all fingerprints could give a match. If you think that these signatures would help us improve OS fingerprinting, please submit them by visiting <https://www.tenable.com/research/submitsignatures>.

ICMP:::0:1:0:128:1:128:1:0:::1:X:X:X:X:X:X:X:X:1:1:128:65535:MNWST:8:1:1

SinFP:::

P1:B11113:F0x12:W65535:00204ffff:M1410:

P2:B11113:F0x12:W65535:00204ffff010303080402080affffff44454144:M1410:

P3:B11121:F0x04:W0:00:M0

P4:191800_7_p=49664R

SSLcert:::i/CN:abel-win11-stigs/CN:abel-win11-stig

d7b44672c2c4dcd56ce6be950f1e2a10c9a4de9e

The remote host is running Microsoft Windows 11 Pro Build 26200

16193 - Antivirus Software Check, Info

Synopsis

An antivirus application is installed on the remote host.

Description

An antivirus application is installed on the remote host, and its engine and virus definitions are up to date.

See Also

<http://www.nessus.org/u?3ed73b52>

<https://www.tenable.com/blog/auditing-anti-virus-products-with-nessus>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2005/01/18, Modification Date: 2025/05/27

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Forefront_Endpoint_Protection :

A Microsoft anti-malware product is installed on the remote host :

Product name	: Windows Defender
Path	: C:\ProgramData\Microsoft\Windows Defender\Platform
\4.18.26050.15-0\	
Version	: 4.18.26050.15
Engine version	: 1.1.26050.11

Antivirus signature version : 1.453.93.0
Antispyware signature version : 1.453.93.0

17651 - Microsoft Windows SMB : Obtains the Password Policy, Info

Synopsis

It is possible to retrieve the remote host's password policy using the supplied credentials.

Description

Using the supplied credentials it was possible to extract the password policy for the remote Windows host. The password policy must conform to the Informational System Policy.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2005/03/30, Modification Date: 2015/01/12

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following password policy is defined on the remote host:

Minimum password len: 0
Password history len: 0
Maximum password age (d): 42
Password must meet complexity requirements: Enabled
Minimum password age (d): 0
Forced logoff time (s): Not set
Locked account time (s): 900
Time between failed logon (s): 900
Number of invalid logon before locked out (s): 3

19506 - Nessus Scan Information, Info

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself : - The version of the plugin set. - The type of scanner (Nessus or Nessus Home). - The version of the Nessus Engine. - The port scanner(s) used. - The port range scanned. - The ping round trip time - Whether credentialed or third-party patch management checks are possible. - Whether the display of superseded patches is enabled - The date of the scan. - The duration of the scan. - The number of hosts scanned in parallel. - The number of checks done in parallel.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2005/08/26, Modification Date: 2026/03/04

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Information about this scan :

Nessus version : 10.12.0
Nessus build : 20184
Plugin feed version : 202606131613
Scanner edition used : Nessus
Scanner OS : WINDOWS
Scanner distribution : win-x86-64
Scan type : Normal
Scan name : abel-win11-stig-project-scan2
Scan policy used : abel_TEMPLATE: Windows-11-STIG

Scanner IP : 10.0.0.8
Port scanner(s) : wmi_netstat
Port range : default
Ping RTT : 15.651 ms
Thorough tests : yes
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : yes
Credentialed checks : yes, as '10.2.0.28\lababel' via SMB
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 80
Max checks : 5
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2026/6/14 17:57 UTC
Scan duration : 1799 sec
Scan for malware : no
Fully Scan Operational Technology devices : no
Safely Scan Operational Technology devices with OT Discovery : no

20811 - Microsoft Windows Installed Software Enumeration (credentialed check), Info

Synopsis

It is possible to enumerate installed software.

Description

This plugin lists software potentially installed on the remote host by crawling the registry entries in : HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall HKLM\SOFTWARE\Microsoft\Updates Note that these entries do not necessarily mean the applications are actually installed on the remote host - they may have been left behind by uninstallers, or the associated files may have been manually removed.

Solution

Remove any applications that are not compliant with your organization's acceptable use and security policies.

Risk Factor

None

References

XREF IAVT-0001-T-0501

Plugin Information:

Publication Date: 2006/01/26, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following software are installed on the remote host :

Microsoft Edge [version 149.0.4022.69] [installed on 2026/06/14]
Microsoft Edge Update [version 1.3.241.13]
Microsoft Edge WebView2 Runtime [version 149.0.4022.69] [installed on 2026/06/14]
Nessus Agent (x64) [version 11.2.0.20301] [installed on 2026/06/14]

21643 - SSL Cipher Suites Supported, Info

Synopsis

The remote service encrypts communications using SSL.

Description

This plugin detects which SSL ciphers are supported by the remote service for encrypting communications.

See Also

<https://www.openssl.org/docs/man1.0.2/man1/ciphers.html>

<http://www.nessus.org/u?e17ffced>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2006/06/05, Modification Date: 2026/04/13

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

Here is the list of SSL ciphers supported by the remote server :
Each group is reported per SSL Version.

SSL Version : TLSv1.3

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

TLS_AES_128_GCM_SHA256	0x13, 0x01	-	-	AES-GCM(128)
SHA256				
TLS_AES_256_GCM_SHA384	0x13, 0x02	-	-	AES-GCM(256)
SHA384				

SSL Version : TLSv1.2

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES128-SHA256	0xC0, 0x2F	ECDHE	RSA	AES-GCM(128)
SHA256				
ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDHE	RSA	AES-GCM(256)
SHA384				
RSA-AES128-SHA256	0x00, 0x9C	RSA	RSA	AES-GCM(128)
SHA256				
RSA-AES256-SHA384	0x00, 0x9D	RSA	RSA	AES-GCM(256)
SHA384				
ECDHE-RSA-AES128-SHA	0xC0, 0x13	ECDHE	RSA	AES-CBC(128)
SHA1				
ECDHE-RSA-AES128-SHA256	0xC0, 0x27	ECDHE	RSA	AES-CBC(128)
SHA256				
ECDHE-RSA-AES256-SHA	0xC0, 0x14	ECDHE	RSA	AES-CBC(256)
SHA1				
ECDHE-RSA-AES256-SHA384	0xC0, 0x28	ECDHE	RSA	AES-CBC(256)
SHA384				
AES128-SHA	0x00, 0x2F	RSA	RSA	AES-CBC(128)
SHA1				
RSA-AES128-SHA256	0x00, 0x3C	RSA	RSA	AES-CBC(128)
SHA256				
AES256-SHA	0x00, 0x35	RSA	RSA	AES-CBC(256)
SHA1				
RSA-AES256-SHA256	0x00, 0x3D	RSA	[...]	

23974 - Microsoft Windows SMB Share Hosting Office Files, Info

Synopsis

The remote share contains Office-related files.

Description

This plugin connects to the remotely accessible SMB shares and attempts to find office related files (such as .doc, .ppt, .xls, .pdf etc).

Solution

Make sure that the files containing confidential information have proper access controls set on them.

Risk Factor

None

Plugin Information:

Publication Date: 2007/01/04, Modification Date: 2011/03/21

Ports

445 (TCP/445) (Vulnerability State: Active)

Here is a list of office files which have been found on the remote SMB shares :

+ C\$:

```
- C:\Windows\WinSxS\wow64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.5074_none_b413a7fad9bdd241\MsoIrmProtector.doc
- C:\Windows\WinSxS\wow64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.1_none_151382ec926a1266\MsoIrmProtector.doc
- C:\Windows\WinSxS\amd64_microsoft-windows-r..t-office-protectors_31bf3856ad364e35_10.0.26100.5074_none_a9befda8a55d1046\MsoIrmProtector.doc
- C:\Windows\SysWOW64\MSDRM\MsoIrmProtector.doc
- C:\Windows\System32\MSDRM\MsoIrmProtector.doc
- C:\Program Files\Tenable\Nessus Agent\License.rtf
- C:\Windows\System32\en-US\Licenses\_Default\IoTEnterpriseK\license.rtf
- C:\Windows\System32\en-US\lpeula.rtf
- C:\Windows\System32\en-US\lpeula.rtf
- C:\Windows\System32\Licenses\netral\_Default\IoTEnterpriseK\license.rtf
- C:\Windows\System32\Licenses\netral\_Default\Professional\de-license.rtf
- C:\Windows\System32\Licenses\netral\_Default\Professional\license.rtf
- C:\Windows\System32\oobe\en-US\OOBE_HELP_Cortana_Learn_More.rtf
- C:\Windows\System32\oobe\en-US\OOBE_HELP_Opt_in_Details.rtf
- C:\Windows\System32\oobe\en-US\privacy.rtf
- C:\Windows\System32\oobe\en-US\vofflps.rtf
- C:\Windows\SysWOW64\en-US\Licenses\_Default\IoTEnterpriseK\license.rtf
- C:\Windows\SysWOW64\en-US\lpeula.rtf
- C:\Windows\SysWOW64\en-US\lpeula.rtf
- C:\Windows\SysWOW64\Licenses\netral\_Default\IoTEnterpriseK\license.rtf
- C:\Windows\SysWOW64\Licenses\netral\_Default\Professional\de-license.rtf
- C:\Windows\SysWOW64\Licenses\netral\_Default\Professional\license.rtf
- C:\Windows\WinSxS\amd64_microsoft-windows-h..atement_r.resources_31bf3856ad364e35_10.0.26100.1_en-us_5426832ffd62ba6f\privacy.rtf
- C:\Windows\WinSxS\amd64_microsoft-windows-h..indetails.resources_31bf3856ad364e35_10.0.26100.1_en-us_fb9ab23dbd81f789\OOBE_HELP_Opt_in_Details.rtf
- C:\Windows\WinSxS\amd64_microsoft [..]
```

24269 - WMI Available, Info

Synopsis

WMI queries can be made against the remote host.

Description

The supplied credentials can be used to make WMI (Windows Management Instrumentation) requests against the remote host over DCOM.

These requests can be used to gather information about the remote host, such as its current state, network interface configuration, etc.

See Also

<https://docs.microsoft.com/en-us/windows/win32/wmisdk/wmi-start-page>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2007/02/03, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The remote host returned the following caption from Win32_OperatingSystem:

Microsoft Windows 11 Pro

24270 - Computer Manufacturer Information (WMI), Info

Synopsis

It is possible to obtain the name of the remote computer manufacturer.

Description

By making certain WMI queries, it is possible to obtain the model of the remote computer as well as the name of its manufacturer and its serial number.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2007/02/02, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Computer Manufacturer : Microsoft Corporation
Computer Model : Virtual Machine
Computer SerialNumber : 0000-0012-1515-3693-9814-1106-58
Computer Type : Desktop

Computer Physical CPU's : 1
Computer Logical CPU's : 2
CPU0
Architecture : x64
Physical Cores: 1
Logical Cores : 2

Computer Memory : 4090 MB
None
Form Factor: Unknown
Type : Unknown
Capacity : 1024 MB
None
Form Factor: Unknown
Type : Unknown
Capacity : 3072 MB

24272 - Network Interfaces Enumeration (WMI), Info

Synopsis

Nessus was able to obtain the list of network interfaces on the remote host.

Description

Nessus was able, via WMI queries, to extract a list of network interfaces on the remote host and the IP addresses attached to them. Note that this plugin only enumerates IPv6 addresses for systems running Windows Vista or later.

See Also

<http://www.nessus.org/u?b362cab2>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2007/02/03, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

+ Network Interface Information :

- Network Interface = [00000000] Microsoft Hyper-V Network Adapter
- MAC Address = 7C:1E:52:96:3A:42
- IPAddress/IPSubnet = 10.2.0.28/255.255.248.0
- IPAddress/IPSubnet = fe80::382d:c066:a9:98c4/64

+ Network Interface Information :

- Network Interface = [00000002] Mellanox ConnectX-5 Ex Virtual Adapter
- MAC Address = 7C:1E:52:96:3A:42

+ Routing Information :

Destination	Netmask	Gateway
-----	-----	-----
0.0.0.0	0.0.0.0	10.2.0.1
10.2.0.0	255.255.248.0	0.0.0.0
10.2.0.28	255.255.255.255	0.0.0.0
10.2.7.255	255.255.255.255	0.0.0.0
127.0.0.0	255.0.0.0	0.0.0.0
127.0.0.1	255.255.255.255	0.0.0.0
127.255.255.255	255.255.255.255	0.0.0.0
168.63.129.16	255.255.255.255	10.2.0.1
169.254.169.254	255.255.255.255	10.2.0.1
224.0.0.0	240.0.0.0	0.0.0.0
224.0.0.0	240.0.0.0	0.0.0.0
255.255.255.255	255.255.255.255	0.0.0.0
255.255.255.255	255.255.255.255	0.0.0.0

25220 - TCP/IP Timestamps Supported, Info

Synopsis

The remote service implements TCP timestamps.

Description

The remote host implements TCP timestamps, as defined by RFC1323.

A side effect of this feature is that the uptime of the remote host can sometimes be computed.

See Also

<http://www.ietf.org/rfc/rfc1323.txt>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2007/05/16, Modification Date: 2023/10/17

34096 - BIOS Info (WMI), Info

Synopsis

The BIOS info could be read.

Description

It is possible to get information about the BIOS via the host's WMI interface.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2008/09/05, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Vendor : Microsoft Corporation
Version : Hyper-V UEFI Release v4.1
Release date : 20260108000000.000000+000
UUID : A8A2EE77-14A8-45C2-89BA-FEAAC19A76B9
Secure boot : enabled

34097 - BIOS Info (SMB), Info

Synopsis

BIOS info could be read.

Description

It is possible to get information about the BIOS via the host's SMB interface.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2008/09/08, Modification Date: 2024/06/11

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Version : Hyper-V UEFI Release v4.1
Release date : 20260108000000.000000+000
Secure boot : enabled

34220 - Netstat Portscanner (WMI), Info

Synopsis

Remote open ports can be enumerated via WMI.

Description

Using the WMI interface, Nessus was able to run 'netstat' on the remote host to enumerate the open ports.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2008/09/16, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

```
{"listening":  
[{"port":445,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"cifs","plugin_output":n  
{"port":139,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"smb","plugin_output":nul  
{"port":135,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"epmap","plugin_output":n  
{"port":49664,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-  
rpc","plugin_output":null},  
{"port":49665,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-  
rpc","plugin_output":null},  
{"port":49666,"protocol":"TCP","interfaces":null,"all_interfaces":false,"service_name":"dce-  
rpc","plugin_output":null},
```

34252 - Microsoft Windows Remote Listeners Enumeration (WMI), Info

Description

Solution

Risk Factor	Impact	Control
1. Market Volatility	High	1. Diversification of investments
2. Interest Rate Fluctuations	Medium	2. Hedging strategies
3. Regulatory Changes	Medium	3. Compliance monitoring
4. Operational Risks	Low	4. Robust internal controls
5. Counterparty Risk	Medium	5. Credit rating monitoring
6. Systemic Risk	High	6. Stress testing
7. Liquidity Risk	Medium	7. Liquidity management
8. Reputation Risk	Medium	8. Proactive communication
9. Environmental Risk	Medium	9. ESG integration
10. Human Capital Risk	Medium	10. Talent development

Plugin Information:

Ports
abel-win11-stig(TCP/0) (Vulnerability State: Active)

35716 - Ethernet Card Manufacturer Detection, Info

Description	Value
1. Project Overview	
1.1. Project Name	Alpha Project
1.2. Project Manager	John Doe
1.3. Project Start Date	2023-01-01
1.4. Project End Date	2023-06-30
1.5. Project Budget	\$1,000,000
1.6. Project Status	In Progress
2. Project Objectives	
2.1. Objective 1	Develop a new software product.
2.2. Objective 2	Improve the user interface.
2.3. Objective 3	Reduce the time to market.
2.4. Objective 4	Increase the customer satisfaction.
2.5. Objective 5	Reduce the project risk.
3. Project Scope	
3.1. Scope Item 1	Software development.
3.2. Scope Item 2	UI/UX design.
3.3. Scope Item 3	Testing and deployment.
3.4. Scope Item 4	Marketing and sales.
3.5. Scope Item 5	Customer support.
4. Project Risks	
4.1. Risk 1	Scope creep.
4.2. Risk 2	Resource allocation.
4.3. Risk 3	Timeline pressure.
4.4. Risk 4	Budget constraints.
4.5. Risk 5	Communication gaps.
5. Project Deliverables	
5.1. Deliverable 1	Software product.
5.2. Deliverable 2	User manual.
5.3. Deliverable 3	Test reports.
5.4. Deliverable 4	Marketing materials.
5.5. Deliverable 5	Customer support training.

See Also

<https://standards.ieee.org/faqs/regauth.html>
<http://www.nessus.org/u?794673b4>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2009/02/19, Modification Date: 2020/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

The following card manufacturers were identified :

7C:1E:52:96:3A:42 : Microsoft

38689 - Microsoft Windows SMB Last Logged On User Disclosure, Info

Synopsis

Nessus was able to identify the last logged on user on the remote host.

Description

By connecting to the remote host with the supplied credentials, Nessus was able to identify the username associated with the last successful logon. Microsoft documentation notes that interactive console logons change the DefaultUserName registry entry to be the last logged-on user.

See Also

<http://www.nessus.org/u?a29751b5>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2009/05/05, Modification Date: 2019/09/02

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Last Successful logon : .\Administrator

42410 - Microsoft Windows NTLMSSP Authentication Request Remote Network Name Disclosure, Info

Synopsis

It is possible to obtain the network name of the remote host.

Description

The remote host listens on tcp port 445 and replies to SMB requests. By sending an NTLMSSP authentication request it is possible to obtain the name of the remote system and the name of its domain.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2009/11/06, Modification Date: 2019/11/22

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following 2 NetBIOS names have been gathered :

abel-win11-stig = Computer name
abel-win11-stig = Workgroup / Domain name

42897 - SMB Registry : Start the Registry Service during the scan (WMI), Info

Synopsis

The registry service was enabled for the duration of the scan.

Description

To perform a full credentialed scan, Nessus needs the ability to connect to the remote registry service (RemoteRegistry).

If the service is down, this plugin will attempt to start for the duration of the scan. For this plugin to work, you need to select the option 'Start the Remote Registry service during the scan' on the credentials page when you add your Windows credentials.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2009/11/25, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

The registry service was successfully started for the duration of the scan.

42898 - SMB Registry : Stop the Registry Service after the scan (WMI), Info

Synopsis

The registry service was stopped after the scan.

Description

To perform a full credentialed scan, Nessus needs the ability to connect to the remote registry service (RemoteRegistry).

If the service is down and if Nessus automatically enabled the registry for the duration of the scan, this plugins will stop it afterwards.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2009/11/25, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

The registry service was successfully stopped after the scan.

44401 - Microsoft Windows SMB Service Config Enumeration, Info

Synopsis

It was possible to enumerate configuration parameters of remote services.

Description

Nessus was able to obtain, via the SMB protocol, the launch parameters of each active service on the remote host (executable path, logon type, etc.).

Solution

Ensure that each service is configured properly.

Risk Factor

None

References

XREF

IAVT-0001-T-0752

Plugin Information:

Publication Date: 2010/02/05, Modification Date: 2022/05/16

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following services are set to start automatically :

AppXSvc startup parameters :

Display name : AppX Deployment Service (AppXSVC)
Service name : AppXSvc
Log on as : LocalSystem
Executable path : C:\Windows\system32\svchost.exe -k wsappx -p
Dependencies : rpcss/staterepository/

AudioEndpointBuilder startup parameters :

Display name : Windows Audio Endpoint Builder
Service name : AudioEndpointBuilder
Log on as : LocalSystem
Executable path : C:\Windows\System32\svchost.exe -k LocalSystemNetworkRestricted -p

Audiosrv startup parameters :

Display name : Windows Audio
Service name : Audiosrv
Log on as : NT AUTHORITY\LocalService
Executable path : C:\Windows\System32\svchost.exe -k LocalServiceNetworkRestricted -p
Dependencies : AudioEndpointBuilder/RpcSs/

BFE startup parameters :

Display name : Base Filtering Engine
Service name : BFE
Log on as : NT AUTHORITY\LocalService
Executable path : C:\Windows\system32\svchost.exe -k LocalServiceNoNetworkFirewall -p
Dependencies : RpcSs/

BrokerInfrastructure startup parameters :

Display name : Background Tasks Infrastructure Service
Service name : BrokerInfrastructure
Log on as : LocalSystem
Executable path : C:\Windows\system32\svchost.exe -k DcomLaunch -p
Dependencies : RpcEptMapper/DcomLaunch/RpcSs/

CDPSvc startup parameters :

Display name : Connected Devices Platform Service
Service name : CDPSvc
Log on as : NT AUTHORITY\LocalService
Executable path : C:\Windows\system32\svchost.exe -k LocalService -p
Dependencies : ncbsservice/RpcSS/Tcpip/

CDPUserSvc_94687 startup parameters :

Display name : Connected Devices Platform User Service_94687
Service name : CDPUserSvc_94687
Executable path : C:\Windows\system32\svchost.exe -k UnistackSvcGroup

CoreMessagingRegistrar startup parameters :

Display name : CoreMessaging
Service name : CoreMessagingRegistrar
Log on as : NT AUTHORITY\LocalService
Executable path : C:\ [...]

44871 - WMI Windows Feature Enumeration, Info

Synopsis

It is possible to enumerate Windows features using WMI.

Description

Nessus was able to enumerate the server features of the remote host by querying the 'Win32_ServerFeature' class of the '\Root\cimv2' WMI namespace for Windows Server versions or the 'Win32_OptionalFeature' class of the '\Root\cimv2' WMI namespace for Windows Desktop versions. Note that Features can only be enumerated for Windows 7 and later for desktop versions.

See Also

<https://msdn.microsoft.com/en-us/library/cc280268>

<https://docs.microsoft.com/en-us/windows/desktop/WmiSdk/querying-the-status-of-optional-features>

Solution

N/A

Risk Factor

None

References

XREF IAVT-0001-T-0754

Plugin Information:

Publication Date: 2010/02/24, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Nessus enumerated the following Windows features :

- MSRDC-Infrastructure
- MediaPlayer
- NetFx4-AdvSrvs
- Printing-Foundation-Features
- Printing-Foundation-InternetPrinting-Client
- Printing-PrintToPDFServices-Features
- SearchEngine-Client-Package
- SmbDirect
- WCF-Services45
- WCF-TCP-PortSharing45
- Windows-Defender-Default-Definitions
- WindowsMediaPlayer
- WorkFolders-Client

45590 - Common Platform Enumeration (CPE), Info

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>

<https://nvd.nist.gov/products/cpe>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/04/21, Modification Date: 2026/05/27

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

The remote operating system matched the following CPE :

```
cpe:/o:microsoft:windows_11 -> Microsoft Windows 11
```

Following application CPE's matched on the remote system :

```
cpe:/a:haxx:curl:8.19.0.0 -> Haxx Curl
cpe:/a:haxx:libcurl:8.18.0.0 -> Haxx libcurl
cpe:/a:microsoft:.net_framework:4.8.1 -> Microsoft .NET Framework
cpe:/a:microsoft:.net_framework:4.8.9319.0 -> Microsoft .NET Framework
cpe:/a:microsoft:edge:149.0.4022.69 -> Microsoft Edge
cpe:/a:microsoft:ie:11.1882.26100.0 -> Microsoft Internet Explorer
cpe:/a:microsoft:internet_explorer:11.0.26100.8521 -> Microsoft Internet Explorer
cpe:/a:microsoft:onedrive:26.98.524.4 -> Microsoft OneDrive
cpe:/a:microsoft:remote_desktop_connection:10.0.26100.8521 -> Microsoft Remote Desktop
Connection
cpe:/a:microsoft:system_center_endpoint_protection:4.18.26050.15 -> Microsoft System Center
Endpoint Protection
cpe:/a:microsoft:windows_defender:4.18.26050.15 -> Microsoft Windows Defender
cpe:/a:openssl:openssl:3.4.4 -> OpenSSL Project OpenSSL
cpe:/a:openssl:openssl:3.5.6 -> OpenSSL Project OpenSSL
cpe:/a:openssl:openssl:3.6.0-dev -> OpenSSL Project OpenSSL
cpe:/a:sqlite:sqlite -> SQLite
cpe:/a:sqlite:sqlite:26.98.524.4 -> SQLite
cpe:/a:sqlite:sqlite:3.51.1.0 -> SQLite
cpe:/a:sqlite:sqlite:3.51.2.0 -> SQLite
cpe:/a:tenable:nessus_agent:11.2.0 -> Tenable Nessus Agent
x-cpe:/a:microsoft:azure_guest_agent:2.7.41491.1216
```

48337 - Windows ComputerSystemProduct Enumeration (WMI), Info

Synopsis

It is possible to obtain product information from the remote host using WMI.

Description

By querying the WMI class 'Win32_ComputerSystemProduct', it is possible to extract product information about the computer system such as UUID, IdentifyingNumber, vendor, etc.

See Also

<http://www.nessus.org/u?a21ce849>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/08/16, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

```
+ Computer System Product
- IdentifyingNumber : 0000-0012-1515-3693-9814-1106-58
- Description       : Computer System Product
- Vendor           : Microsoft Corporation
- Name             : Virtual Machine
- UUID            : A8A2EE77-14A8-45C2-89BA-FEAC19A76B9
- Version          : Hyper-V UEFI Release v4.1
```

48763 - Microsoft Windows 'CWDIllegalInDllSearch' Registry Setting, Info

Synopsis

CWDIllegalInDllSearch Settings: Improper settings could allow code execution attacks.

Description

Windows Hosts can be hardened against DLL hijacking attacks by setting the The 'CWDIllegalInDllSearch' registry entry in to one of the following settings: - 0xFFFFFFFF (Removes the current working directory from the default DLL search order) - 1 (Blocks a DLL Load from the current working directory if the current working directory is set to a WebDAV folder) - 2 (Blocks a DLL Load from the current working directory if the current working directory is set to a remote folder)

See Also

<http://www.nessus.org/u?0c574c56>

<http://www.nessus.org/u?5234ef0c>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/08/26, Modification Date: 2019/12/20

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Name : SYSTEM\CurrentControlSet\Control\Session Manager\CWDIllegalInDllSearch
Value : Registry Key Empty or Missing

48942 - Microsoft Windows SMB Registry : OS Version and Processor Architecture, Info

Synopsis

It was possible to determine the processor architecture, build lab strings, and Windows OS version installed on the remote system.

Description

Nessus was able to determine the processor architecture, build lab strings, and the Windows OS version installed on the remote system by connecting to the remote registry with the supplied credentials.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/08/31, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Operating system version = 10.26200
Architecture = x64
Build lab extended = 26100.1.amd64fre.ge_release.240331-1435

51186 - WMI Trusted Platform Module Enumeration, Info

Synopsis

The remote Windows host has a Trusted Platform Module available.

Description

By connecting to the remote host with the supplied credentials, this plugin enumerates information about the Trusted Platform Module installed on the remote host via WMI.

See Also

<http://www.nessus.org/u?69aba7c6>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2010/12/14, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Here is the info about the Trusted Platform Modules installed on the remote system :

```
+ ManufacturerId : MSFT/1297303124

- IsActivated_InitialValue : 1
- IsEnabled_InitialValue : 1
- IsOwned_InitialValue : 1
- ManufacturerVersion : 8224.786.18.3
- PhysicalPresenceVersionInfo : 1.3
- SpecVersion : 2.0, 0, 1.38
```

51351 - Microsoft .NET Framework Detection, Info

Synopsis

A software framework is installed on the remote host.

Description

Microsoft .NET Framework, a software framework for Microsoft Windows operating systems, is installed on the remote host.

See Also

<https://www.microsoft.com/net>

<http://www.nessus.org/u?15ae6806>

Solution

N/A

Risk Factor

None

References

XREF

IAVT-0001-T-0655

Plugin Information:

Publication Date: 2010/12/20, Modification Date: 2025/10/15

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Nessus detected 2 installs of Microsoft .NET Framework:

```
Path      : C:\Windows\Microsoft.NET\Framework64\v4.0.30319\
Version   : 4.8.1
Full Version : 4.8.09221
Install Type : Full
Release   : 533509
```

```
Path      : C:\Windows\Microsoft.NET\Framework64\v4.0.30319\
Version   : 4.8.1
Full Version : 4.8.09221
Install Type : Client
Release   : 533509
```

52001 - WMI QuickFixEngineering (QFE) Enumeration, Info

Synopsis

The remote Windows host has quick-fix engineering updates installed.

Description

By connecting to the remote host with the supplied credentials, this plugin enumerates quick-fix engineering updates installed on the remote host via WMI.

See Also

<http://www.nessus.org/u?0c4ec249>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2011/02/16, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Here is a list of quick-fix engineering updates installed on the remote system :

- + KB5087051
 - Description : Update
 - InstalledOn : 6/7/2026
- + KB5054156
 - Description : Update
 - InstalledOn : 6/7/2026
- + KB5094126
 - Description : Security Update
 - InstalledOn : 6/7/2026
- + KB5094135
 - Description : Security Update
 - InstalledOn : 6/7/2026

Note that for detailed information on installed QFE's such as InstalledBy, Caption, and so on, please run the scan with 'Report Verbosity' set to 'verbose'.

54615 - Device Type, Info

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2011/05/23, Modification Date: 2025/03/12

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Remote device type : general-purpose
Confidence level : 101

55472 - Device Hostname, Info

Synopsis

It was possible to determine the remote system hostname.

Description

This plugin reports a device's hostname collected via SSH or WMI.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2011/06/30, Modification Date: 2026/06/02

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Hostname : abel-win11-stig
abel-win11-stig (WMI)

56468 - Time of Last System Startup, Info

Synopsis

The system has been started.

Description

Using the supplied credentials, Nessus was able to determine when the host was last started.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2011/10/12, Modification Date: 2018/06/19

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

20260614175354.691661+000

56984 - SSL / TLS Versions Supported, Info

Synopsis

The remote service encrypts communications.

Description

This plugin detects which SSL and TLS versions are supported by the remote service for encrypting communications.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2011/12/01, Modification Date: 2025/06/16

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

This port supports TLSv1.3/TLSv1.0/TLSv1.1/TLSv1.2.

57033 - Microsoft Patch Bulletin Feasibility Check, Info

Synopsis

Nessus is able to check for Microsoft patch bulletins.

Description

Using credentials supplied in the scan policy, Nessus is able to collect information about the software and patches installed on the remote Windows host and will use that information to check for missing Microsoft security updates. Note that this plugin is purely informational.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2011/12/06, Modification Date: 2021/07/12

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Nessus is able to test for missing patches using :
Nessus

57041 - SSL Perfect Forward Secrecy Cipher Suites Supported, Info

Synopsis

The remote service supports the use of SSL Perfect Forward Secrecy ciphers, which maintain confidentiality even if the key is stolen.

Description

The remote host supports the use of SSL ciphers that offer Perfect Forward Secrecy (PFS) encryption. These cipher suites ensure that recorded SSL traffic cannot be broken at a future date if the server's private key is compromised.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>

https://en.wikipedia.org/wiki/Diffie-Hellman_key_exchange

https://en.wikipedia.org/wiki/Perfect_forward_secrecy

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2011/12/07, Modification Date: 2021/03/09

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

Here is the list of SSL PFS ciphers supported by the remote server :

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES128-SHA256	0xC0, 0x2F	ECDHE	RSA	AES-GCM(128)
SHA256				
ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDHE	RSA	AES-GCM(256)
SHA384				
ECDHE-RSA-AES128-SHA	0xC0, 0x13	ECDHE	RSA	AES-CBC(128)
SHA1				
ECDHE-RSA-AES128-SHA256	0xC0, 0x27	ECDHE	RSA	AES-CBC(128)
SHA256				
ECDHE-RSA-AES256-SHA	0xC0, 0x14	ECDHE	RSA	AES-CBC(256)
SHA1				
ECDHE-RSA-AES256-SHA384	0xC0, 0x28	ECDHE	RSA	AES-CBC(256)
SHA384				

The fields above are :

```
{Tenable ciphername}  
{Cipher ID code}  
Kex={key exchange}  
Auth={authentication}  
Encrypt={symmetric encryption method}  
MAC={message authentication code}  
{export flag}
```

58181 - Windows DNS Server Enumeration, Info

Synopsis

Nessus enumerated the DNS servers being used by the remote Windows host.

Description

Nessus was able to enumerate the DNS servers configured on the remote Windows host by looking in the registry.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2012/03/01, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Nessus enumerated DNS servers for the following interfaces :

Interface: {734e05ca-50a0-444e-9441-d07e5846ed97}
Network Connection : Ethernet
DhcpNameServer: 168.63.129.16

Interface: Default
DhcpNameServer: 168.63.129.16

58452 - Microsoft Windows Startup Software Enumeration, Info

Synopsis

It is possible to enumerate startup software.

Description

This plugin lists software that is configured to run on system startup by crawling the registry entries in : - HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run - HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows\CurrentVersion\Run

Solution

Review the list of applications and remove any that are not compliant with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication Date: 2012/03/23, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following startup item was found :

SecurityHealth - %windir%\system32\SecurityHealthSystray.exe

62042 - SMB QuickFixEngineering (QFE) Enumeration, Info

Synopsis

The remote host has quick-fix engineering updates installed.

Description

By connecting to the host with the supplied credentials, this plugin enumerates quick-fix engineering updates installed on the remote host via the registry.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2012/09/11, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Here is a list of quick-fix engineering updates installed on the remote system :

KB5054156, Installed on: 2026/06/07

KB5087051, Installed on: 2026/06/07

63080 - Microsoft Windows Mounted Devices, Info

Synopsis

It is possible to get a list of mounted devices that may have been connected to the remote system in the past.

Description

By connecting to the remote host with the supplied credentials, this plugin enumerates mounted devices that have been connected to the remote host in the past.

See Also

<http://www.nessus.org/u?99fcc329>

Solution

Make sure that the mounted drives agree with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication Date: 2012/11/28, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Name : \\??\volume{49f3d043-6806-11f1-bbb8-806e6f6e6963}
Data : \\??\SCSI\CdRom&Ven_Msft&Prod_Virtual_DVD-ROM#5&394b69d0&0&000002#{53f5630d-b6bf-11d0-94f2-00a0c91efb8b}

Raw data :
5c003f003f005c00530043005300490023004300640052006f006d002600560065006e005f004d007300660074002600500072006f006

Name : \dosdevices\d:
Data : \\??\SCSI\CdRom&Ven_Msft&Prod_Virtual_DVD-ROM#5&394b69d0&0&000002#{53f5630d-b6bf-11d0-94f2-00a0c91efb8b}

Raw data :
5c003f003f005c00530043005300490023004300640052006f006d002600560065006e005f004d007300660074002600500072006f006

Name : \dosdevices\c:
Data : DMI0:ID:gpF|K. [
Raw data : 444d494f3a49443abfdbb6770ce467c4ba08d2ecfd0865bde

63620 - Windows Product Key Retrieval, Info

Synopsis

This plugin retrieves the Windows Product key of the remote Windows host.

Description

Using the supplied credentials, Nessus was able to obtain the retrieve the Windows host's partial product key'.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/01/18, Modification Date: 2013/01/18

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Product key : XXXXX-XXXXX-XXXXX-XXXXX-T83GX

Note that all but the final portion of the key has been obfuscated.

64582 - Netstat Connection Information, Info

Synopsis

Nessus was able to parse the results of the 'netstat' command on the remote host.

Description

The remote host has listening ports or established connections that Nessus was able to extract from the results of the 'netstat' command. Note: The output for this plugin can be very long, and is not shown by default. To display it, enable verbose reporting in scan settings.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/02/13, Modification Date: 2023/05/23

64814 - Terminal Services Use SSL/TLS, Info

Synopsis

The remote Terminal Services use SSL/TLS.

Description

The remote Terminal Services is configured to use SSL/TLS.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/02/22, Modification Date: 2023/07/10

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

Subject Name:

Common Name: abel-win11-stig

Issuer Name:

Common Name: abel-win11-stig

Serial Number: 37 6E A0 BD 1D 1F 46 A3 4E E7 AA 4B 4A 60 82 82

Version: 3

Signature Algorithm: SHA-256 With RSA Encryption

Not Valid Before: Jun 13 15:33:49 2026 GMT

Not Valid After: Dec 13 15:33:49 2026 GMT

Public Key Info:

Algorithm: RSA Encryption

Key Length: 2048 bits

Public Key: 00 E4 A2 32 AE BA 44 50 C2 32 2C 25 1E 7B 15 4C 1C 69 6A 1A
B0 BC 88 61 05 9A 2B FB 60 87 5C 56 D6 FB 52 E6 56 01 1C DC
BB 86 8A 6B B8 10 D8 89 92 BB 40 62 60 27 81 E4 79 0A EA 8E
01 7A B3 C0 EA 18 8F 22 71 94 7D 77 2C FD B7 AA 96 3D 51 AA
32 2C 72 5F 71 D5 DB AE E1 86 F4 C7 50 E6 93 9C 65 E9 2A 56
32 7B 22 31 79 5E 9D 6D DD 23 36 33 FC 58 E1 3A 2C 04 58 34
B2 41 60 43 DE C6 1D 92 E8 B7 65 46 60 00 90 98 F4 68 F9 F5
0C B5 8C BC 11 A6 96 A6 69 D8 14 AE F5 2B 0E D3 E6 EB C5 DA
6F EE 99 7B 39 AE 34 5F 08 A9 F6 23 E8 44 12 63 16 08 8C 79
F3 8F C3 8D 58 74 75 C1 3E 25 30 0F 80 5A CE 86 54 57 DB 60
F9 B0 05 2E DC 9C 21 D1 18 E2 2E 3B 8C E5 D9 E4 A0 57 EA EC
23 56 0E E6 06 D3 9D CD 42 A7 7F 3B 9D A7 7D 9C DF 1F 22 B7
33 24 40 80 31 61 6B C7 C4 34 79 CE 23 91 7C 4A E1

Exponent: 01 00 01

Signature Length: 256 bytes / 2048 bits

Signature: 00 7E 1D 4F 95 7D 3E B3 A1 1D F3 F7 8E 47 2E 29 C9 0E 80 BB
01 EC 24 88 6B F1 F0 E2 78 BF B6 D6 58 88 E9 82 7F 72 AF 0E
0E 91 35 18 6B B9 FF BA 2E 53 57 DF 64 6A 10 52 14 EC 74 02
35 63 B3 5F 2C B1 B5 1D B7 D9 41 BC E1 F3 29 1A 2A 76 C1 B7
39 E1 B9 79 A3 2D 6B 38 AB 15 BD BE 87 E9 79 F4 D3 1E 0F 12
39 39 50 1D 40 05 8F 78 04 F6 21 D2 FF E6 85 74 57 D4 5F B0
8C EC F3 88 B8 77 06 04 5F F2 89 75 7C 18 6C 07 4B 2F EF BE
7F 77 42 9A 2D 34 A5 58 68 77 64 81 55 05 5A 86 CF 5B 48 61
2E 75 0E DA B0 8F FD 9B D6 90 1D 27 AB 81 28 E9 B9 D4 01 44
A4 4C 6E E5 A9 CB [...]

66334 - Patch Report, Info

Synopsis

The remote host is missing several patches.

Description

The remote host is missing one or more security patches.

This plugin lists the newest version of each patch to install to make sure the remote host is up-to-date. Note: Because the 'Show missing patches that have been superseded' setting in your scan policy depends on this plugin, it will always run and cannot be disabled.

Solution

Install the patches listed below.

Risk Factor

None

Plugin Information:

Publication Date: 2013/07/08, Modification Date: 2026/06/09

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

. You need to take the following 4 actions :

[SQLite <= 3.51.1 Information Disclosure (303594)]

+ Action to take : Upgrade to SQLite 3.51.2 or later.

[libcurl 7.12.0 < 8.20.0 Cross-Proxy Digest Auth State Leak (311422)]

+ Action to take : Upgrade libcurl to version 8.20.0 or later

[libcurl 7.14.0 < 8.20.0 Netrc Password Leak on HTTP Redirect (311421)]

+ Action to take : Upgrade libcurl to version 8.20.0 or later

[libcurl 7.71.0 < 8.20.0 Cookie Leak via Stale Host Header (311420)]

+ Action to take : Upgrade libcurl to version 8.20.0 or later

66424 - Microsoft Malicious Software Removal Tool Installed, Info

Synopsis

An antimalware application is installed on the remote Windows host.

Description

The Microsoft Malicious Software Removal Tool is installed on the remote host.

This tool is an application that attempts to detect and remove known malware from Windows systems.

See Also

<http://www.nessus.org/u?47a3e94d>

<https://support.microsoft.com/en-us/help/891716>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/05/15, Modification Date: 2023/01/10

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

File : C:\Windows\system32\MRT.exe
Version : 5.142.26060.1001
Release at last run : unknown
Report infection information to Microsoft : Yes

70329 - Microsoft Windows Process Information, Info

Synopsis

Use WMI to obtain running process information.

Description

Report details on the running processes on the machine. This plugin is informative only and could be used for forensic investigation, malware detection, and to confirm that your system processes conform to your system policies.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/10/08, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Process Overview :
SID: Process (PID)

```

0 : System Idle Process (0)
0 : |- System (4)
0 :   |- Memory Compression (2332)
0 :     |- smss.exe (484)
2 : winlogon.exe (3068)
2 :   |- dwm.exe (4712)
2 :   |- fontdrvhost.exe (4792)
2 :   csrss.exe (5344)
0 : csrss.exe (656)
2 : explorer.exe (6808)
2 :   |- SecurityHealthSystray.exe (10168)
2 :   |- OneDrive.exe (10232)
2 :   |- powershell.exe (6084)
2 :     |- conhost.exe (7800)
2 :   |- msedge.exe (9936)
2 :     |- msedge.exe (10356)
2 :     |- msedge.exe (10364)
2 :     |- msedge.exe (10388)
2 :     |- msedge.exe (5180)
0 : wininit.exe (728)
0 :   |- fontdrvhost.exe (540)
0 :   |- services.exe (868)
0 :     |- svchost.exe (1008)
2 :       |- dllhost.exe (11020)
2 :       |- OpenConsole.exe (11148)
2 :       |- RuntimeBroker.exe (2388)
0 :       |- WmiPrvSE.exe (3608)
2 :       |- ShellExperienceHost.exe (3632)
0 :       |- WmiPrvSE.exe (4976)
0 :       |- WmiPrvSE.exe (6092)
2 :       |- StartMenuExperienceHost.exe (7624)
2 :       |- SearchHost.exe (7656)
2 :         |- msedgewebview2.exe (8324)
2 :           |- msedgewebview2.exe (8388)
2 :           |- msedgewebview2.exe (8900)
2 :           |- msedgewebview2.exe (8920)
2 :           |- msedgewebview2.exe (8968)
2 :           |- msedgewebview2.exe (8976)
2 :       |- backgroundTaskHost.exe (7736)
2 :       |- Widgets.exe (7748)
2 :         |- msedgewebview2.exe (6388)
2 :           |- msedgewebview2.exe (10652)
2 :           |- msedgewebview2.exe (10732)
2 :           |- msedgewebview2.exe (6948)
2 :           |- msedgewebview2.exe (7024)
2 :           |- msedgewebview2.exe (9024)
2 :       |- RuntimeBroker.exe (7788)
2 :       |- WindowsTerminal.exe (804)
2 :       |- WidgetService.exe (8588)
2 :       |- RuntimeBroker.exe (9980)
0 :   |- SecurityHealthService.exe (10184)
0 :   |- svchost.exe (10348)
0 :   |- svchost.exe (1040)
0 :   |- svchost.exe (10592)
0 :   |- svchost.exe (1088)
0 :   |- svchost [...]

```

70331 - Microsoft Windows Process Module Information, Info

Synopsis

Use WMI to obtain running process module information.

Description

Report details on the running processes modules on the machine. This plugin is informative only and could be used for forensic investigation, malware detection, and to that confirm your system processes conform to your system policies.

Solution

N/A

Risk Factor

None

Plugin Information:

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Process_Modules_10.2.0.28.csv : lists the loaded modules for each process.

70544 - SSL Cipher Block Chaining Cipher Suites Supported, Info

Synopsis

The remote service supports the use of SSL Cipher Block Chaining ciphers, which combine previous blocks with subsequent ones.

Description

The remote host supports the use of SSL ciphers that operate in Cipher Block Chaining (CBC) mode. These cipher suites offer additional security over Electronic Codebook (ECB) mode, but have the potential to leak information if used improperly.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>

<http://www.nessus.org/u?cc4a822a>

<https://www.openssl.org/~bodo/tls-cbc.txt>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/10/22, Modification Date: 2021/02/03

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

Here is the list of SSL CBC ciphers supported by the remote server :

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES128-SHA	0xC0, 0x13	ECDHE	RSA	AES-CBC(128)
SHA1				
ECDHE-RSA-AES128-SHA256	0xC0, 0x27	ECDHE	RSA	AES-CBC(128)
SHA256				
ECDHE-RSA-AES256-SHA	0xC0, 0x14	ECDHE	RSA	AES-CBC(256)
SHA1				
ECDHE-RSA-AES256-SHA384	0xC0, 0x28	ECDHE	RSA	AES-CBC(256)
SHA384				
AES128-SHA	0x00, 0x2F	RSA	RSA	AES-CBC(128)
SHA1				
RSA-AES128-SHA256	0x00, 0x3C	RSA	RSA	AES-CBC(128)
SHA256				
AES256-SHA	0x00, 0x35	RSA	RSA	AES-CBC(256)
SHA1				
RSA-AES256-SHA256	0x00, 0x3D	RSA	RSA	AES-CBC(256)
SHA256				

The fields above are :

```
{Tenable ciphername}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

71246 - Enumerate Local Group Memberships, Info

Synopsis

Nessus was able to connect to a host via SMB to retrieve a list of local Groups and their Members.

Description

Nessus was able to connect to a host via SMB to retrieve a list of local Groups and their Members. Note: Unable to query local Domain Controllers during Agent scans. Rendering Group data obtained by plugin 171956.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2013/12/06, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Group Name : Access Control Assistance Operators
Host Name : abel-win11-stig
Group SID : S-1-5-32-579
Members :

Group Name : Administrators
Host Name : abel-win11-stig
Group SID : S-1-5-32-544
Members :
Name : lababel
Domain : abel-win11-stig
Class : Win32_UserAccount
SID : S-1-5-21-1900297511-865123394-4177113028-500

Group Name : Backup Operators
Host Name : abel-win11-stig
Group SID : S-1-5-32-551
Members :

Group Name : Cryptographic Operators
Host Name : abel-win11-stig
Group SID : S-1-5-32-569
Members :

Group Name : Device Owners
Host Name : abel-win11-stig
Group SID : S-1-5-32-583
Members :

Group Name : Distributed COM Users
Host Name : abel-win11-stig
Group SID : S-1-5-32-562
Members :

Group Name : Event Log Readers
Host Name : abel-win11-stig
Group SID : S-1-5-32-573
Members :

Group Name : Guests
Host Name : abel-win11-stig
Group SID : S-1-5-32-546
Members :
Name : Guest
Domain : abel-win11-stig
Class : Win32_UserAccount
SID : S-1-5-21-1900297511-865123394-4177113028-501

Group Name : Hyper-V Administrators
Host Name : abel-win11-stig
Group SID : S-1-5-32-578
Members :

```

Group Name : IIS_IUSRS
Host Name  : abel-win11-stig
Group SID  : S-1-5-32-568
Members   :
  Name : IUSR
  Domain : abel-win11-stig
  Class : Win32_SystemAccount
  SID   : S-1-5-17

Group Name : Network Configuration Operators
Host Name  : abel-win11-stig
Group SID  : S-1-5-32-556
Members   :

Group Name : OpenSSH Users
Host Name  : abel-win11-stig
Group SID  : S-1-5-32-585
Members   :

Group Name : Performance Log Users
Host Name  : abel-win11-stig
Group SID  : S-1-5-32-559
Members   :

Group Name : Performance Monitor Users
Host Name  : abel-win11-stig
Group SID  : S-1-5-32-558
Members   :

Group Name : Power Users
Host Name  : abel-win11-stig
Group SID  : S-1-5-32-547
Members   :

Group Name : Remote Desktop Users
Host Name  : abel-win11-stig
Group SID  : S-1-5-32-555
Members   :

Group Name : Remote Management Users
Host [...]

```

72367 - Microsoft Internet Explorer Version Detection, Info

Synopsis

Internet Explorer is installed on the remote host.

Description

The remote Windows host contains Internet Explorer, a web browser created by Microsoft.

See Also

<https://support.microsoft.com/en-us/help/17621/internet-explorer-downloads>

Solution

N/A

Risk Factor

None

References

XREF IAVT-0001-T-0509

Plugin Information:

Publication Date: 2014/02/06, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Version : 11.1882.26100.0

72482 - Windows Display Driver Enumeration, Info

Synopsis

Nessus was able to enumerate one or more of the display drivers on the remote host.

Description

Nessus was able to enumerate one or more of the display drivers on the remote host via WMI.

See Also

<http://www.nessus.org/u?b6e87533>

Solution

N/A

Risk Factor

None

References

XREF IAVT-0001-T-0756

Plugin Information:

Publication Date: 2014/02/06, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Device Name : Microsoft Hyper-V Video
Driver File Version : 10.0.26100.1150
Driver Date : 06/21/2006

Device Name : Microsoft Remote Display Adapter
Driver File Version : 10.0.26100.8521
Driver Date : 06/21/2006

72684 - Enumerate Users via WMI, Info

Synopsis

Nessus was able to connect to a host via SMB to retrieve a list of users using WMI.

Description

Nessus was able to connect to a host via SMB to retrieve a list of users using WMI.
Only identities that the authenticated SMB user has permissions to view will be retrieved by this plugin. Note:
Unable to query local Domain Controllers during Agent scans. Rendering User data obtained by plugin 171956.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2014/02/25, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Name : DefaultAccount
SID : S-1-5-21-1900297511-865123394-4177113028-503
Disabled : True
Lockout : False
Change password : True
Source : Local

Name : Guest
SID : S-1-5-21-1900297511-865123394-4177113028-501
Disabled : True
Lockout : False
Change password : False
Source : Local

Name : lababel

SID : S-1-5-21-1900297511-865123394-4177113028-500
Disabled : False
Lockout : False
Change password : True
Source : Local

Name : WDAGUtilityAccount
SID : S-1-5-21-1900297511-865123394-4177113028-504
Disabled : True
Lockout : False
Change password : True
Source : Local

No. Of Users : 4

77668 - Windows Prefetch Folder, Info

Synopsis

Nessus was able to retrieve the Windows prefetch folder file list.

Description

Nessus was able to retrieve and display the contents of the Windows prefetch folder (%systemroot%\prefetch*).

This information shows programs that have run with the prefetch and superfetch mechanisms enabled.

See Also

<http://www.nessus.org/u?8242d04f>

<http://www.nessus.org/u?d6b15983>

<http://www.forensicswiki.org/wiki/Prefetch>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2014/09/12, Modification Date: 2018/11/15

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

+ HKLM\SYSTEM\CurrentControlSet\Control\Session Manager\Memory Management\PrefetchParameters
rootdirpath :
enableprefetcher : 3

+ Prefetch file list :

- \Windows\prefetch\AM_BASE.EXE-FE51F0AA.pf
- \Windows\prefetch\AM_DELTA.EXE-3A6EE7FD.pf
- \Windows\prefetch\AM_ENGINE.EXE-79E5B6A9.pf
- \Windows\prefetch\APP ACTIONS.EXE-7486F5D1.pf
- \Windows\prefetch\ARP.EXE-AE6635A1.pf
- \Windows\prefetch\AUDIO DG.EXE-9848A323.pf
- \Windows\prefetch\BACKGROUND TASKHOST.EXE-0E2A6669.pf
- \Windows\prefetch\BACKGROUND TASKHOST.EXE-27DD6AFB.pf
- \Windows\prefetch\BACKGROUND TASKHOST.EXE-D0E06976.pf
- \Windows\prefetch\BFET00LWIN8.EXE-45FF4CC3.pf
- \Windows\prefetch\BFET00LWIN8.EXE-A5B93B5C.pf
- \Windows\prefetch\CMD.EXE-CD245F9E.pf
- \Windows\prefetch\COLLECTGUESTLOGS.EXE-BF881916.pf
- \Windows\prefetch\COMPATTEL RUNNER.EXE-93B5AB09.pf
- \Windows\prefetch\CONHOST.EXE-F98A1078.pf
- \Windows\prefetch\CSC.EXE-064435F2.pf
- \Windows\prefetch\CVTRES.EXE-84F07AF8.pf
- \Windows\prefetch\DEFRAG.EXE-22AD8A37.pf
- \Windows\prefetch\DIRECTX DATABASE UPDATER.EXE-B419FBAB.pf
- \Windows\prefetch\DISM.EXE-7604A19B.pf
- \Windows\prefetch\DISMHOST.EXE-71696596.pf
- \Windows\prefetch\DLLHOST.EXE-02F39419.pf
- \Windows\prefetch\DLLHOST.EXE-2A97EA94.pf
- \Windows\prefetch\DLLHOST.EXE-2F638E4F.pf
- \Windows\prefetch\DLLHOST.EXE-38926D07.pf

- \Windows\prefetch\DLLHOST.EXE-620FA5BD.pf
- \Windows\prefetch\DLLHOST.EXE-6BABA3E7.pf
- \Windows\prefetch\DLLHOST.EXE-9A24B39E.pf
- \Windows\prefetch\DLLHOST.EXE-A8127979.pf
- \Windows\prefetch\DLLHOST.EXE-D6E392F8.pf
- \Windows\prefetch\DLLHOST.EXE-F9D69405.pf
- \Windows\prefetch\DRVINST.EXE-26FFA444.pf
- \Windows\prefetch\ELEVATION_SERVICE.EXE-E2C6CED8.pf
- \Windows\prefetch\FILECOAUTH.EXE-0DED5BC4.pf
- \Windows\prefetch\FILECOAUTH.EXE-4A444A1E.pf
- \Windows\prefetch\FILESYNCCONFIG.EXE-0A5706A1.pf
- \Windows\prefetch\FILESYNCCONFIG.EXE-5B173587.pf
- \Windows\prefetch\FINDVOLUME.EXE-4D231F0C.pf
- \Windows\prefetch\FINDVOLUME.EXE-5EB7CCD5.pf

[...]

86420 - Ethernet MAC Addresses, Info

Synopsis

This plugin gathers MAC addresses from various sources and consolidates them into a list.

Description

This plugin gathers MAC addresses discovered from both remote probing of the host (e.g. SNMP and Netbios) and from running local checks (e.g. ifconfig).

It then consolidates the MAC addresses into a single, unique, and uniform list.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2015/10/16, Modification Date: 2025/06/10

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

The following is a consolidated list of detected MAC addresses:

- 7C:1E:52:96:3A:42

92364 - Microsoft Windows Environment Variables, Info

Synopsis

Nessus was able to collect and report environment variables from the remote host.

Description

Nessus was able to collect system and active account environment variables on the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

References

XREF IAVT-0001-T-0757

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2026/01/29

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Global Environment Variables :

- processor_level : 25
- comspec : %SystemRoot%\system32\cmd.exe
- number_of_processors : 2
- username : SYSTEM
- os : Windows_NT

```
temp : %SystemRoot%\TEMP
processor_revision : 1101
path : %SystemRoot%\system32;%SystemRoot%;%SystemRoot%\System32\Wbem;%SYSTEMROOT%\System32\WindowsPowerShell\v1.0\;%SYSTEMROOT%\System32\OpenSSH\
tmp : %SystemRoot%\TEMP
processor_identifier : AMD64 Family 25 Model 17 Stepping 1, AuthenticAMD
driverdata : C:\Windows\System32\Drivers\DriverData
pathext : .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
processor_architecture : AMD64
psmodulepath : %ProgramFiles%\WindowsPowerShell\Modules;%SystemRoot%\system32\WindowsPowerShell\v1.0\Modules
windir : %SystemRoot%
```

Active User Environment Variables

```
- S-1-5-21-1900297511-865123394-4177113028-500
  userdomain : abel-win11-stig
  username : lababel
  temp : %USERPROFILE%\AppData\Local\Temp
  path : %USERPROFILE%\AppData\Local\Microsoft\WindowsApps;
  logonserver : \\abel-win11-stig
  localappdata : C:\Users\lababel\AppData\Local
  tmp : %USERPROFILE%\AppData\Local\Temp
  homedrive : C:
  homepath : \Users\lababel
  userdomain_roamingprofile : abel-win11-stig
  userprofile : C:\Users\lababel
  onedrive : C:\Users\lababel\OneDrive
  appdata : C:\Users\lababel\AppData\Roaming
```

92365 - Microsoft Windows Hosts File, Info

Synopsis

Nessus was able to collect the hosts file from the remote host.

Description

Nessus was able to collect the hosts file from the remote Windows host and report it as attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2020/01/27

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Windows hosts file attached.

MD5: 3688374325b992def12793500307566d

SHA-1: 4bed0823746a2a8577ab08ac8711b79770e48274

SHA-256: 2d6bdfb341be3a6234b24742377f93aa7c7cfb0d9fd64efa9282c87852e57085

92366 - Microsoft Windows Last Boot Time, Info

Synopsis

Nessus was able to collect the remote host's last boot time in a human readable format.

Description

Nessus was able to collect and report the remote host's last boot time as an ISO 8601 timestamp.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/07/09

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Last reboot : 2026-06-14T17:53:54+00:00 (20260614175354.691661+000)

92368 - Microsoft Windows Scripting Host Settings, Info

Synopsis

Nessus was able to collect and report the Windows scripting host settings from the remote host.

Description

Nessus was able to collect system and user level Windows scripting host settings from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/23

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

```
HKLM\SOFTWARE\Microsoft\Windows Script Host\Settings\displaylogo : 1
HKLM\SOFTWARE\Microsoft\Windows Script Host\Settings\usewinsafer : 1
HKLM\SOFTWARE\Microsoft\Windows Script Host\Settings\silentterminate : 0
HKLM\SOFTWARE\Microsoft\Windows Script Host\Settings\activedebugging : 1
HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows Script Host\Settings\displaylogo : 1
HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows Script Host\Settings\usewinsafer : 1
HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows Script Host\Settings\silentterminate : 0
HKLM\SOFTWARE\Wow6432Node\Microsoft\Windows Script Host\Settings\activedebugging : 1
```

windows scripting host configuration attached.

92369 - Microsoft Windows Time Zone Information, Info

Synopsis

Nessus was able to collect and report time zone information from the remote host.

Description

Nessus was able to collect time zone information from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2023/06/06

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

```
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\TimeZoneKeyName : UTC
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\StandardName : @tzres.dll,-932
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\DaylightName : @tzres.dll,-931
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\DynamicDaylightTimeDisabled : 0x00000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\StandardBias : 0x00000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\DaylightBias : 0x00000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\Bias : 0x00000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\DaylightStart :
00000000000000000000000000000000
HKLM\SYSTEM\CurrentControlSet\Control\TimeZoneInformation\StandardStart :
00000000000000000000000000000000
```

92370 - Microsoft Windows ARP Table, Info

Synopsis

Nessus was able to collect and report ARP table information from the remote host.

Description

Nessus was able to collect ARP table information from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

10.2.0.1 : 12-34-56-78-9a-bc
10.2.7.255 : ff-ff-ff-ff-ff-ff
224.0.0.22 : 01-00-5e-00-00-16
224.0.0.252 : 01-00-5e-00-00-fc
239.255.255.250 : 01-00-5e-7f-ff-fa
255.255.255.255 : ff-ff-ff-ff-ff-ff

Extended ARP table information attached.

92371 - Microsoft Windows DNS Cache, Info

Synopsis

Nessus was able to collect and report DNS cache information from the remote host.

Description

Nessus was able to collect details of the DNS cache from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

204.47.146.67.in-addr.arpa
array514.prod.do.dsp.mp.microsoft.com
array519.prod.do.dsp.mp.microsoft.com

DNS cache information attached.

92373 - Microsoft Windows SMB Sessions, Info

Synopsis

Nessus was able to collect and report SMB session information from the remote host.

Description

Nessus was able to collect details of SMB sessions from the remote Windows host and generate a report as a CSV attachment.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

lababel

Extended SMB session information attached.

92415 - Application Compatibility Cache, Info

Synopsis

Nessus was able to gather application compatibility settings on the remote host.

Description

Nessus was able to generate a report on the application compatibility cache on the remote Windows host.

See Also

https://dl.mandiant.com/EE/library/Whitepaper_ShimCacheParser.pdf

<http://www.nessus.org/u?4a076105>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/23

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Application compatibility cache report attached.

92418 - Windows Explorer Typed Paths, Info

Synopsis

Nessus was able to enumerate the directory paths that users visited by typing the full directory path into Windows Explorer.

Description

Nessus was able to enumerate the directory paths that users visited by manually typing the full directory path into Windows Explorer.
The generated folder list report contains folders local to the system, folders from past mounted network drives, and folders from mounted devices.

See Also

<http://www.nessus.org/u?f92f6e9f>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/11/15

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

C:\ProgramData\Tenable\Nessus Agent\nessus\triggers

Extended explorer typed paths report attached.

92421 - Internet Explorer Typed URLs, Info

Synopsis

Nessus was able to enumerate URLs that were manually typed into the Internet Explorer address bar.

Description

Nessus was able to generate a list URLs that were manually typed into the Internet Explorer address bar.

See Also

<https://forensafe.com/blogs/typedurls.html>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2024/05/08

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

<http://go.microsoft.com/fwlink/p/?LinkId=255141>

Internet Explorer typed URL report attached.

92423 - Windows Explorer Recently Executed Programs, Info

Synopsis

Nessus was able to enumerate recently executed programs on the remote host.

Description

Nessus was able to find evidence of program execution using Windows Explorer registry logs and settings.

See Also

<http://www.forensicswiki.org/wiki/LastVisitedMRU>

<http://www.nessus.org/u?7e00b191>

<http://www.nessus.org/u?ac4dd3fb>

<http://www.nessus.org/u?c409cb41>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2019/08/15

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

a

wf.msc\1

MRU programs details in attached report.

92424 - MUICache Program Execution History, Info

Synopsis

Nessus was able to enumerate recently executed programs on the remote host.

Description

Nessus was able to query the MUIcache registry key to find evidence of program execution.

See Also

<https://forensicartifacts.com/2010/08/registry-muicache/>

<http://windowsir.blogspot.com/2005/12/mystery-of-muicachesolved.html>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/16

Ports

abel-win11-stiq(TCP/0) (Vulnerability State: Active)

```
@%systemroot%\system32\svcsvc.dll,-100 : Server
@%systemroot%\system32\drivers\wpdupfltr.sys,-100 : WPD Upper Class Filter Driver
@combase.dll,-5013 : The DCOMLAUNCH service launches COM and DCOM servers in response to object
activation requests. If this service is stopped or disabled, programs using COM or DCOM will not
function properly. It is strongly recommended that you have the DCOMLAUNCH service running.
@%systemroot%\system32\axinstsv.dll,-103 : ActiveX Installer (AxInstSV)
@%systemroot%\system32\appxdeploymentserver.dll,-1 : AppX Deployment Service (AppXSVC)
@%systemroot%\system32\smphost.dll,-101 : Host service for the Microsoft Storage Spaces management
provider. If this service is stopped or disabled, Storage Spaces cannot be managed.
@%systemroot%\system32\wlidsvc.dll,-100 : Microsoft Account Sign-in Assistant
@%systemroot%\system32\wcnscsv.dll,-3 : Windows Connect Now - Config Registrar
@%systemroot%\system32\efssvc.dll,-100 : Encrypting File System (EFS)
@%windir%\system32\drivers\pacer.sys,-101 : QoS Packet Scheduler
@%systemroot%\system32\refsdedupsvc.exe,-101 : ReFS data deduplication and compression service to
track file changes and run scheduled optimization jobs.
@%systemroot%\system32\lldres.dll,-6 : Link-Layer Topology Discovery Mapper I/O Driver
@%systemroot%\system32\drivers\rdpdr.sys,-100 : Remote Desktop Device Redirector Driver
@%systemroot%\system32\aphostres.dll,-10002 : Sync Host
@c:\windows\system32\rdpendp.dll,-1001 : Remote Audio
@%systemroot%\system32\devicesetupmanager.dll,-1000 : Device Setup Manager
@%systemroot%\system32\workfolderssvc.dll,-101 : This service syncs files with the Work Folders
server, enabling you to use the files on any of the PCs and devices on which you've set up Work
Folders.
@%systemroot%\system32\ci.dll,-100 : Isolated User Mode (IUM)
@%systemroot%\system32\wscsvc.dll,-200 : Security Center
@%systemroot%\system32\consentuxclient.dll,-101 : Allows the system to request user consent to
allow apps to access sensitive resources and information such as the [...]
```

92429 - Recycle Bin Files, Info

Synopsis

Nessus was able to enumerate files in the recycle bin on the remote host.

Description

Nessus was able to generate a list of all files found in \$Recycle.Bin subdirectories.

See Also

<http://www.nessus.org/u?0c1a03df>

<http://www.nessus.org/u?61293b38>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/11/15

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

```
C:\$Recycle.Bin\\.
C:\$Recycle.Bin\\.
C:\$Recycle.Bin\S-1-5-21-1878624274-1680294472-3164317242-500
C:\$Recycle.Bin\S-1-5-21-1900297511-865123394-4177113028-500
C:\$Recycle.Bin\S-1-5-21-1878624274-1680294472-3164317242-500\
C:\$Recycle.Bin\S-1-5-21-1878624274-1680294472-3164317242-500\.
```

```
C:\\$Recycle.Bin\\S-1-5-21-1878624274-1680294472-3164317242-500\\desktop.ini
C:\\$Recycle.Bin\\S-1-5-21-1900297511-865123394-4177113028-500\\.
C:\\$Recycle.Bin\\S-1-5-21-1900297511-865123394-4177113028-500\\.
C:\\$Recycle.Bin\\S-1-5-21-1900297511-865123394-4177113028-500\\desktop.ini
```

92431 - User Shell Folders Settings, Info

Synopsis

Nessus was able to find the folder paths for user folders on the remote host.

Description

Nessus was able to gather a list of settings from the target system that store common user folder locations. A few of the more common locations are listed below : - Administrative Tools - AppData - Cache - CD Burning - Cookies - Desktop - Favorites - Fonts - History - Local AppData - My Music - My Pictures - My Video - NetHood - Personal - PrintHood - Programs - Recent - SendTo - Start Menu - Startup - Templates

See Also

<https://technet.microsoft.com/en-us/library/cc962613.aspx>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/16

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

```
lababel
- {7d1d3a04-debb-4115-95cf-2f29da2920da} : C:\Users\lababel\Searches
- {1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} : C:\Users\lababel\AppData\Roaming\Microsoft\Windows
\Libraries
- {374de290-123f-4565-9164-39c4925e467b} : C:\Users\lababel\Downloads
- recent : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Recent
- my video : C:\Users\lababel\Videos
- my music : C:\Users\lababel\Music
- {56784854-c6cb-462b-8169-88e350acb882} : C:\Users\lababel\Contacts
- {bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968} : C:\Users\lababel\Links
- {a520a1a4-1780-4ff6-bd18-167343c5af16} : C:\Users\lababel\AppData\LocalLow
- sendto : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\SendTo
- start menu : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Start Menu
- cookies : C:\Users\lababel\AppData\Local\Microsoft\Windows\INetCookies
- personal : C:\Users\lababel\Documents
- administrative tools : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Start Menu\Programs
\Administrative Tools
- startup : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup
- nethood : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Network Shortcuts
- history : C:\Users\lababel\AppData\Local\Microsoft\Windows\History
- {4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4} : C:\Users\lababel\Saved Games
- {00bcfc5a-ed94-4e48-96a1-3f6217f21990} : C:\Users\lababel\AppData\Local\Microsoft\Windows
\RoamingTiles
- !do not use this registry key : Use the SHGetFolderPath or SHGetKnownFolderPath function
instead
- local appdata : C:\Users\lababel\AppData\Local
- my pictures : C:\Users\lababel\Pictures
- templates : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Templates
- printhood : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Printer Shortcuts
- cache : C:\Users\lababel\AppData\Local\Microsoft\Windows\INetCache
- desktop : C:\Users\lababel\Desktop
- programs : C:\Users\lababel\AppData\Roaming\Microsoft\Windows\Start Menu\Programs
- fonts : C:\Windows\Fonts
- cd burning : C:\Users\la [...]
```

92434 - User Download Folder Files, Info

Synopsis

Nessus was able to enumerate downloaded files on the remote host.

Description

Nessus was able to generate a report of all files listed in the default user download folder.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2018/05/16

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

C:\\Users\\lababel\\Downloads\\desktop.ini
C:\\Users\\Public\\Downloads\\desktop.ini

Download folder content report attached.

92435 - UserAssist Execution History, Info

Synopsis

Nessus was able to enumerate program execution history on the remote host.

Description

Nessus was able to gather evidence from the UserAssist registry key that has a list of programs that have been executed.

See Also

https://www.nirsoft.net/utils/userassist_view.html

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/07/19, Modification Date: 2019/11/12

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

{a77f5d77-2e2b-44c3-a6a2-aba601054a51}\\windows powershell\\windows powershell.lnk
microsoft.windowsterminal_8wekyb3d8bbwe!app
microsoft.windowscalculator_8wekyb3d8bbwe!app
microsoft.windowfeedbackhub_8wekyb3d8bbwe!app
{9e3995ab-1f9c-4f13-b827-48b24b6c7174}\\taskbar\\file explorer.lnk
{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}\\windowspowershell\\v1.0\\powershell.exe
microsoft.paint_8wekyb3d8bbwe!app
microsoft.windows.shell.rundialog
microsoft.windownotepad_8wekyb3d8bbwe!app
{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}\\wf.msc
microsoft.microsoftstickynotes_8wekyb3d8bbwe!app
ueme_ctlcuaccount:ctor
microsoft.windows.cloudexperiencehost_cw5n1h2txyewy!app
microsoft.windows.explorer
ueme_ctlsession
microsoftwindows.client.cbs_cw5n1h2txyewy!cortanau

Extended userassist report attached.

93962 - Microsoft Security Rollup Enumeration, Info

Synopsis

This plugin enumerates installed Microsoft security rollups.

Description

Nessus was able to enumerate the Microsoft security rollups installed on the remote Windows host.

See Also

<http://www.nessus.org/u?9e856df0>
<http://www.nessus.org/u?9604179f>
<http://www.nessus.org/u?82026847>
<http://www.nessus.org/u?6d4c0e5f>
<http://www.nessus.org/u?30cde378>
<http://www.nessus.org/u?6f204fb5>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2016/10/11, Modification Date: 2026/03/06

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Cumulative Rollup : 06_2026 [KB5094126]
Cumulative Rollup : 05_2026
Cumulative Rollup : 04_2026
Cumulative Rollup : 03_2026
Cumulative Rollup : 02_2026
Cumulative Rollup : 01_2026_2
Cumulative Rollup : 12_2025
Cumulative Rollup : 11_2025
Cumulative Rollup : 10_2025

Latest effective update level : 06_2026
File checked : C:\Windows\system32\ntoskrnl.exe
File version : 10.0.26100.8655
Associated KB : 5094126

99364 - Microsoft .NET Security Rollup Enumeration, Info

Synopsis

This plugin enumerates installed Microsoft .NET security rollups.

Description

Nessus was able to enumerate the Microsoft .NET security rollups installed on the remote Windows host.

See Also

<http://www.nessus.org/u?662e30c9>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2017/04/14, Modification Date: 2026/05/15

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Path : C:\Windows\Microsoft.NET\Framework\v4.0.30319\system.web.dll
Version : 4.8.9319.0
.NET Version : 4.8.1
Associated KB : 5066128
Latest effective update level : 10_2025

100574 - Tenable Nessus Agent Installed (Windows), Info

Synopsis

Tenable Nessus Agent is installed on the remote Windows host.

Description

Tenable Nessus Agent is installed on the remote Windows host.

See Also

<https://www.tenable.com/products/nessus/nessus-agents>

Solution

N/A

Risk Factor

None

References

XREF IAVT-0001-T-0768

Plugin Information:

Publication Date: 2017/06/01, Modification Date: 2026/06/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Path : C:\Program Files\Tenable\Nessus Agent
Version : 11.2.0
Agent ID : 4ebd415c-cc5d-4ac4-bc28-9c9135380fde
Binary : C:\ProgramData\Tenable\Nessus Agent\nessus\agent.version

100871 - Microsoft Windows SMB Versions Supported (remote check), Info

Synopsis

It was possible to obtain information about the version of SMB running on the remote host.

Description

Nessus was able to obtain the version of SMB running on the remote host by sending an authentication request to port 139 or 445. Note that this plugin is a remote check and does not work on agents.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2017/06/19, Modification Date: 2019/11/22

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The remote host supports the following versions of SMB :
SMBv2

103871 - Microsoft Windows Network Adapters, Info

Synopsis

Identifies the network adapters installed on the remote host.

Description

Using the supplied credentials, this plugin enumerates and reports the installed network adapters on the remote Windows host.

Solution

Make sure that all of the installed network adapters agrees with your organization's acceptable use and security policies.

Risk Factor

None

References

XREF IAVT-0001-T-0758

Plugin Information:

Publication Date: 2017/10/17, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Network Adapter Driver Description : Mellanox ConnectX-5 Ex Virtual Adapter
Network Adapter Driver Version : 23.4.26054.1

106716 - Microsoft Windows SMB2 and SMB3 Dialects Supported (remote check), Info

Synopsis

It was possible to obtain information about the dialects of SMB2 and SMB3 available on the remote host.

Description

Nessus was able to obtain the set of SMB2 and SMB3 dialects running on the remote host by sending an authentication request to port 139 or 445.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2018/02/09, Modification Date: 2020/03/11

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The remote host supports the following SMB dialects :

version	_introduced in windows version_
2.0.2	Windows 2008
2.1	Windows 7
3.0	Windows 8
3.0.2	Windows 8.1
3.1.1	Windows 10

The remote host does NOT support the following SMB dialects :

version	_introduced in windows version_
2.2.2	Windows 8 Beta
2.2.4	Windows 8 Beta
3.1	Windows 10

117885 - Target Credential Issues by Authentication Protocol - Intermittent Authentication Failure, Info

Synopsis

Nessus was able to log in to the remote host using the provided credentials, but there were intermittent authentication failures.

Description

Nessus was able to successfully authenticate to the remote host on an authentication protocol at least once using credentials provided in the scan policy. However, one or more plugins failed to authenticate to the remote host on the same port and protocol using the same credential set that was previously successful. This may indicate an intermittent authentication problem with the remote host, which could be caused by session rate limits, session concurrency limits, or other issues preventing consistent authentication success. These intermittent authentication failures may have affected the results of some plugins. See plugin output for failure details.

Solution

N/A

Risk Factor
None
References
XREF IAVB-0001-B-0509
Plugin Information:
Publication Date: 2018/10/02, Modification Date: 2024/03/25
Ports
abel-win11-stig(TCP/445) (Vulnerability State: Active)
Nessus was able to successfully log into the remote host as : User: '10.2.0.28\lababel' Port: 445 Proto: SMB Method: password Successful authentication was reported by the following plugin : Plugin : smb_login.nasl Plugin ID : 10394 Plugin Name : Microsoft Windows SMB Log In Possible However, one or more subsequent plugins failed to authenticate to the remote host on the same port and protocol using the same credential set that previously succeeded. This may indicate an intermittent authentication problem with the remote host which may have affected the results of the following plugins. Error message statistics : 1 Failed to open a socket on port 445. This failure may have prevented a login attempt. The failure references the previously successful login account for tracking purposes. Failure Details : - Plugin : wmi_obtain_ssid.nbin Plugin ID : 25197 Plugin Name : Windows Wireless SSID (WMI) Message : Failed to open a socket on port 445. This failure may have prevented a login attempt. The failure references the previously successful login account for tracking purposes.
117887 - OS Security Patch Assessment Available, Info
Synopsis
Nessus was able to log in to the remote host using the provided credentials and enumerate OS security patch levels.
Description
Nessus was able to determine OS security patch levels by logging into the remote host and running commands to determine the version of the operating system and its components. The remote host was identified as an operating system or device that Nessus supports for patch and update assessment. The necessary information was obtained to perform these checks.
Solution
N/A
Risk Factor
None
References

XREF

IAVB-0001-B-0516

Plugin Information:

Publication Date: 2018/10/02, Modification Date: 2021/07/12

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

OS Security Patch Assessment is available.

Account : 10.2.0.28\lababel
Protocol : SMB

125835 - Microsoft Remote Desktop Connection Installed, Info

Synopsis

A graphical interface connection utility is installed on the remote Windows host

Description

Microsoft Remote Desktop Connection (also known as Remote Desktop Protocol or Terminal Services Client) is installed on the remote Windows host.

See Also

<http://www.nessus.org/u?1c33f0e7>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2019/06/12, Modification Date: 2022/10/10

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Path : C:\Windows\System32\mstsc.exe
Version : 10.0.26100.8521

126527 - Microsoft Windows SAM user enumeration, Info

Synopsis

Nessus was able to enumerate domain users from the local SAM.

Description

Using the domain security identifier (SID), Nessus was able to enumerate the domain users on the remote Windows system using the Security Accounts Manager. Note: Unable to obtain SMB SAMR user data during Agent scans. Rendering User data obtained by plugin 171956

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2019/07/08, Modification Date: 2025/06/04

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

- DefaultAccount (id S-1-5-21-1900297511-865123394-503, A user account managed by the system.)
- Guest (id S-1-5-21-1900297511-865123394-501, Built-in account for guest access to the computer/domain, Guest account)
- lababel (id S-1-5-21-1900297511-865123394-500, Built-in account for administering the computer/domain, Administrator account)
- WDAGUtilityAccount (id S-1-5-21-1900297511-865123394-504, A user account managed and used by the system for Windows Defender Application Guard scenarios.)

131023 - Windows Defender Installed, Info

Synopsis

Windows Defender is installed on the remote Windows host.

Description

Windows Defender, an antivirus component of Microsoft Windows is installed on the remote Windows host.

See Also

<https://www.microsoft.com/en-us/windows/comprehensive-security>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2019/11/15, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

```
Path : C:\ProgramData\Microsoft\Windows Defender\Platform
\4.18.26050.15-0\
Version : 4.18.26050.15
Engine Version : 1.1.26050.11
Malware Signature Timestamp : Jun. 14, 2026 at 11:23:11 GMT
Malware Signature Version : 1.453.93.0
Signatures Last Updated : Jun. 14, 2026 at 17:37:01 GMT
```

136969 - Microsoft Edge Chromium Installed, Info

Synopsis

Microsoft Edge (Chromium-based) is installed on the remote host.

Description

Microsoft Edge (Chromium-based), a Chromium-based web browser, is installed on the remote host.

See Also

<https://www.microsoft.com/en-us/edge>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2020/05/29, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

```
Path : C:\Program Files (x86)\Microsoft\Edge\Application
Version : 149.0.4022.69
Channel : stable
```

138603 - Microsoft OneDrive Installed, Info

Synopsis

A file hosting application is installed on the remote host.

Description

Microsoft OneDrive, a file hosting service, is installed on the remote host.

See Also

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2020/07/17, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Path : C:\Users\lababel\AppData\Local\Microsoft\OneDrive\
Version : 26.98.524.4

139785 - DISM Package List (Windows), Info

Synopsis

Use DISM to extract package info from the host.

Description

Using the Deployment Image Servicing Management tool, this plugin enumerates installed packages.

See Also

<http://www.nessus.org/u?cbb428b2>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2020/08/25, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following packages were enumerated using the Deployment Image Servicing and Management Tool:

Package : Microsoft-OneCore-ApplicationModel-Sync-Desktop-FOD-
Package~31bf3856ad364e35~amd64~~10.0.26100.1742
State : Staged
Release Type : OnDemand Pack
Install Time :

Package : Microsoft-OneCore-ApplicationModel-Sync-Desktop-FOD-
Package~31bf3856ad364e35~amd64~~10.0.26100.8655
State : Installed
Release Type : OnDemand Pack
Install Time : 6/7/2026 6:50 AM

Package : Microsoft-Windows-Client-LanguagePack-Package~31bf3856ad364e35~amd64~en-
US~10.0.26100.1742
State : Staged
Release Type : Language Pack
Install Time :

Package : Microsoft-Windows-Client-LanguagePack-Package~31bf3856ad364e35~amd64~en-
US~10.0.26100.8655
State : Installed
Release Type : Language Pack
Install Time : 6/7/2026 6:50 AM

Package : Microsoft-Windows-EMS-SAC-Desktop-Tools-FoD-Package~31bf3856ad364e35~amd64~en-
US~10.0.26100.1742
State : Staged
Release Type : OnDemand Pack
Install Time :

Package : Microsoft-Windows-EMS-SAC-Desktop-Tools-FoD-Package~31bf3856ad364e35~amd64~en-US~10.0.26100.8655
State : Installed
Release Type : OnDemand Pack
Install Time : 6/7/2026 7:55 AM

Package : Microsoft-Windows-EMS-SAC-Desktop-Tools-FoD-Package~31bf3856ad364e35~amd64~10.0.26100.1742
State : Staged
Release Type : OnDemand Pack
Install Time :

Package : Microsoft-Windows-EMS-SAC-Desktop-Tools-FoD-Package~31bf3856ad364e35~amd64~10.0.26100.8655
State : Installed
Release Type : OnDemand Pack
Install Time : 6/7/2026 7:55 AM

Package : Microsoft-Windows-Ethernet-Client-Intel-E1i68x64-FOD-Package~31bf3856ad364e35~amd64~10.0.26100.1742
State : Staged
Release Type : OnDemand Pack
Install Time :

Package : Microsoft-Windows-Ethernet-Client-Intel-E1i68x64-FOD-Package~31bf3856ad364e35~amd64~10.0.26100.8655
State : Installed
Release Type : OnDemand Pack
Install Time : 6/7/2026 6:50 AM

Package : Microsoft-Windows-Ethernet-Client-Intel-E2f68-F0 [...]

141118 - Target Credential Status by Authentication Protocol - Valid Credentials Provided, Info Synopsis

Valid credentials were provided for an available authentication protocol.

Description

Nessus was able to determine that valid credentials were provided for an authentication protocol available on the remote target because it was able to successfully authenticate directly to the remote target using that authentication protocol at least once.

Authentication was successful because the authentication protocol service was available remotely, the service was able to be identified, the authentication protocol was able to be negotiated successfully, and a set of credentials provided in the scan policy for that authentication protocol was accepted by the remote service. See plugin output for details, including protocol, port, and account. Please note the following : - This plugin reports per protocol, so it is possible for valid credentials to be provided for one protocol and not another. For example, authentication may succeed via SSH but fail via SMB, while no credentials were provided for an available SNMP service. - Providing valid credentials for all available authentication protocols may improve scan coverage, but the value of successful authentication for a given protocol may vary from target to target depending upon what data (if any) is gathered from the target via that protocol.

For example, successful authentication via SSH is more valuable for Linux targets than for Windows targets, and likewise successful authentication via SMB is more valuable for Windows targets than for Linux targets.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2020/10/15, Modification Date: 2024/03/25

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Nessus was able to log in to the remote host via the following :

User: '10.2.0.28\lababel'
Port: 445
Proto: SMB
Method: password

148541 - Windows Language Settings Detection, Info

Synopsis

This plugin enumerates language files on a windows host.

Description

By connecting to the remote host with the supplied credentials, this plugin enumerates language IDs listed on the host.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2021/04/14, Modification Date: 2022/02/01

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Default Install Language Code: 1033

Default Active Language Code: 1033

Other common microsoft Language packs may be scanned as well.

151440 - Microsoft Windows Print Spooler Service Enabled, Info

Synopsis

The Microsoft Windows Print Spooler service on the remote host is enabled.

Description

The Microsoft Windows Print Spooler service (spoolsv.exe) on the remote host is enabled.

See Also

<http://www.nessus.org/u?8fc5df24>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2021/07/07, Modification Date: 2021/07/07

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The Microsoft Windows Print Spooler service on the remote host is enabled.

155963 - Windows Printer Driver Enumeration, Info

Synopsis

Nessus was able to enumerate one or more of the printer drivers on the remote host.

Description

Nessus was able to enumerate one or more of the printer drivers on the remote host via WMI.

See Also

<http://www.nessus.org/u?fab99415>

Solution

N/A

Risk Factor

None

Plugin Information:

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

--- Universal Print Class Driver ---

Path : C:\Windows\System32\DriverStore\FileRepository
\ntprint.inf_amd64_b818a930ca84de62\Amd64\mxwdrv.dll
Version : 10.0.26100.8655
Supported Platform : Windows x64

--- Microsoft Virtual Print Class Driver ---

Path : C:\Windows\System32\DriverStore\FileRepository
\ntprint4.inf_amd64_2c76b0723cac92ae\Amd64\msdwdrv.dll
Version : 10.0.26100.8655
Supported Platform : Windows x64

--- Microsoft enhanced Point and Print compatibility driver ---

Nessus detected 2 installs of Microsoft enhanced Point and Print compatibility driver:

Path : C:\Windows\system32\spool\DRIVERS\x64\3\mxwdrv.dll
Version : 10.0.26100.8655
Supported Platform : Windows x64

Path : C:\Windows\system32\spool\DRIVERS\W32X86\3\mxwdrv.dll
Version : 10.0.26100.8655
Supported Platform : Windows NT x86

--- Microsoft Print To PDF ---

Path : C:\Windows\System32\DriverStore\FileRepository
\ntprint.inf_amd64_b818a930ca84de62\Amd64\mxwdrv.dll
Version : 10.0.26100.4484
Supported Platform : Windows x64

--- Microsoft IPP Class Driver ---

Path : C:\Windows\System32\DriverStore\FileRepository
\ntprint.inf_amd64_b818a930ca84de62\Amd64\mxwdrv.dll
Version : 10.0.26100.8655
Supported Platform : Windows x64

--- Remote Desktop Easy Print ---

Path : C:\Windows\system32\spool\DRIVERS\x64\3\mxwdrv.dll
Version : 10.0.26100.1882
Supported Platform : Windows x64

156899 - SSL/TLS Recommended Cipher Suites, Info

Synopsis

The remote host advertises discouraged SSL/TLS ciphers.

Description

The remote host has open SSL/TLS ports which advertise discouraged cipher suites. It is recommended to only enable support for the following cipher suites: TLSv1.3: - 0x13,0x01 TLS13_AES_128_GCM_SHA256 - 0x13,0x02 TLS13_AES_256_GCM_SHA384 - 0x13,0x03 TLS13_CHACHA20_POLY1305_SHA256 TLSv1.2: - 0xC0,0x2B ECDHE-ECDSA-AES128-GCM-SHA256 - 0xC0,0x2F ECDHE-RSA-AES128-GCM-SHA256 - 0xC0,0x2C ECDHE-ECDSA-AES256-GCM-SHA384 - 0xC0,0x30 ECDHE-RSA-AES256-GCM-SHA384 - 0xCC,0xA9 ECDHE-ECDSA-CHACHA20-POLY1305 - 0xCC,0xA8 ECDHE-RSA-CHACHA20-POLY1305 This is the recommended configuration for the vast majority of services, as it is highly secure and compatible with nearly every client released in the last five (or more) years.

See Also

https://wiki.mozilla.org/Security/Server_Side_TLS

<https://ssl-config.mozilla.org/>

Solution

Only enable support for recommended cipher suites.

Risk Factor

None

Plugin Information:

Publication Date: 2022/01/20, Modification Date: 2024/02/12

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

The remote host has listening SSL/TLS ports which advertise the discouraged cipher suites outlined below:

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

RSA-AES128-SHA256	0x00, 0x9C	RSA	RSA	AES-GCM(128)
SHA256				
RSA-AES256-SHA384	0x00, 0x9D	RSA	RSA	AES-GCM(256)
SHA384				
ECDHE-RSA-AES128-SHA	0xC0, 0x13	ECDHE	RSA	AES-CBC(128)
SHA1				
ECDHE-RSA-AES128-SHA256	0xC0, 0x27	ECDHE	RSA	AES-CBC(128)
SHA256				
ECDHE-RSA-AES256-SHA	0xC0, 0x14	ECDHE	RSA	AES-CBC(256)
SHA1				
ECDHE-RSA-AES256-SHA384	0xC0, 0x28	ECDHE	RSA	AES-CBC(256)
SHA384				
AES128-SHA	0x00, 0x2F	RSA	RSA	AES-CBC(128)
SHA1				
RSA-AES128-SHA256	0x00, 0x3C	RSA	RSA	AES-CBC(128)
SHA256				
AES256-SHA	0x00, 0x35	RSA	RSA	AES-CBC(256)
SHA1				
RSA-AES256-SHA256	0x00, 0x3D	RSA	RSA	AES-CBC(256)
SHA256				

The fields above are :

```
{Tenable ciphername}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

159817 - Windows Credential Guard Status, Info

Synopsis

Retrieves the status of Windows Credential Guard.

Description

Retrieves the status of Windows Credential Guard. Credential Guard prevents attacks such as Pass-the-Hash or Pass-The-Ticket by protecting NTLM password hashes, Kerberos Ticket Granting Tickets, and credentials stored by applications as domain credentials.

See Also

<http://www.nessus.org/u?fb8c8c37>

Solution

N/A

Risk Factor

None

Plugin Information:

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Windows Credential Guard is not fully enabled.

The following registry keys have not been set :

- System\CurrentControlSet\Control\DeviceGuard\RequirePlatformSecurityFeatures : Key not found.
- System\CurrentControlSet\Control\LSA\LsaCfgFlags : Key not found.
- System\CurrentControlSet\Control\DeviceGuard\EnableVirtualizationBasedSecurity : Key not found.

159929 - Windows LSA Protection Status, Info

Synopsis

Windows LSA Protection is disabled on the remote Windows host.

Description

The LSA Protection validates users for local and remote sign-ins and enforces local security policies to prevent reading memory and code injection by non-protected processes. This provides added security for the credentials that the LSA stores and manages. This protects against Pass-the-Hash or Mimikatz-style attacks.

Solution

Enable LSA Protection per your corporate security guidelines.

Risk Factor

None

Plugin Information:

Publication Date: 2022/04/20, Modification Date: 2025/06/16

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

LSA Protection is enabled (without UEFI).

160486 - Server Message Block (SMB) Protocol Version Detection, Info

Synopsis

Verify the version of SMB on the remote host.

Description

The Server Message Block (SMB) Protocol provides shared access to files and printers across nodes on a network.

See Also

<http://www.nessus.org/u?f463096b>

<http://www.nessus.org/u?1a4b3744>

Solution

Disable SMB version 1 and block all versions of SMB at the network boundary by blocking TCP port 445 with related protocols on UDP ports 137-138 and TCP port 139, for all boundary devices.

Risk Factor

None

Plugin Information:

Publication Date: 2022/05/04, Modification Date: 2022/05/04

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

- SYSTEM\CurrentControlSet\Services\LanmanServer\Parameters\SMB2 : Key not found.
- SYSTEM\CurrentControlSet\Services\LanmanServer\Parameters\SMB3 : Key not found.
- SYSTEM\CurrentControlSet\Services\LanmanServer\Parameters\SMB1 : Key not found.

160576 - Windows Services Registry ACL, Info

Synopsis

Checks Windows Registry for Service ACLs

Description

Checks Windows Registry for Service ACLs.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/05/05, Modification Date: 2024/01/15

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Verbosity must be set to 'Report as much information as possible' for this plugin to produce output.

161502 - Microsoft Windows Logged On Users, Info

Synopsis

Nessus was able to determine the logged on users from the registry

Description

Using the HKU registry, Nessus was able to enumerate the SIDs of logged on users

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/05/25, Modification Date: 2025/10/01

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Logged on users :
- S-1-5-21-1900297511-865123394-4177113028-500
Domain : abel-win11-stig
Username : lababel

161691 - The Microsoft Windows Support Diagnostic Tool (MSDT) RCE Workaround Detection (CVE-2022-30190), Info

Synopsis

Checks for the HKEY_CLASSES_ROOT\ms-msdt registry key.

Description

The remote host has the HKEY_CLASSES_ROOT\ms-msdt registry key.
This is a known exposure for CVE-2022-30190. Note that Nessus has not tested for CVE-2022-30190.
It is only checking if the registry key exists.
The recommendation is to apply the latest patch.

See Also

<http://www.nessus.org/u?440e4ba1>

<https://msrc.microsoft.com/update-guide/vulnerability/CVE-2022-30190>

<http://www.nessus.org/u?b9345997>

Solution

Apply the latest Cumulative Update.

Risk Factor

None

Plugin Information:

Publication Date: 2022/05/31, Modification Date: 2022/07/28

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The HKEY_CLASSES_ROOT\ms-msdt registry key exists on the target. This may indicate that the target is vulnerable to CVE-2022-30190, if the vendor patch is not applied.

162174 - Windows Always Installed Elevated Status, Info

Synopsis

Windows AlwaysInstallElevated policy status was found on the remote Windows host

Description

Windows AlwaysInstallElevated policy status was found on the remote Windows host. You can use the AlwaysInstallElevated policy to install a Windows Installer package with elevated (system) privileges. This option is equivalent to granting full administrative rights, which can pose a massive security risk. Microsoft strongly discourages the use of this setting.

Solution

If enabled, disable AlwaysInstallElevated policy per your corporate security guidelines.

Risk Factor

None

Plugin Information:

Publication Date: 2022/06/14, Modification Date: 2022/06/14

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

AlwaysInstallElevated policy is not enabled under HKEY_LOCAL_MACHINE.
AlwaysInstallElevated policy is not enabled under HKEY_USERS
user:S-1-5-21-1900297511-865123394-4177113028-500

162560 - Microsoft Internet Explorer Installed, Info

Synopsis

A web browser is installed on the remote Windows host.

Description

Microsoft Internet Explorer, a web browser bundled with Microsoft Windows, is installed on the remote Windows host.

See Also

<https://support.microsoft.com/products/internet-explorer>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/06/28, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Path : C:\Windows\system32\mshtml.dll
Version : 11.0.26100.8521

164690 - Windows Disabled Command Prompt Enumeration, Info

Synopsis

This plugin determines if the DisableCMD policy is enabled or disabled on the remote host for each local user.

Description

The remote host may employ the DisableCMD policy on a per user basis. Enumerated local users may have the following registry key: 'HKLM\Software\Policies\Microsoft\Windows\System\DisableCMD' - Unset or 0: The command prompt is enabled normally. - 1: The command prompt is disabled. - 2: The command prompt is disabled however windows batch processing is allowed.

See Also

<http://www.nessus.org/u?b40698bc>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/09/06, Modification Date: 2026/01/26

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Username: DefaultAccount
SID: S-1-5-21-1900297511-865123394-4177113028-503
DisableCMD: Unset

Username: WDAGUtilityAccount
SID: S-1-5-21-1900297511-865123394-4177113028-504
DisableCMD: Unset

Username: lababel
SID: S-1-5-21-1900297511-865123394-4177113028-500
DisableCMD: Unset

Username: Guest
SID: S-1-5-21-1900297511-865123394-4177113028-501
DisableCMD: Unset

168149 - OpenSSL Detection (Windows), Info

Synopsis

OpenSSL is installed on the remote Windows host.

Description

One or more instances of OpenSSL, a cryptographic utility and library is installed on the remote Windows host. Note: Thorough tests is required for this plugin to run.

See Also

<https://www.openssl.org/>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2022/11/23, Modification Date: 2026/05/26

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

Nessus detected 3 installs of OpenSSL:

Path : C:\Program Files\WindowsApps
Microsoft.MicrosoftOfficeHub_19.2506.56051.0_x64__8wekyb3d8bbwe\libssl-3-x64.dll
Version : 3.6.0-dev
Is Component : True

Path : C:\Program Files\Tenable\Nessus Agent\libssl-3-x64.dll
Version : 3.5.6
Is Component : True

Path : C:\Users\lababel\AppData\Local\Microsoft\OneDrive\26.098.0524.0004\libssl-3-x64.dll
Version : 3.4.4
Is Component : True

168980 - Enumerate the PATH Variables, Info

Synopsis

Enumerates the PATH variable of the current scan user.

Description

Enumerates the PATH variables of the current scan user.

Solution

Ensure that directories listed here are in line with corporate policy.

Risk Factor

None

Plugin Information:

Publication Date: 2022/12/21, Modification Date: 2026/06/02

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Nessus has enumerated the path of the current scan user :

C:\Windows\system32
C:\Windows
C:\Windows\System32\Wbem
C:\Windows\System32\WindowsPowerShell\v1.0\
C:\Windows\System32\OpenSSH\
C:\Users\lababel\AppData\Local\Microsoft\WindowsApps

171077 - SQLite Detection (Windows), Info

Synopsis

SQLite is installed on the remote Windows host.

Description

One or more instances of SQLite, a SQL database engine, is installed on the remote Windows host. Note: Thorough tests is required for this plugin to run.

See Also

<https://www.sqlite.org/>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/02/07, Modification Date: 2026/05/26

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Nessus detected 9 installs of SQLite:

Path : C:\Windows\SystemApps\MicrosoftWindows.Client.CBS_cw5n1h2txyewy\PersonaCardManager\sqlite3.dll
Version : unknown
Is Component : True

```

Path      : C:\Program Files\WindowsApps\Microsoft.ZuneMusic_11.2512.10.0_x64__8wekyb3d8bbwe
\sqlite3.dll
Version   : unknown
Is Component : True

Path      : C:\Program Files\WindowsApps\MSTeams_1.0.0.1_x64__8wekyb3d8bbwe\sqlite3.dll
Version   : 3.51.2.0
Is Component : True

Path      : C:\Users\lababel\AppData\Local\Microsoft\OneDrive
\26.098.0524.0004\FileSyncSqlite3.dll
Version   : 26.98.524.4
Is Component : True

Path      : C:\Program Files\WindowsApps
\Microsoft.WindowsStore_22506.1400.2.0_x64__8wekyb3d8bbwe\sqlite3.dll
Version   : unknown
Is Component : True

Path      : C:\Windows\SysWOW64\winsqlite3.dll
Version   : 3.51.1.0

Path      : C:\Windows\System32\winsqlite3.dll
Version   : 3.51.1.0

Path      : C:\Windows\SystemApps\MicrosoftWindows.Client.CBS_cw5n1h2txyewy\ActionFXRuntime
\sqlite3.dll
Version   : unknown
Is Component : True

Path      : C:\Windows\SystemApps\Shared
\sqlite3\2ED0ECA87676F1F665A991B121DBFDACC47C2E9A73B51C514A08701617B01F83\sqlite3.dll
Version   : unknown
Is Component : True

```

171410 - IP Assignment Method Detection, Info

Synopsis

Enumerates the IP address assignment method(static/dynamic).

Description

Enumerates the IP address assignment method(static/dynamic).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/02/14, Modification Date: 2026/06/02

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

```

+ Loopback Pseudo-Interface 1
+ IPv4
  - Address      : 127.0.0.1
    Assign Method : static
+ IPv6
  - Address      : ::1
    Assign Method : static
+ Ethernet
+ IPv4
  - Address      : 10.2.0.28
    Assign Method : dynamic
+ IPv6
  - Address      : fe80::382d:c066:a9:98c4%5
    Assign Method : dynamic

```

171860 - Curl Installed (Windows), Info

Synopsis

Curl is installed on the remote Windows host.

Description

Curl, a command line tool for transferring data with URLs, was detected on the remote Windows host. Please note, if the installation is located in either the Windows\System32 or Windows\SysWOW64 directory, it will be considered as managed by the OS.

In this case, paranoid scanning is required to trigger downstream vulnerability checks. Paranoid scanning has no effect on this plugin itself.

See Also

<https://curl.se/>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/02/23, Modification Date: 2026/05/26

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Nessus detected 2 installs of Curl:

Path : c:\windows\system32\curl.exe
Version : 8.19.0.0
Managed by OS : True

Path : c:\windows\syswow64\curl.exe
Version : 8.19.0.0
Managed by OS : True

171956 - Windows Enumerate Accounts, Info

Synopsis

Enumerate Windows accounts.

Description

Enumerate Windows accounts.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/02/28, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Windows accounts enumerated. Results output to DB.
User data gathered in scan starting at : 2026/6/14 17:57 UTC

174736 - Netstat Ingress Connections, Info

Synopsis

External connections are enumerated via the 'netstat' command.

Description

This plugin runs 'netstat' to enumerate any non-private connections to the scan target.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/04/25, Modification Date: 2026/04/28

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Netstat output indicated the following connections from non-private IP addresses:

67.146.47.204 connected to port 3389 on the scan target.

NOTE: This list may be truncated depending on the scan verbosity settings.

176212 - Microsoft Edge Add-on Enumeration (Windows), Info

Synopsis

One or more Microsoft Edge browser extensions are installed on the remote host.

Description

Nessus was able to enumerate Microsoft Edge browser extensions installed on the remote host.

See Also

<https://microsoftedge.microsoft.com/addons>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/05/22, Modification Date: 2026/06/08

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

User : lababel

| - Browser : Edge

| - Add-on information :

Name : Google Docs Offline

Description : Edit, create, and view your documents, spreadsheets, and presentations – all without internet access.

Version : 1.107.1

Path : C:\Users\lababel\AppData\Local\Microsoft\Edge\User Data\Default\Extensions

\ghbmnnjooekpmoecnnnilnbdlolhkhil\1.107.1_0

Name : Edge relevant text changes

Description : Edge relevant text changes on select websites to improve user experience and precisely surfaces the action they want to take.

Version : 1.2.1

Update Date : Jun. 14, 2026 at 17:54:30 GMT

Path : C:\Users\lababel\AppData\Local\Microsoft\Edge\User Data\Default\Extensions

\jmjflgjcpepeafmmgdpfkogkghcpiha\1.2.1_0

178102 - Microsoft Windows Installed Software Version Enumeration, Info

Synopsis

Enumerates installed software versions.

Description

This plugin enumerates the installed software version by interrogating information obtained from various registry entries and files on disk.

This plugin provides a best guess at the software version and a confidence level for that version. Note that the versions detected here do not necessarily indicate the actual installed version nor do they necessarily mean that the application is actually installed on the remote host.

In some cases there may be artifacts left behind by uninstallers on the system.

Solution

Remove any applications that are not compliant with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication Date: 2023/07/10, Modification Date: 2024/07/15

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following software information is available on the remote host :

```
- Microsoft Edge WebView2 Runtime
  Best Confidence Version : 149.0.4022.69
  Version Confidence Level : 3
  All Possible Versions : 149.0.4022.69
  Other Version Data
    [InstallDate] :
      Raw Value : 2026/06/14
    [DisplayIcon] :
      Raw Value : C:\Program Files (x86)\Microsoft\EdgeWebView\Application
\149.0.4022.69\msedgewebview2.exe,0
      Parsed File Path : C:\Program Files (x86)\Microsoft\EdgeWebView\Application
\149.0.4022.69\msedgewebview2.exe
      Parsed File Version : 149.0.4022.69
    [InstallLocation] :
      Raw Value : C:\Program Files (x86)\Microsoft\EdgeWebView\Application
    [UninstallString] :
      Raw Value : "C:\Program Files (x86)\Microsoft\EdgeWebView\Application
\149.0.4022.69\Installer\setup.exe" --uninstall --msedgewebview --system-level --verbose-logging
      Parsed File Path : C:\Program Files (x86)\Microsoft\EdgeWebView\Application
\149.0.4022.69\Installer\setup.exe
      Parsed File Version : 149.0.4022.69
    [VersionMinor] :
      Raw Value : 69
    [Version] :
      Raw Value : 149.0.4022.69
    [VersionMajor] :
      Raw Value : 4022
    [DisplayVersion] :
      Raw Value : 149.0.4022.69
    [DisplayName] :
      Raw Value : Microsoft Edge WebView2 Runtime

- Nessus Agent (x64)
  Best Confidence Version : 11.2.0.20301
  Version Confidence Level : 2
  All Possible Versions : 11.2.0.20301
  Other Version Data
    [VersionMajor] :
      Raw Value : 11
    [Version] :
      Raw Value : 184680448
    [DisplayName] :
      Raw Value : Nessus Agent (x64)
    [UninstallString] :
      Raw Value : MsiExec.exe /X{5AAC0D29-D4FD-4F71-8C4A-E04B523A5694}
    [InstallDate] :
      Raw Value : 202 [...]
```

182962 - libcurl Installed (Windows), Info

Synopsis

libcurl is installed on the remote Windows host.

Description

libcurl, a library used for transferring data with URLs, was detected on the remote Windows host.

See Also

<https://libcurl.se/>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/10/12, Modification Date: 2026/05/26

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Path : C:\Program Files\WindowsApps\MSTeams_1.0.0.1_x64__8wekyb3d8bbwe\libcurl.dll
Version : 8.18.0.0
Is Component : True

187318 - Microsoft Windows Installed, Info

Synopsis

The remote host is running Microsoft Windows.

Description

The remote host is running Microsoft Windows.

See Also

<https://www.microsoft.com/en-us/windows>
<https://www.microsoft.com/en-us/windows-server>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2023/12/27, Modification Date: 2026/01/05

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

OS Name : Microsoft Windows 11 25H2
Vendor : Microsoft
Product : Windows
Release : 11 25H2
Edition : Pro
Version : 10.0.26200.8655
Role : client
Kernel : Windows NT 10.0
Architecture : x64
CPE v2.2 : cpe:/o:microsoft:windows_11_25h2:10.0.26200.8655:-::~~pro~x64~
CPE v2.3 : cpe:2.3:o:microsoft:windows_11_25h2:10.0.26200.8655:-::~*:~pro*:~x64:*
Type : local
Method : SMB
Confidence : 100

200493 - Microsoft Windows Start Menu Software Version Enumeration, Info

Synopsis

Enumerates Start Menu software versions.

Description

This plugin enumerates the installed software version by interrogating information obtained from various registry entries and files on disk.
This plugin provides a best guess at the software version and a confidence level for that version. Note that the versions detected here do not necessarily indicate the actual installed version nor do they necessarily mean that the application is actually installed on the remote host.
In some cases there may be artifacts left behind by uninstallers on the system.

Solution

Remove any applications that are not compliant with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication Date: 2024/06/13, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/445) (Vulnerability State: Active)

The following software information is available on the remote host :

204960 - Windows System Driver Enumeration (Windows), Info Synopsis

One or more kernel or file system drivers were enumerated on the remote Windows host.

Description

One or more kernel or file system drivers were enumerated on the remote Windows host.

See Also

<http://www.nessus.org/u?43f8ab81>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2024/08/01, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Total : 397

```
Name      : 1394ohci
Path       : C:\Windows\system32\drivers\1394ohci.sys
Service Type : Kernel Driver
Description : 1394 OHCI Compliant Host Controller
State      : Stopped

Name      : 3ware
Path       : C:\Windows\system32\drivers\3ware.sys
Service Type : Kernel Driver
Description : 3ware
State      : Stopped

Name      : ACPI
Path       : C:\Windows\system32\drivers\ACPI.sys
Service Type : Kernel Driver
Description : Microsoft ACPI Driver
State      : Running

Name      : AcpiAudioCompositorInbox
Path       : C:\Windows\system32\DriverStore\FileRepository
\acpiaudiocompositor.inf_amd64_047f553a6f70b169\AcpiAudioCompositor.sys
Service Type : Kernel Driver
Description : ACPI Audio Compositor Driver
State      : Stopped

Name      : AcpiDev
Path       : C:\Windows\system32\drivers\AcpiDev.sys
Service Type : Kernel Driver
Description : ACPI Devices driver
State      : Stopped

Name      : acpiex
```

```

Path      : C:\Windows\system32\Drivers\acpiex.sys
Service Type : Kernel Driver
Description : Microsoft ACPIEx Driver
State      : Running

Name      : acpipagr
Path      : C:\Windows\system32\DriverStore\FileRepository
\acpipagr.inf_amd64_d1093347a27ff89c\acpipagr.sys
Service Type : Kernel Driver
Description : ACPI Processor Aggregator Driver
State      : Stopped

Name      : AcpiPmi
Path      : C:\Windows\system32\DriverStore\FileRepository
\acpipmi.inf_amd64_3ced06eb61dcc792\acpipmi.sys
Service Type : Kernel Driver
Description : ACPI Power Meter Driver
State      : Stopped

Name      : acpitime
Path      : C:\Windows\system32\drivers\acpitime.sys
Service Type : Kernel Driver
Description : ACPI Wake Alarm Driver
State      : Stopped

Name      : Acx01000
Path      : C:\Windows\system32\drivers\Acx01000.sys
Service Type : Kernel Driver
Description : Acx01000
State      : Stopped

Name      : ADP80XX
Path      : C:\Win [...]

```

209654 - OS Fingerprints Detected, Info

Synopsis

Multiple OS fingerprints were detected.

Description

Using a combination of remote probes (TCP/IP, SMB, HTTP, NTP, SNMP, etc), it was possible to gather one or more fingerprints from the remote system. While the highest-confidence result was reported in plugin 11936, "OS Identification", the complete set of fingerprints detected are reported here.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2025/02/26, Modification Date: 2025/03/03

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Following OS Fingerprints were found

```

Remote operating system : Microsoft Windows Server 2025
Confidence level : 56
Method : MLSinFP
Type : unknown
Fingerprint : unknown

```

```

Remote operating system : Microsoft Windows 11 Pro Build 26200
Confidence level : 101
Method : Misc
Type : general-purpose
Fingerprint : unknown

```

```

Remote operating system : Microsoft Windows 11 Pro Build 26200
Confidence level : 100

```

Method : SMB_OS
Type : general-purpose
Fingerprint : unknown

Following fingerprints could not be used to determine OS :
ICMP:!!:0:1:0:128:1:128:1:0::0::1:X:X:X:X:X:X:X:X:1:1:128:65535:MNWST:8:1:1
SinFP:!!:
P1:B11113:F0x12:W65535:00204ffff:M1410:
P2:B11113:F0x12:W65535:00204ffff010303080402080affffff44454144:M1410:
P3:B11121:F0x04:W0:00:M0
P4:191800_7_p=49664R
SSLcert:!!:i/CN:abel-win11-stigs/CN:abel-win11-stig
d7b44672c2c4dcd56ce6be950f1e2a10c9a4de9e

277650 - Remote Services Not Using Post-Quantum Ciphers, Info

Synopsis

Reports remote services that do not offer post-quantum ciphers.

Description

This plugin reports network services that do not offer post-quantum ciphers. Tenable makes no attempt to determine whether the remote service would be vulnerable to a post-quantum attack. However, cryptography that depends on the classic difficulty of solving the discrete logarithm problem or on the classic difficulty of large prime factorization is broken by Shor's algorithm. Examples of this are RSA asymmetric encryption and Diffie-Hellman key exchange.

See Also

<http://www.nessus.org/u?7a390f87>
<http://www.nessus.org/u?ad7d6b3b>
<http://www.nessus.org/u?1c0c61e0>
<http://www.nessus.org/u?5eec4b28>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2025/12/08, Modification Date: 2025/12/08

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

The target TLS server offers no post-quantum ciphers.

277654 - TLS Supported Groups, Info

Synopsis

The remote service negotiates TLS supported curve groups.

Description

This plugin detects which TLS supported groups entries are supported by the remote service.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2025/12/08, Modification Date: 2026/04/13

Ports

abel-win11-stig(TCP/3389) (Vulnerability State: Active)

These are the TLS supported groups offered by the remote server :

TLS supported groups :

Name	Code
-----	-----
secp256r1	0x0017
secp384r1	0x0018
x25519	0x001d

280146 - Microsoft Azure Guest Agent Installed (Windows), Info

Synopsis

Microsoft Azure Guest Agent is installed on the remote Windows host.

Description

Microsoft Azure Guest Agent is installed on the remote Windows host.

See Also

<http://www.nessus.org/u?4da9ec88>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication Date: 2025/12/30, Modification Date: 2026/05/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

Path : C:\WindowsAzure\GuestAgent_2.7.41491.1216_2026-06-14_153521\CollectVMHealth.exe
Version : 2.7.41491.1216

298387 - Shor's Harvest Now Decrypt Later, Info

Synopsis

Reports remote services potentially vulnerable to Shor's Algorithm.

Description

This plugin reports network services that may be vulnerable now to a future attack by adversaries using a cryptographically relevant quantum computer (CRQC). Shor's is a theoretical algorithm that leverages the unique ability of quantum computation to do massively parallel calculations developed by Peter Shor in 1994. This algorithm easily computes two classically difficult mathematical problems used in modern cryptography; discrete logarithms, and factoring numbers formed by multiplying large primes. Shor's reduces both of these problems from taking exponential time in chosen cases to being solvable in polynomial time. Asymmetric encryption algorithms such as RSA, Diffie-Hellman and Elliptic Curve Diffie-Hellman are impacted by Shor's Algorithm. The most common uses of these algorithms are in symmetric key establishment and authentication. These uses render Shor's Algorithm particularly dangerous because it may give an adversary the ability to harvest network communications now, and in the future, when a CRQC becomes available, extract the symmetric key and decrypt the communication.

See Also

<http://www.nessus.org/u?54fba2c1>

Solution

Replace affected ciphers with algorithms chosen to resist CRQC attack.

Risk Factor

None

Plugin Information:

Publication Date: 2026/02/09, Modification Date: 2026/04/13

Ports

abel-win11-stig(TCP/0) (Vulnerability State: Active)

The TLS service on port 3389/TLSv1 offers these ciphers vulnerable to Shor's:

TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

The TLS service on port 3389/TLSv1.2 offers these ciphers vulnerable to Shor's:

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA256
TLS_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

The TLS service on port 3389/TLSv1.1 offers these ciphers vulnerable to Shor's:

TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

Assets Summary (Executive)

abel-win11-stig					
Summary					
Critical	High	Medium	Low	Info	Total
0	3	4	1	141	149
Details					
Severity	Plugin Id	Name			
High	166555	WinVerifyTrust Signature Validation CVE-2013-3900 Mitigation (EnableCertPaddingCheck)			
High	303594	SQLite <= 3.51.1 Information Disclosure			
High	311420	libcurl 7.71.0 < 8.20.0 Cookie Leak via Stale Host Header			
Medium	51192	SSL Certificate Cannot Be Trusted			
Medium	57582	SSL Self-Signed Certificate			
Medium	311421	libcurl 7.14.0 < 8.20.0 Netrc Password Leak on HTTP Redirect			
Medium	311422	libcurl 7.12.0 < 8.20.0 Cross-Proxy Digest Auth State Leak			
Low	10114	ICMP Timestamp Request Remote Date Disclosure			
Info	10150	Windows NetBIOS / SMB Remote Host Information Disclosure			
Info	10287	Traceroute Information			
Info	10394	Microsoft Windows SMB Log In Possible			
Info	10395	Microsoft Windows SMB Shares Enumeration			
Info	10396	Microsoft Windows SMB Shares Access			
Info	10400	Microsoft Windows SMB Registry Remotely Accessible			
Info	10456	Microsoft Windows SMB Service Enumeration			
Info	10736	DCE Services Enumeration			
Info	10785	Microsoft Windows SMB NativeLanManager Remote System Information Disclosure			
Info	10859	Microsoft Windows SMB LsaQueryInformationPolicy Function SID Enumeration			
Info	10863	SSL Certificate Information			
Info	10902	Microsoft Windows 'Administrators' Group User List			
Info	11011	Microsoft Windows SMB Service Detection			
Info	11457	Microsoft Windows SMB Registry : Winlogon Cached Password Weakness			
Info	11777	Microsoft Windows SMB Share Hosting Possibly Copyrighted Material			
Info	11936	OS Identification			

Info	16193	Antivirus Software Check
Info	17651	Microsoft Windows SMB : Obtains the Password Policy
Info	19506	Nessus Scan Information
Info	20811	Microsoft Windows Installed Software Enumeration (credentialed check)
Info	21643	SSL Cipher Suites Supported
Info	23974	Microsoft Windows SMB Share Hosting Office Files
Info	24269	WMI Available
Info	24270	Computer Manufacturer Information (WMI)
Info	24272	Network Interfaces Enumeration (WMI)
Info	25220	TCP/IP Timestamps Supported
Info	34096	BIOS Info (WMI)
Info	34097	BIOS Info (SMB)
Info	34220	Netstat Portscanner (WMI)
Info	34252	Microsoft Windows Remote Listeners Enumeration (WMI)
Info	35716	Ethernet Card Manufacturer Detection
Info	38689	Microsoft Windows SMB Last Logged On User Disclosure
Info	42410	Microsoft Windows NTLMSSP Authentication Request Remote Network Name Disclosure
Info	42897	SMB Registry : Start the Registry Service during the scan (WMI)
Info	42898	SMB Registry : Stop the Registry Service after the scan (WMI)
Info	44401	Microsoft Windows SMB Service Config Enumeration
Info	44871	WMI Windows Feature Enumeration
Info	45590	Common Platform Enumeration (CPE)
Info	48337	Windows ComputerSystemProduct Enumeration (WMI)
Info	48763	Microsoft Windows 'CWDIllegalInDllSearch' Registry Setting
Info	48942	Microsoft Windows SMB Registry : OS Version and Processor Architecture
Info	51186	WMI Trusted Platform Module Enumeration
Info	51351	Microsoft .NET Framework Detection
Info	52001	WMI QuickFixEngineering (QFE) Enumeration
Info	54615	Device Type
Info	55472	Device Hostname

Info	56468	Time of Last System Startup
Info	56984	SSL / TLS Versions Supported
Info	57033	Microsoft Patch Bulletin Feasibility Check
Info	57041	SSL Perfect Forward Secrecy Cipher Suites Supported
Info	58181	Windows DNS Server Enumeration
Info	58452	Microsoft Windows Startup Software Enumeration
Info	62042	SMB QuickFixEngineering (QFE) Enumeration
Info	63080	Microsoft Windows Mounted Devices
Info	63620	Windows Product Key Retrieval
Info	64582	Netstat Connection Information
Info	64814	Terminal Services Use SSL/TLS
Info	66334	Patch Report
Info	66424	Microsoft Malicious Software Removal Tool Installed
Info	70329	Microsoft Windows Process Information
Info	70331	Microsoft Windows Process Module Information
Info	70544	SSL Cipher Block Chaining Cipher Suites Supported
Info	71246	Enumerate Local Group Memberships
Info	72367	Microsoft Internet Explorer Version Detection
Info	72482	Windows Display Driver Enumeration
Info	72684	Enumerate Users via WMI
Info	77668	Windows Prefetch Folder
Info	86420	Ethernet MAC Addresses
Info	92364	Microsoft Windows Environment Variables
Info	92365	Microsoft Windows Hosts File
Info	92366	Microsoft Windows Last Boot Time
Info	92368	Microsoft Windows Scripting Host Settings
Info	92369	Microsoft Windows Time Zone Information
Info	92370	Microsoft Windows ARP Table
Info	92371	Microsoft Windows DNS Cache
Info	92373	Microsoft Windows SMB Sessions
Info	92415	Application Compatibility Cache

Info	92418	Windows Explorer Typed Paths
Info	92421	Internet Explorer Typed URLs
Info	92423	Windows Explorer Recently Executed Programs
Info	92424	MUICache Program Execution History
Info	92429	Recycle Bin Files
Info	92431	User Shell Folders Settings
Info	92434	User Download Folder Files
Info	92435	UserAssist Execution History
Info	93962	Microsoft Security Rollup Enumeration
Info	99364	Microsoft .NET Security Rollup Enumeration
Info	100574	Tenable Nessus Agent Installed (Windows)
Info	100871	Microsoft Windows SMB Versions Supported (remote check)
Info	103871	Microsoft Windows Network Adapters
Info	106716	Microsoft Windows SMB2 and SMB3 Dialects Supported (remote check)
Info	117885	Target Credential Issues by Authentication Protocol - Intermittent Authentication Failure
Info	117887	OS Security Patch Assessment Available
Info	125835	Microsoft Remote Desktop Connection Installed
Info	126527	Microsoft Windows SAM user enumeration
Info	131023	Windows Defender Installed
Info	136969	Microsoft Edge Chromium Installed
Info	138603	Microsoft OneDrive Installed
Info	139785	DISM Package List (Windows)
Info	141118	Target Credential Status by Authentication Protocol - Valid Credentials Provided
Info	148541	Windows Language Settings Detection
Info	151440	Microsoft Windows Print Spooler Service Enabled
Info	155963	Windows Printer Driver Enumeration
Info	156899	SSL/TLS Recommended Cipher Suites
Info	159817	Windows Credential Guard Status
Info	159929	Windows LSA Protection Status
Info	160486	Server Message Block (SMB) Protocol Version Detection
Info	160576	Windows Services Registry ACL

Info	161502	Microsoft Windows Logged On Users
Info	161691	The Microsoft Windows Support Diagnostic Tool (MSDT) RCE Workaround Detection (CVE-2022-30190)
Info	162174	Windows Always Installed Elevated Status
Info	162560	Microsoft Internet Explorer Installed
Info	164690	Windows Disabled Command Prompt Enumeration
Info	168149	OpenSSL Detection (Windows)
Info	168980	Enumerate the PATH Variables
Info	171077	SQLite Detection (Windows)
Info	171410	IP Assignment Method Detection
Info	171860	Curl Installed (Windows)
Info	171956	Windows Enumerate Accounts
Info	174736	Netstat Ingress Connections
Info	176212	Microsoft Edge Add-on Enumeration (Windows)
Info	178102	Microsoft Windows Installed Software Version Enumeration
Info	182962	libcurl Installed (Windows)
Info	187318	Microsoft Windows Installed
Info	200493	Microsoft Windows Start Menu Software Version Enumeration
Info	204960	Windows System Driver Enumeration (Windows)
Info	209654	OS Fingerprints Detected
Info	277650	Remote Services Not Using Post-Quantum Ciphers
Info	277654	TLS Supported Groups
Info	280146	Microsoft Azure Guest Agent Installed (Windows)
Info	298387	Shor's Harvest Now Decrypt Later

Remediations

Suggested Remediations

Taking the following actions across 1 hosts would resolve 42% of the vulnerabilities on the network:

Action to take	Vulnerabilities	Hosts
libcurl 7.14.0 < 8.20.0 Netrc Password Leak on HTTP Redirect: Upgrade libcurl to version 8.20.0 or later	1	1
libcurl 7.12.0 < 8.20.0 Cross-Proxy Digest Auth State Leak: Upgrade libcurl to version 8.20.0 or later	1	1
libcurl 7.71.0 < 8.20.0 Cookie Leak via Stale Host Header: Upgrade libcurl to version 8.20.0 or later	1	1