


Práctica SQL 12c

3. Práctica DISTINCT

1. Distinct


- Visualizar las ciudades donde hay departamentos, de la tabla locations. No deben salir repetidos



The screenshot shows a SQL query window with the text `SELECT DISTINCT city FROM locations;`. Below the query, the results are displayed in a table with one column labeled 'CITY'. The results are a list of 11 cities: Roma, Venice, Tokyo, Hiroshima, Southlake, South San Francisco, South Brunswick, Seattle, Toronto, Whitehorse, and Beijing.

CITY
1 Roma
2 Venice
3 Tokyo
4 Hiroshima
5 Southlake
6 South San Francisco
7 South Brunswick
8 Seattle
9 Toronto
10 Whitehorse
11 Beijing

- Visualizar los distintos tipos de JOB_ID por departamento de la tabla Employees.



The screenshot shows a SQL query window with the text `SELECT DISTINCT job_id FROM employees;`. Below the query, the results are displayed in a table with one column labeled 'JOB_ID'. The results are a list of 11 job titles: SH_CLERK, AD_ASST, MK_MAN, MK_REP, HR_REP, PR_REP, AC_MGR, AC_ACCOUNT, AD_PRES, AD_VP, and IT_PROG.

JOB_ID
1 SH_CLERK
2 AD_ASST
3 MK_MAN
4 MK_REP
5 HR_REP
6 PR_REP
7 AC_MGR
8 AC_ACCOUNT
9 AD_PRES
10 AD_VP
11 IT_PROG