

# Cucumber Report

Sep 15, 2023, 1:48:02 AM

Start : Sep 15, 1:34:52.001 AM

End : Sep 15, 1:48:02.238 AM

Duration : 13 m 10.237 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 7  
FAILED - 6  
SKIPPED - 0


PASSED - 32  
FAILED - 6  
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Employees endpoint</u>	2 m 2.936 s	2	2	0	0	7	7	0	0
<u>Employees endpoint</u>	11 m 7.293 s	11	5	6	0	37	25	6	6

#	Feature Name	Scenario Name
1	<u>Employees endpoint</u>	<u>/employee/{id} shouldn't return a employee with non existent id</u>
2		<u>/update/{id} with payload with empty fields should return error</u>
3		<u>/update/{id} with payload with empty fields should return error</u>
4		<u>/update/{id} with payload with empty fields should return error</u>
5		<u>/update/{id} with payload with empty fields should return error</u>
6		<u>/update/{id} with payload with empty fields should return error</u>


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@getAll	1	1	0	0	1	1	0	0
@post	1	1	0	0	1	1	0	0
@delete	1	1	0	0	1	0	1	0
@getByID	3	3	0	0	1	0	1	0
@put	1	1	0	0	1	0	1	0
@getByIDNotFound	1	0	1	0	1	0	1	0
@badRequestPutForEmptyFieldAge	1	0	1	0	1	0	1	0
@badRequestPutForEmptyFieldSalary	1	0	1	0	1	0	1	0
@badRequestPutForEmptyFieldName	1	0	1	0	1	0	1	0
@badRequestPutForWrongFormatSalary	1	0	1	0	1	0	1	0
@badRequestPutForWrongFormatAge	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Employees endpoint</u>	2	2	0	0	2 m 2.936 s
2	<u>Employees endpoint</u>	11	5	6	0	11 m 7.293 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Employees endpoint</u>	<u>/employees should return all the employees</u>	3	3	0	0	1 m 2.110 s
2		<u>/create should create an employee</u>	4	4	0	0	1 m 0.818 s
3		<u>/delete should delete a employee</u>	3	3	0	0	1 m 0.661 s
4		<u>/employee/{id} should return a specific employee</u>	4	4	0	0	1 m 0.758 s
5		<u>/employee/{id} should return a specific employee</u>	4	4	0	0	1 m 0.701 s
6		<u>/employee/{id} should return a specific employee</u>	4	4	0	0	1 m 0.697 s
7		<u>/update/{id} should update a specific employee's information</u>	4	4	0	0	1 m 0.661 s
8		<u>/employee/{id} shouldn't return a employee with non existent id</u>	3	1	1	1	1 m 0.751 s
9		<u>/update/{id} with payload with empty fields should return error</u>	3	1	1	1	1 m 0.594 s
10		<u>/update/{id} with payload with empty fields should return error</u>	3	1	1	1	1 m 0.591 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Employees endpoint</u>	<u>/update/{id} with payload with empty fields should return error</u>	3	1	1	1	1 m 0.579 s
12		<u>/update/{id} with payload with empty fields should return error</u>	3	1	1	1	1 m 0.609 s
13		<u>/update/{id} with payload with empty fields should return error</u>	3	1	1	1	1 m 0.665 s

**Employees endpoint**



<b>PASSED</b>	<b>DURATION - 2 m 2.936 s</b>	Scenarios		Steps	
/ 1:34:52.001 AM // 1:36:54.937 AM /		Total - 2		Total - 7	
		Pass - 2		Pass - 7	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**/employees should return all the employees**

<div>PASSED</div>	<div>DURATION - 1 m 2.110 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:34:52.003 AM // 1:35:54.113 AM /</div>				
<div>Employees endpoint</div>				
<div>@getAll</div>				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET to the employees endpoint	PASSED	1 m 1.702 s
2	Then I verify status code 200 is returned	PASSED	0.017 s
3	And I verify that the body does not have size 0	PASSED	0.377 s



**/create should create an employee**

<div>PASSED</div>	<div>DURATION - 1 m 0.818 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:35:54.119 AM // 1:36:54.937 AM /				
Employees endpoint				
@post				





#	Step / Hook Details	Status	Duration
1	Given I perform a POST to the create endpoint with the following data Diego 3500 26	PASSED	1 m 0.785 s
2	Then I verify status code 200 is returned	PASSED	0.000 s
3	And I verify that the body does not have size 0	PASSED	0.010 s
4	And I verify the following data in the body response Diego 3500 26	PASSED	0.021 s

## Employees endpoint



FAILED	DURATION - 11 m 7.293 s	Scenarios Total - 11 Pass - 5 Fail - 6 Skip - 0		Steps Total - 37 Pass - 25 Fail - 6 Skip - 6	
/ 1:36:54.945 AM // 1:48:02.238 AM /					

## /delete should delete a employee

PASSED	DURATION - 1 m 0.661 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:36:54.946 AM // 1:37:55.607 AM /				
Employees endpoint				
@delete				



#	Step / Hook Details	Status	Duration
1	Given I perform a DELETE to delete the id "24"	PASSED	1 m 0.642 s
2	Then I verify status code 200 is returned	PASSED	0.000 s
3	And I verify that the employee with id "24" no longer exists	PASSED	0.018 s

## /employee/{id} should return a specific employee

<b>PASSED</b>	DURATION - 1 m 0.758 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:37:55.610 AM // 1:38:56.368 AM /				
Employees endpoint				
@getByID				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET to get the employee of id: "21"	PASSED	1 m 0.727 s
2	Then I verify status code 200 is returned	PASSED	0.000 s
3	And I verify that the body does not have size 0	PASSED	0.007 s
4	And I verify I get the employee of id 21	PASSED	0.023 s

### /employee/{id} should return a specific employee

<b>PASSED</b>	DURATION - 1 m 0.701 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:38:56.370 AM // 1:39:57.071 AM /				
Employees endpoint				
@getByID				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET to get the employee of id: "22"	PASSED	1 m 0.673 s
2	Then I verify status code 200 is returned	PASSED	0.000 s
3	And I verify that the body does not have size 0	PASSED	0.008 s
4	And I verify I get the employee of id 22	PASSED	0.020 s

### /employee/{id} should return a specific employee

<b>PASSED</b>	DURATION - 1 m 0.697 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:39:57.072 AM // 1:40:57.769 AM /				
Employees endpoint				
@getByID				



#	Step / Hook Details	Status	Duration
1	Given I perform a GET to get the employee of id: "23"	PASSED	1 m 0.671 s
2	Then I verify status code 200 is returned	PASSED	0.001 s
3	And I verify that the body does not have size 0	PASSED	0.006 s
4	And I verify I get the employee of id 23	PASSED	0.018 s

### /update/{id} should update a specific employee's information

<b>PASSED</b>	DURATION - 1 m 0.661 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:40:57.771 AM // 1:41:58.432 AM /				
Employees endpoint				
@put				

#	Step / Hook Details	Status	Duration
1	Given I perform a PUT to the update a employee of id "21" with the following data: Santiago 7050 19	PASSED	1 m 0.634 s
2	Then I verify status code 200 is returned	PASSED	0.000 s
3	And I verify that the body does not have size 0	PASSED	0.007 s
4	And I verify the following data in the body response Santiago 7050 19	PASSED	0.019 s



### /employee/{id} shouldn't return a employee with non existent id

<div>FAILED</div> <div>DURATION - 1 m 0.751 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 1:41:58.434 AM // 1:42:59.185 AM /				
Employees endpoint				
@getByIdNotFound				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET to get the employee of id: "56"	PASSED	1 m 0.736 s
2	Then I verify status code 404 is returned  <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;404&gt; but was &lt;200&gt;.   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:578)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)   at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:32)   at ?.I verify status code 404 is returned(file:///C:/Users/PC/Documents/Proyecto%20Final%20Certificacion%20II%20Rest/Proyecto_Final_Certificacion_II_Rest_Assured/src/test/resources/Project5Test.feature:36) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
3	And I verify that the body has size 0	SKIPPED	0.001 s



### /update/{id} with payload with empty fields should return error

<b>FAILED</b> DURATION - 1 m 0.594 s / 1:42:59.190 AM // 1:43:59.784 AM / Employees endpoint @badRequestPutForEmptyFieldAge		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given I perform a PUT to the update a employee of id "21" with the following data: Santiago 7050	PASSED	1 m 0.592 s
2	Then I verify status code 400 is returned <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;200&gt;.     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)     at java.base/java.lang.reflect.Method.invoke(Method.java:578)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)           </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:32) at ?.I verify status code 400 is returned(file:///C:/Users/PC/Documents/Proyecto%20Final%20Certificacion%20II%20Rest/Proyecto_Final_Certificacion_II_Rest_Assured/src/test/resources/Project5Test.feature:43) * Not displayable characters are replaced by '?'.		
3	And I verify that the body has size 0	SKIPPED	0.000 s



### /update/{id} with payload with empty fields should return error

<b>FAILED</b> DURATION - 1 m 0.591 s / 1:43:59.786 AM // 1:45:00.377 AM / Employees endpoint @badRequestPutForEmptyFieldSalary		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given I perform a PUT to the update a employee of id "21" with the following data: Santiago   21	PASSED	1 m 0.590 s
2	Then I verify status code 400 is returned java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:32) at ?.I verify status code 400 is returned(file:///C:/Users/PC/Documents/Proyecto%20Final%20Certificacion%20II%20Rest/Proyecto_Final_Certificacion_II_Rest_Assured/src/test/resources/Project5Test.feature:50) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify that the body has size 0	SKIPPED	0.000 s



### /update/{id} with payload with empty fields should return error

<b>FAILED</b> DURATION - 1 m 0.579 s / 1:45:00.380 AM // 1:46:00.959 AM / Employees endpoint @badRequestPutForEmptyFieldName		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given I perform a PUT to the update a employee of id "21" with the following data: 4020 21	PASSED	1 m 0.578 s
2	Then I verify status code 400 is returned <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;200&gt;. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) </pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:32) at ?.I verify status code 400 is returned(file:///C:/Users/PC/Documents/Proyecto%20Final%20Certificacion%20II%20Rest/Proyecto_Final_Certificacion_II_Rest_Assured/src/test/resources/Project5Test.feature:57) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify that the body has size 0	SKIPPED	0.000 s

### /update/{id} with payload with empty fields should return error

FAILED		DURATION - 1 m 0.609 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 1:46:00.962 AM // 1:47:01.571 AM /						
Employees endpoint						
@badRequestPutForWrongFormatSalary						

#	Step / Hook Details	Status	Duration
1	Given I perform a PUT to the update a employee of id "21" with the following data: Santiago WrongFormat 19	PASSED	1 m 0.607 s
2	Then I verify status code 400 is returned <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;200&gt;. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:32) at ?.I verify status code 400 is returned(file:///C:/Users/PC/Documents/Proyecto%20Final%20Certificacion%20II%20Rest/Proyecto_Final_Certificacion_II_Rest_Assured/src/test/resources/Project5Test.feature:64) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify that the body has size 0	SKIPPED	0.001 s

### /update/{id} with payload with empty fields should return error

<b>FAILED</b> DURATION - 1 m 0.665 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 1:47:01.573 AM // 1:48:02.238 AM /			
Employees endpoint			
@badRequestPutForWrongFormatAge			

#	Step / Hook Details	Status	Duration
1	Given I perform a PUT to the update a employee of id "21" with the following data: Santiago 4020 WrongFormat	PASSED	1 m 0.664 s
2	Then I verify status code 400 is returned java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>.	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:32) at ?.I verify status code 400 is returned(file:///C:/Users/PC/Documents/Proyecto%20Final%20Certificacion%20II%20Rest/Proyecto_Final_Certificacion_II_Rest_Assured/src/test/resources/Project5Test.feature:71) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify that the body has size 0	SKIPPED	0.000 s