

Puesta en Producción Segura

Practica Evaluable UD5

Proyecto CD/CI

Santiago Lumbreras


Índice

Ejercicio 1 - Configuración de un Proyecto Spring Boot con Maven	_____ 2
Ejercicio 2 - Compilación con Maven y Trabajo con Branches	_____ 5
Ejercicio 3 - Compilación con Maven y Subida a Otra Rama	_____ 7

Memoria del Proyecto

Ejercicio 1 - Configuración de un Proyecto Spring Boot con Maven

Creamos un nuevo repositorio en GitHub



Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk ().*

Owner * SantiLumGon / **Repository name *** ExamenUD5
✓ ExamenUD5 is available.


Great repository names are short and memorable. Need inspiration? How about [upgraded-train](#) ?

Description (optional)

☐ **Public**
Anyone on the internet can see this repository. You choose who can commit.

☒ **Private**
You choose who can see and commit to this repository.

Creamos un proyecto nuevo en IntelliJ



New Project

Name: examenUD5

Location: ~\IdeaProjects
Project will be created in: ~\IdeaProjects\examenUD5
☐ Create Git repository

Build system: IntelliJ Maven Gradle

JDK: temurin-21 Eclipse Temurin 21.0.6

☒ Add sample code
☐ Generate code with onboarding tips


Advanced Settings

GroupId: pps.maven


ArtifactId: examenUD5

Configuramos las dependencias en el archivo pom.xml del proyecto


3





Importante recargar los proyectos Maven para que descargue las dependencias que metimos



Al ejecutarlo nos dice que no se ha podido, porque el puerto 8080 lo tengo ocupado con un servicio de Oracle. Por lo que lo cambiaremos al 8081



4




¡Bienvenido al examen UD5!

Subimos el proyecto a nuestro repositorio

```
PS C:\Users\santi\IdeaProjects\examenUD5> git branch
* master
PS C:\Users\santi\IdeaProjects\examenUD5> git init
Reinitialized existing Git repository in C:/Users/santi/IdeaProjects/examenUD5/.git/
PS C:\Users\santi\IdeaProjects\examenUD5> git remote add origin https://github.com/SantiLumGon/ExamenUD5
error: remote origin already exists.
PS C:\Users\santi\IdeaProjects\examenUD5> git add .
PS C:\Users\santi\IdeaProjects\examenUD5> git commit -m "Subida inicial del proyecto"
On branch master
nothing to commit, working tree clean
PS C:\Users\santi\IdeaProjects\examenUD5> git push -u origin master
```

```
PS C:\Users\santi\IdeaProjects\examenUD5> git push -u origin master
info: please complete authentication in your browser...
Enumerating objects: 27, done.
Counting objects: 100% (27/27), done.
Delta compression using up to 16 threads
Compressing objects: 100% (18/18), done.
Writing objects: 100% (27/27), 8.97 KiB | 1.50 MiB/s, done.
Total 27 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:   https://github.com/SantiLumGon/ExamenUD5/pull/new/master
remote:
To https://github.com/SantiLumGon/ExamenUD5
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```




Ejercicio 2 - Compilación con Maven y Trabajo con Branches

5

Creamos y cambiamos a la nueva rama

```
PS C:\Users\santi\IdeaProjects\examenUD5> git checkout -b feature/initial-setup  
Switched to a new branch 'feature/initial-setup'
```

Quitamos las dependencias del archivo pom.xml




Lo subimos a la rama a github

```
PS C:\Users\santi\IdeaProjects\examenUD5> git add .  
warning: in the working copy of 'pom.xml', LF will be replaced by CRLF the next time Git touches it  
PS C:\Users\santi\IdeaProjects\examenUD5> git commit -m "Setup inicial con pom.xml vacío y controlador REST"  
[feature/initial-setup 247d871] Setup inicial con pom.xml vacío y controlador REST  
1 file changed, 24 deletions(-)  
PS C:\Users\santi\IdeaProjects\examenUD5> git push -u origin feature/initial-setup  
Enumerating objects: 5, done.  
Counting objects: 100% (5/5), done.  
Delta compression using up to 16 threads  
Compressing objects: 100% (3/3), done.  
Writing objects: 100% (3/3), 341 bytes | 341.00 KiB/s, done.  
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)  
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.  
remote:  
remote: Create a pull request for 'feature/initial-setup' on GitHub by visiting:  
remote:   https://github.com/SantiLumGon/ExamenUD5/pull/new/feature/initial-setup  
remote:  
To https://github.com/SantiLumGon/ExamenUD5  
* [new branch]      feature/initial-setup -> feature/initial-setup  
branch 'feature/initial-setup' set up to track 'origin/feature/initial-setup'.  
PS C:\Users\santi\IdeaProjects\examenUD5>
```

Creamos otra rama a partir de la que estamos

```
PS C:\Users\santi\IdeaProjects\examenUD5> git checkout -b feature/add-dependencies  
Switched to a new branch 'feature/add-dependencies'
```

Añadimos las dependencias al archivo pom.xml



Subimos los archivos a la rama add-dependencies

```

PS C:\Users\santi\IdeaProjects\examenUD5> git add pom.xml
warning: in the working copy of 'pom.xml', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\santi\IdeaProjects\examenUD5> git commit -m "Añadidas dependencias de Spring Boot"
[feature/add-dependencies 9fe96a3] Añadidas dependencias de Spring Boot
 1 file changed, 24 insertions(+)
PS C:\Users\santi\IdeaProjects\examenUD5> git push -u origin feature/add-dependencies
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 578 bytes | 578.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'feature/add-dependencies' on GitHub by visiting:
remote:   https://github.com/SantiLumGon/ExamenUD5/pull/new/feature/add-dependencies
remote:
To https://github.com/SantiLumGon/ExamenUD5
 * [new branch]      feature/add-dependencies -> feature/add-dependencies
branch 'feature/add-dependencies' set up to track 'origin/feature/add-dependencies'.

```


Ejercicio 3 - Compilación con Maven y Subida a Otra Rama

7

Cambiamos a la rama compile-code

```
PS C:\Users\santi\IdeaProjects\examenUD5> git checkout feature/add-dependencies
Already on 'feature/add-dependencies'
Your branch is up to date with 'origin/feature/add-dependencies'.
PS C:\Users\santi\IdeaProjects\examenUD5> git checkout -b feature/compile-code
Switched to a new branch 'feature/compile-code'
```


Añadimos la dependía de springboot que nos falta



The screenshot shows an IDE with the `pom.xml` file open. The file contains a Maven project configuration. A new dependency is being added to the `<dependencies>` block. The dependency is for the Spring Boot Starter Test, with the following configuration:

```
<!-- 5. Spring Boot Starter Test -->
<dependency>
  <groupId>org.springframework.boot</groupId>
  <artifactId>spring-boot-starter-test</artifactId>
  <scope>test</scope>
</dependency>
```

Y lo compilamos con Maven



The screenshot shows the IDE with the Maven build process running. The Maven tab on the right shows the build lifecycle, and the Run tab at the bottom shows the build output. The build is successful, and the output shows the following information:

```
examenUD5 [install]: At 01/05/2025, 16 sec, 541 ms
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/resolver/maven-resolver-api/1.9.22/maven-resolver-api-1.9.22.jar
[INFO] Installing C:\Users\santi\IdeaProjects\examenUD5\pom.xml to C:\Users\santi\.m2\repository\ps\maven\examenUD5\0.0.1-SNAPSHOT\pom.xml
[INFO] Installing C:\Users\santi\IdeaProjects\examenUD5\target\examenUD5-0.0.1-SNAPSHOT.jar to C:\Users\santi\.m2\repository\ps\maven\examenUD5\0.0.1-SNAPSHOT\examenUD5-0.0.1-SNAPSHOT.jar
[INFO] BUILD SUCCESS
[INFO] Total time: 15.080 s
[INFO] Finished at: 2025-05-01T22:01:04+02:00
[INFO] Process finished with exit code 0
```

8

Lo subimos a la rama compile-code

```
PS C:\Users\santi\IdeaProjects\examenUD5> git add .
warning: in the working copy of 'pom.xml', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\santi\IdeaProjects\examenUD5> git commit -m "Compilado el proyecto con Maven y preparados cambios para subir"
[feature/add-dependencies 4b99f79] Compilado el proyecto con Maven y preparados cambios para subir
1 file changed, 8 insertions(+)
PS C:\Users\santi\IdeaProjects\examenUD5> git push -u origin feature/compile-code
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/compile-code' on GitHub by visiting:
remote:   https://github.com/SantiLumGon/ExamenUD5/pull/new/feature/compile-code
remote:
To https://github.com/SantiLumGon/ExamenUD5
 * [new branch]      feature/compile-code -> feature/compile-code
branch 'feature/compile-code' set up to track 'origin/feature/compile-code'.
PS C:\Users\santi\IdeaProjects\examenUD5>
PS C:\Users\santi\IdeaProjects\examenUD5>
```

Compartimos el repositorio con todas las ramas a través del link.

Link del repositorio GitHub:

<https://github.com/SantiLumGon/ExamenUD5>