


select cnon
 from stand
 join emp on
 join pabellon
 join feria
 select pno
 from visi
 join per
 where v.i
 select
 from
 join
 where
 ;



Insert into visitante
Insert into

```
Create database Feria;  
Use Feria;  
Create table Personal  
id_Persona int primary key,  
nombre varchar (100),  
dni varchar (100)  
);
```

```
Create table responsable(  
id_responsable int primary key,  
id_Persona int foreign key references personal (id_Persona)  
);
```

```
Create table Ponente(  
id_Ponente int primary key,  
id_Persona int foreign key references personal (id_Persona)  
);
```

```
Create table tipoVisitante(  
id_tipo_visitante int primary key,  
nombre varchar (100)  
);
```

```
Create table visitante(  
id_visitante int primary key,  
id_Persona int foreign key references personal (id_Persona),  
id_tipo_visitante int foreign key references tipo_visitante (id_tipo_visitante)  
);
```

```
Create table Feria  
id_Feria int primary key,  
nombre varchar (100)  
);
```

```
Create table  
id_tematica  
nombre varchar  
);
```

```
Create table  
id_pabellon  
nombre varchar  
id_tematica  
id_Feria int  
);
```

```
Create table  
id_empresa  
nombre  
);
```

```
Create  
id_stand  
id_empresa  
id_pabellon  
nombre  
);
```

```
Create  
id_P  
id-  
id.ro  
nom
```

```
);  
Cre
```

```
id.  
no  
)
```

```
create table tematica (
  id-tematica int primary key,
  nombre varchar (100)
);
```

```
create table pabellon (
  id-pabellon int primary key,
  nombre varchar (100),
  id-tematica int foreign key references tematica (id-tematica),
  id-feria int foreign key references feria (id-feria)
);
```

```
create table empresa (
  id-empresa int primary key,
  nombre varchar (100)
);
```

```
create table stand (
  id-stand int primary key,
  id-empresa int foreign key references empresa (id-empresa),
  id-pabellon int foreign key references pabellon (id-pabellon),
  nombre varchar (100)
);
```

```
create table producto (
  id-producto int primary key,
  id-stand int foreign key references stand (id-stand),
  id-responsable int foreign key references responsable (id-responsable),
  nombre varchar (100)
);
```

```
create table charla (
  id-charla int primary key,
  nombre varchar (100)
);
```

```

insert into visitante values (5,5,5);
insert into visitante values (6,6,6);
insert into visitante values (7,7,7);
insert into visitante values (8,8,8);
insert into visitante values (9,9,9);

```

```

create table demostracion (
  id-demostracion int primary key,
  nombre varchar (100)
);

create table registro (
  id-registro int primary key,
  id-feria int foreign key references feria (id-feria),
  id-charla int foreign key references charla (id-charla),
  id-visitante int foreign key references visitante (id-visitante),
  id-ponente int foreign key references ponente (id-ponente),
  id-empresa int foreign key references empresa (id-empresa),
  id-demostracion int foreign key references demostracion (id-demostracion),
  online varchar (100)
);

```

```

insert into persona values (1, 'Juan', '10752307301');

```

select c.nombre as empresa, s.id_estado, p.id-ponente

```
insert into Persona values(1,'Carlos', '10750001');  
insert into Persona values(2,'Ana', '10804010');  
insert into Persona values(3,'Maria', '12704010');  
insert into Persona values(4,'Pedro', '20203010');  
insert into Persona values(5,'Lucia', '10905010');  
insert into Persona values(6,'Javier', '10752361');  
insert into Persona values(7,'Elena', '20303850');  
insert into Persona values(8,'Tomas', '10804070');  
insert into Persona values(9,'Sofia', '60203201');  
insert into Persona values(10,'Andres', '30201009');
```

```
insert into responsable values(1,1);  
insert into responsable values(2,2);  
insert into responsable values(3,3);  
insert into responsable values(4,4);  
insert into responsable values(5,5);  
insert into responsable values(6,6);  
insert into responsable values(7,7);  
insert into responsable values(8,8);  
insert into responsable values(9,9);  
insert into responsable values(10,10);
```

```
insert into Ponente values(1,1);  
insert into Ponente values(2,2);  
insert into Ponente values(3,3);  
insert into Ponente values(4,4);  
insert into Ponente values(5,5);  
insert into Ponente values(6,6);  
insert into Ponente values(7,7);
```

insert into feria values (1, 'Feria Expo 2025');
insert into feria values (2, 'Feria Innovación');
insert into feria values (3, 'Congreso Científico');
insert into feria values (4, 'Expo Ambiental');
insert into feria values (5, 'Feria Empresarial');

insert into ponente values (8, 8);
insert into ponente values (9, 9);
insert into ponente values (10, 10);

insert into empresa values (1, 'Tech Solution');
insert into empresa values (2, 'DataCorp');
insert into empresa values (3, 'Innovasoft');
insert into empresa values (4, 'FutureLabs');
insert into empresa values (5, 'NetVision');
insert into empresa values (6, 'Cloudware');
insert into empresa values (7, 'SmartIT');
insert into empresa values (8, 'BioTechPro');
insert into empresa values (9, 'GreenEnergy');
insert into empresa values (10, 'AgroSoft');

insert into tipo_visitante values (1, 'Estudiante');
insert into tipo_visitante values (2, 'Profesor');
insert into tipo_visitante values (3, 'Investigador');
insert into tipo_visitante values (4, 'Empresario');
insert into tipo_visitante values (5, 'Inversionista');
insert into tipo_visitante values (6, 'Público general');
insert into tipo_visitante values (7, 'Prensa');
insert into tipo_visitante values (8, 'Expositor');
insert into tipo_visitante values (9, 'VIP');
insert into tipo_visitante values (10, 'Organizador');

insert into visitante values (1, 1, 1);
insert into visitante values (2, 2, 2);
insert into visitante values (3, 3, 3);
insert into visitante values (4, 4, 4);

insert into visitante values (5,5,5);
insert into visitante values (6,6,6);
insert into visitante values (7,7,7);
insert into visitante values (8,8,8);
insert into visitante values (9,9,9);
insert into visitante values (10,10,10);

insert into charla values (1, 'IA');
insert into charla values (2, 'Big data');
insert into charla values (3, 'Ciberseguridad');
insert into charla values (4, 'Internet de las cosas');
insert into charla values (5, 'Blockchain');
insert into charla values (6, 'Computacion cuantica');
insert into charla values (7, 'Energias renovables');
insert into charla values (8, 'Agrotecnologias');
insert into charla values (9, 'Biotecnologia');
insert into charla values (10, 'Educacion digital');

insert into demostracion values (1, 'Robotica');
insert into demostracion values (2, 'Impresion 3D');
insert into demostracion values (3, 'Realidad virtual');
insert into demostracion values (4, 'Drones');
insert into demostracion values (5, 'Nanotecnologia');
insert into demostracion values (6, 'Biomedica');
insert into demostracion values (7, 'Software educativo');
insert into demostracion values (8, 'Energia solar');
insert into demostracion values (9, 'Biomateriales');
insert into demostracion values (10, 'Automatizacion industrial');

MATERIA	SEMESTRE	CURSO	DIA	MES	AÑO
INSTITUCION	PROFESOR	CALIFICACION			
ALUMNO	CODIGO				

```

insert into feria values (1, 'feria expo 2023');
insert into feria values (2, 'feria innovacion');
insert into feria values (3, 'congreso científico');
insert into feria values (4, 'expo ambiental');
insert into feria values (5, 'foro empresarial');
insert into feria values (6, 'combate energético');
insert into feria values (7, 'feria educativa');
insert into feria values (8, 'semana científica');
insert into feria values (9, 'expo agrotech');
insert into feria values (10, 'feria internacional');

```

```

insert into tematica values (1, 'tecnología');
insert into tematica values (2, 'temática');
insert into tematica values (3, 'educación');
insert into tematica values (4, 'energía');
insert into tematica values (5, 'medio ambiente');
insert into tematica values (6, 'salud');
insert into tematica values (7, 'software');
insert into tematica values (8, 'hardware');
insert into tematica values (9, 'innovación');
insert into tematica values (10, 'negocios');

```

```

insert into pabellon values (1, 1, 1);
insert into pabellon values (2, 2, 2);
insert into pabellon values (3, 3, 3);
insert into pabellon values (4, 4, 4);

```

insert into Visitante mail

insert ...

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert

insert into Pabellon values (5,5,5);
insert into Pabellon values (6,6,6);
insert into Pabellon values (7,7,7);
insert into Pabellon values (8,8,8);
insert into Pabellon values (9,9,9);
insert into Pabellon values (10,10,10);

insert into stand values (1,1,1);
insert into stand values (2,2,2);
insert into stand values (3,3,3);
insert into stand values (4,4,4);
insert into stand values (5,5,5);
insert into stand values (6,6,6);
insert into stand values (7,7,7);
insert into stand values (8,8,8);
insert into stand values (9,9,9);
insert into stand values (10,10,10);

insert into Producto values (1,1,1,'App movil');
insert into Producto values (2,2,2,'Sistema ERP');
insert into Producto values (3,3,3,'Robot educativo');
insert into Producto values (4,4,4,'Panel solar');
insert into Producto values (5,5,5,'Drone agrícola');
insert into Producto values (6,6,6,'nanobot');
insert into Producto values (7,7,7,'Plataforma e-learning');
insert into Producto values (8,8,8,'material biodegradable');
insert into Producto values (9,9,9,'software contable');
insert into Producto values (10,10,10,'sistema control');
insert into Producto values (11,11,11,'sistema control');

```

insert into registro values (1,1,1,1,1,1,1);
insert into registro values (2,2,2,2,2,2,2);
insert into registro values (3,3,3,3,3,3,3);
insert into registro values (4,4,4,4,4,4,4);
insert into registro values (5,5,5,5,5,5,5);
insert into registro values (6,6,6,6,6,6,6);
insert into registro values (7,7,7,7,7,7,7);
insert into registro values (8,8,8,8,8,8,8);
insert into registro values (9,9,9,9,9,9,9);
insert into registro values (10,10,10,10,10,10,10);

```

```

select v.id_visitante, p.nombre As nombre_persona, t.nombre As tipo_visitante
from visitante v

```

```

join persona p on v.id_persona = p.id_persona

```

```

join tipo_visitante t on v.id_tipo_visitante = t.id_tipo_visitante;

```

```

select pr.nombre As producto, pe.nombre As responsable
from producto pr

```

```

join responsable r on pr.id_responsable = r.id_responsable

```

```

join persona pe on r.id_persona = pe.id_persona;

```

```

select c.nombre As charla, p.nombre As ponente
from registro r

```

```

join charla c on r.id_charla = c.id_charla

```

```

join ponente po on r.id_ponente = po.id_ponente

```

```

join persona pe on po.id_persona = pe.id_persona;

```

ante value) (5,5,5);

ante value) (6,6,6);

select c.nombre As empresa, s.id-stand, pa.id-pabellon, f.nombre As feria

from stand s

Join empresa e on s.id-empresa = e.id-empresa

Join pabellon pa on s.id-pabellon = pa.id-pabellon

Join feria f on pa.id-feria = f.id-feria;

select p.nombre As visitante

from visitante v

Join persona p on v.id-persona = p.id-persona

where v.id-visitante in C

select r.id-visitante

from registro r

Join feria f on r.id-feria = f.id-feria

where f.nombre = 'Feria Tecnología 2005'

);