PHYSICS



FOR SCIENTISTS AND ENGINEERS A STRATEGIC APPROACH 4/E


Chapter 3
QuickCheck Questions






RANDALL D. KNIGHT


Which of the vectors in the second row shows $\vec{A} + \vec{B}$?




Which of the vectors in the second row shows $\vec{A} + \vec{B}$?



Which of the vectors in the second row shows $2\vec{A} - \vec{B}$?




Which of the vectors in the second row shows $2\vec{A} - \vec{B}$?



What are the *x*- and *y*-components of this vector?

- A. 3, 2
- B. 2, 3
- C. -3, 2
- D. 2, -3
- E. -3, -2



What are the *x*- and *y*-components of this vector?

A. 3, 2




✓ B. 2, 3

C. -3, 2

D. 2, -3

E. -3, -2




What are the *x*- and *y*-components of this vector?



C.
$$-3, 4$$

E.
$$-3, -4$$




What are the *x*- and *y*-components of this vector?



C.
$$-3, 4$$








What are the x- and y-components of vector \vec{C} ?




C.
$$1, -1$$



What are the x- and y-components of vector \vec{C} ?

- A. 1, -3
- B. -3, 1
- C. 1, -1
- **✓** D. −4, 2
 - E. 2, –4



Vector \vec{C} can be written


A.
$$-3\hat{i} + \hat{j}$$
.

B.
$$-4\hat{i} + 2\hat{j}$$
.

C.
$$\hat{i} - 3\hat{j}$$
.

D.
$$2\hat{i}-4\hat{j}$$
.

E.
$$\hat{i} - \hat{j}$$
.



Vector \overrightarrow{C} can be written

A.
$$-3\hat{i} + \hat{j}$$
.




 $\mathbf{B}. \quad -4\hat{\imath} + 2\hat{\jmath}.$

C.
$$\hat{i} - 3\hat{j}$$
.

D.
$$2\hat{i}-4\hat{j}$$
.

E.
$$\hat{i} - \hat{j}$$
.



The angle Φ that specifies the direction of vector \vec{C} is


A.
$$tan^{-1}(C_x/C_y)$$

B.
$$tan^{-1}(C_v/C_x)$$

C.
$$\tan^{-1}(|C_x|/C_y)$$

D.
$$tan^{-1}(|C_x|/|C_y|)$$

E.
$$\tan^{-1}(|C_y|/|C_x|)$$




The angle Φ that specifies the direction of vector \vec{C} is

A.
$$tan^{-1}(C_x/C_y)$$

B.
$$tan^{-1}(C_v/C_x)$$

C.
$$\tan^{-1}(|C_x|/C_y)$$



E.
$$\tan^{-1}(|C_v|/|C_x|)$$

