



IES EMILI DARDER

SISTEMES OPERATIUS EN XARXES (linux)

NOTA:

NOMBRE

Hacer capturas de pantalla de cada uno de los apartados de tal forma que se tenga clara la respuesta o que el comando se haya ejecutado correctamente.

1.- Creación de los siguientes usuarios:

Usuario	Shell	Directorio de trabajo	UID	Grupo
compras01	bash	/home/compras01	1325	compras
compras02	bash	/home/compras02	1326	compras
compras03	sh	/home/compras03	1327	compras
secretaria01	sh	/home/contabilidad	Por defecto	secretaria
secretaria02	sh	/home/contabilidad	Por defecto	secretaria

Para crear estos usuarios he empleado este comando:

```
santiago@ussgs:/home$ ls
jorge      maria santiago  usuario01 usuario04 usuario06
lost+found pedro santiago_02 usuario02 usuario05
santiago@ussgs:/home$ sudo mkdir compras01 compras02 compras03 contabilidad
santiago@ussgs:/home$ ls
compras01 compras03 jorge      maria santiago  usuario01 usuario04 usuario06
compras02 contabilidad lost+found pedro santiago_02 usuario02 usuario05
santiago@ussgs:/home$ _
```

```
santiago@ussgs:/home$ sudo groupadd compras
santiago@ussgs:/home$ sudo groupadd secretaria
santiago@ussgs:/home$ _
```

```
santiago@ussgs:/home$ sudo adduser compras01 --home /home/compras01 --ingroup compras --uid 1325 --s
hell /bin/bash
Warning: The home dir /home/compras01 you specified already exists.
Adding user `compras01' ...
Adding new user `compras01' (1325) with group `compras' ...
The home directory `/home/compras01' already exists. Not copying from `/etc/skel'.
adduser: Warning: The home directory `/home/compras01' does not belong to the user you are currently
creating.
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for compras01
Enter the new value, or press ENTER for the default
    Full Name []:
    Room Number []:
    Work Phone []:
    Home Phone []:
    Other []:
Is the information correct? [Y/n] y
santiago@ussgs:/home$
```

```
santiago@ussgs:/home$ sudo adduser compras02 --home /home/compras02 --ingroup compras --uid 1326 --s
hell /bin/bash
Warning: The home dir /home/compras02 you specified already exists.
Adding user `compras02' ...
Adding new user `compras02' (1326) with group `compras' ...
The home directory `/home/compras02' already exists. Not copying from `/etc/skel'.
adduser: Warning: The home directory `/home/compras02' does not belong to the user you are currently
creating.
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for compras02
Enter the new value, or press ENTER for the default
    Full Name []:
    Room Number []:
    Work Phone []:
    Home Phone []:
    Other []:
Is the information correct? [Y/n]
santiago@ussgs:/home$
```

```
santiago@ussgs:/home$ sudo adduser compras03 --home /home/compras03 --ingroup compras --uid 1327 --s
hell /bin/sh
Warning: The home dir /home/compras03 you specified already exists.
Adding user `compras03' ...
Adding new user `compras03' (1327) with group `compras' ...
The home directory `/home/compras03' already exists. Not copying from `/etc/skel'.
adduser: Warning: The home directory `/home/compras03' does not belong to the user you are currently
creating.
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for compras03
Enter the new value, or press ENTER for the default
    Full Name []:
    Room Number []:
    Work Phone []:
    Home Phone []:
    Other []:
Is the information correct? [Y/n] y
santiago@ussgs:/home$
```

```
santiago@ussgs:/home$ sudo adduser secretaria01 --home /home/contabilidad --ingroup secretaria --shell /bin/sh
Warning: The home dir /home/contabilidad you specified already exists.
Adding user `secretaria01' ...
Adding new user `secretaria01' (1010) with group `secretaria' ...
The home directory `/home/contabilidad' already exists. Not copying from `/etc/skel'.
adduser: Warning: The home directory `/home/contabilidad' does not belong to the user you are currently creating.
New password:
Retype new password:
Sorry, passwords do not match.
passwd: Authentication token manipulation error
passwd: password unchanged
Try again? [y/N] y
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for secretaria01
Enter the new value, or press ENTER for the default
  Full Name []:
  Room Number []:
  Work Phone []:
  Home Phone []:
  Other []:
Is the information correct? [Y/n] y
santiago@ussgs:/home$ _
```

```
santiago@ussgs:/home$ sudo adduser secretaria02 --home /home/contabilidad --ingroup secretaria --shell /bin/sh
Warning: The home dir /home/contabilidad you specified already exists.
Adding user `secretaria02' ...
Adding new user `secretaria02' (1011) with group `secretaria' ...
The home directory `/home/contabilidad' already exists. Not copying from `/etc/skel'.
adduser: Warning: The home directory `/home/contabilidad' does not belong to the user you are currently creating.
New password:
Retype new password:
Sorry, passwords do not match.
passwd: Authentication token manipulation error
passwd: password unchanged
Try again? [y/N] y
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for secretaria02
Enter the new value, or press ENTER for the default
  Full Name []:
  Room Number []:
  Work Phone []:
  Home Phone []:
  Other []:
Is the information correct? [Y/n] y
santiago@ussgs:/home$
```

2.- Crear un nuevo directorio personal de trabajo para el usuario **compras03** moviendo los datos del directorio antiguo al nuevo **compras4**.

```
santiago@ussgs:/home$ sudo usermod -d /home/compras4 -m compras03
santiago@ussgs:/home$ ls
compras01  compras4  jorge      maria      santiago    usuario01  usuario04  usuario06
compras02  contabilidad  lost+found  pedro      santiago_02  usuario02  usuario05
santiago@ussgs:/home$
```

3.- Bloquear la cuenta del usuario **compras01** y desbloquearla después.

```
santiago@ussgs:/home$ sudo passwd -l compras01
passwd: password expiry information changed.
santiago@ussgs:/home$ sudo passwd -u compras01
passwd: password expiry information changed.
santiago@ussgs:/home$ _
```

4.- Añadir el usuario **compras04** al grupo **compras**. Hacer que la cuenta caduque el 01 de junio de 2023 y que se deshabilite a los cinco días.

```
santiago@ussgs:/home$ sudo adduser compras04
Adding user `compras04' ...
Adding new group `compras04' (1012) ...
Adding new user `compras04' (1012) with group `compras04' ...
Creating home directory `/home/compras04' ...
Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for compras04
Enter the new value, or press ENTER for the default
  Full Name []:
  Room Number []:
  Work Phone []:
  Home Phone []:
  Other []:
Is the information correct? [Y/n] y
santiago@ussgs:/home$ _
```

```
santiago@ussgs:/home$ sudo adduser compras04 compras
Adding user `compras04' to group `compras' ...
Adding user compras04 to group compras
Done.
santiago@ussgs:/home$
```

caducidad de cuenta y deshabilitación:

```
santiago@ussgs:/home$ sudo chage -M 15 compras04
santiago@ussgs:/home$ sudo chage -l compras04
Last password change                : ene 23, 2023
Password expires                     : feb 07, 2023
Password inactive                    : never
Account expires                     : never
Minimum number of days between password change : 0
Maximum number of days between password change : 15
Number of days of warning before password expires : 7
santiago@ussgs:/home$
```

```
santiago@ussgs:/home$ sudo chage -E "2023-02-12" compras04
santiago@ussgs:/home$ sudo chage -l compras04
Last password change           : ene 23, 2023
Password expires                : feb 07, 2023
Password inactive               : never
Account expires                : feb 12, 2023
Minimum number of days between password change : 0
Maximum number of days between password change : 15
Number of days of warning before password expires : 7
santiago@ussgs:/home$ _
```

5.- Eliminar el usuario **compras02** y además eliminar todos los ficheros del sistema pertenecientes al usuario eliminado.

```
santiago@ussgs:/home$ sudo userdel -r compra02
userdel: user 'compra02' does not exist
santiago@ussgs:/home$ _
```

(Repetí comando, por no capturar, por eso no consta en la captura)

6.- Visualizar la información de los parámetros que se encuentran en el fichero que guarda la información, por defecto, de la creación de usuarios.

```
systemd-resolve:x:102:103:systemd-resolver,,,:/run/systemd:/usr/sbin/nologin
messagebus:x:103:104::/nonexistent:/usr/sbin/nologin
systemd-timesync:x:104:105:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
pollinate:x:105:1::/var/cache/pollinate:/bin/false
sshd:x:106:65534::/run/sshd:/usr/sbin/nologin
syslog:x:107:113::/home/syslog:/usr/sbin/nologin
uuidd:x:108:114::/run/uuidd:/usr/sbin/nologin
tcpdump:x:109:115::/nonexistent:/usr/sbin/nologin
tss:x:110:116:TPM software stack,,,:/var/lib/tpm:/bin/false
landscape:x:111:117::/var/lib/landscape:/usr/sbin/nologin
usbmux:x:112:46:usbmux daemon,,,:/var/lib/usbmux:/usr/sbin/nologin
santiago:x:1000:1000:sox_sgs:/home/santiago:/bin/bash
lxd:x:999:100::/var/snap/lxd/common/lxd:/bin/false
fwupd-refresh:x:113:120:fwupd-refresh user,,,:/run/systemd:/usr/sbin/nologin
postfix:x:114:122::/var/spool/postfix:/usr/sbin/nologin
maria:x:1001:1002:Maria,123,00000000,00000000:/home/maria:/bin/bash
jorge:x:1002:1002:Jorge juas,000001,111111111,222222222:/home/jorge:/bin/bash
santiago_02:x:1003:1002:santiago,33333333,555555555,444444444:/home/santiago_02:/bin/bash
pedro:x:1004:1002:pedro,666666,888888888,999999999:/home/pedro:/bin/bash
usuario01:x:1005:1003:usuario_01,898989898,758966954,458546855:/home/usuario01:/bin/bash
usuario02:x:1006:1003:usuario_02,457854545,4547885455,:/home/usuario02:/bin/bash
usuario04:x:1007:1009:usuario04,123454545,321454545,:/home/usuario04:/bin/bash
usuario05:x:1008:1007:usuario05,,,:/home/usuario05:/bin/bash
usuario06:x:1009:1008:usuario06,,,:/home/usuario06:/bin/bash
compras03:x:1327:1010,,,:/home/compras4:/bin/sh
secretaria01:x:1010:1011,,,:/home/contabilidad:/bin/sh
secretaria02:x:1011:1011,,,:/home/contabilidad:/bin/sh
compras01:x:1325:1010,,,:/home/compras01:/bin/bash
compras04:x:1012:1012,,,:/home/compras04:/bin/bash
```

```

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo
^X Exit      ^R Read File  ^_ Replace    ^U Paste      ^J Justify    ^_ Go To Line M-E Redo

```

/etc/passwd

7.- Visualizar la id del usuario **compras01**.

```
santiago@ussgs:/etc$ cat passwd | grep compras01
compras01:x:1325:1010:,,,:/home/compras01:/bin/bash
santiago@ussgs:/etc$ _
```

su id : 1325

8.- Cambiar la contraseña de usuario **compras03** caduque a los 30 días, o lo que es lo mismo, el número máximo de días antes de que cambie la contraseña.

```
santiago@ussgs:/etc$ sudo chage -m 30 compras03
santiago@ussgs:/etc$ sudo chage -l compras03
Last password change                : ene 23, 2023
Password expires                    : never
Password inactive                   : never
Account expires                    : never
Minimum number of days between password change : 30
Maximum number of days between password change : 99999
Number of days of warning before password expires : 7
santiago@ussgs:/etc$
```

9.- Hacer que la clave del usuario **secretaria01** caduque a los 30 días, que se le avise de la caducidad desde una semana antes y que pasados cuatro días sin modificar la clave se bloquee la cuenta.

```
santiago@ussgs:/etc$ sudo chage secretaria01
Changing the aging information for secretaria01
Enter the new value, or press ENTER for the default

    Minimum Password Age [0]: 30
    Maximum Password Age [99999]:
    Last Password Change (YYYY-MM-DD) [2023-01-23]:
    Password Expiration Warning [7]: 7
    Password Inactive [-1]: 4
    Account Expiration Date (YYYY-MM-DD) [-1]:
santiago@ussgs:/etc$ sudo chage -l secretaria01
Last password change                : ene 23, 2023
Password expires                    : never
Password inactive                   : never
Account expires                    : never
Minimum number of days between password change : 30
Maximum number of days between password change : 99999
Number of days of warning before password expires : 7
santiago@ussgs:/etc$ _
```

10.- Crear un grupo **clientes**, y añadir todos los usuarios a este grupo

Crear un grupo de usuarios llamado **informatica** e introduce los usuarios **compras01** **secretaria02**

```
santiago@ussgs:/etc$ sudo usermod -g clientes compras01
santiago@ussgs:/etc$ sudo usermod -g clientes compras02
usermod: user 'compras02' does not exist
santiago@ussgs:/etc$ sudo usermod -g clientes compras03
santiago@ussgs:/etc$ sudo usermod -g clientes secretaria01
santiago@ussgs:/etc$ sudo usermod -g clientes secretaria02
santiago@ussgs:/etc$
```

```
santiago@ussgs:/etc$ sudo usermod -g informatica compras01
santiago@ussgs:/etc$ sudo usermod -g informatica secretaria02
santiago@ussgs:/etc$ _
```

11.- Editar los tres ficheros de configuración de **cuentas de usuario**, **grupos** y **contraseñas** y Editar el fichero donde se puede configurar la red

Cuentas de usuario:

/etc/passwd

```
sgs:x:3:3:sgs:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
_apt:x:100:65534:/:/nonexistent:/usr/sbin/nologin
systemd-network:x:101:102:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:102:103:systemd Resolver,,,:/run/systemd:/usr/sbin/nologin
messagebus:x:103:104:/:/nonexistent:/usr/sbin/nologin
systemd-timesync:x:104:105:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
pollinate:x:105:1:/:var/cache/pollinate:/bin/false
sshd:x:106:65534:/:run/sshd:/usr/sbin/nologin
syslog:x:107:113:/:home/syslog:/usr/sbin/nologin
uidd:x:108:114:/:run/uidd:/usr/sbin/nologin
tcpdump:x:109:115:/:nonexistent:/usr/sbin/nologin
tss:x:110:116:TPM software stack,,,:var/lib/tpm:/bin/false
landscape:x:111:117:/:var/lib/landscape:/usr/sbin/nologin
usbmux:x:112:46:usbmux daemon,,,:var/lib/usbmux:/usr/sbin/nologin
santiago:x:1000:1000:sox_sgs:/home/santiago:/bin/bash
lxd:x:999:100:/:var/snap/lxd/common/lxd:/bin/false
```

[Read 49 lines]

Grupos:

/etc/group

```
lxd:x:110:santiago
lssh:x:111:
crontab:x:112:
syslog:x:113:
uidd:x:114:
tcpdump:x:115:
tss:x:116:
landscape:x:117:
santiago:x:1000:
rdma:x:118:
sambashare:x:119:
fwupd-refresh:x:120:
ssl-cert:x:121:
postfix:x:122:
postdrop:x:123:
pruebas_usuarios:x:1001:
usuarios:x:1002:jorge
mante01:x:1003:jorge
mante02:x:1004:
mante03:x:1005:
mantenimiento:x:1006:
mante05:x:1007:
mante06:x:1008:
mante04:x:1009:
compras:x:1010:compras04
secretaria:x:1011:
compras04:x:1012:
clientes:x:1013:
informatica:x:1014:
```

Contraseñas:

/etc/shadow

```
systemd-resolve:!:19213:0:99999:7:::
messagebus:!:19213:0:99999:7:::
systemd-timesync:!:19213:0:99999:7:::
pollinate:!:19213:0:99999:7:::
sshd:!:19213:0:99999:7:::
syslog:!:19213:0:99999:7:::
uidd:!:19213:0:99999:7:::
tcpdump:!:19213:0:99999:7:::
tss:!:19213:0:99999:7:::
landscape:!:19213:0:99999:7:::
usbmux:!:19269:0:99999:7:::
santiago:$y$j9T$Guz6dJN1JIIpzmLNxAoE0$90WvNlt9cci8B6DGX3ldQK4KwWw1wxYu4WxJhzgK113:19285:0:99999:7:::
lxd:!:19269:0:99999:7:::
fwupd-refresh:!:19319:0:99999:7:::
postfix:!:19319:0:99999:7:::
maria:$y$j9T$QF6FvrY00uV0FdcjP98Gn0$B40g/Xm/DkbH8xZwF.IoW18t.qNeyk/n.R02eUr/p//:19367:0:99999:30::1
jorge:$y$j9T$NXYcj2Dn3PURNHgwGcA6U1$474nZ06/BTnThbXBrFD9f.c2v0u9NV6srQBq8mWnv78:19366:0:99999:7:::
santiago_02:$y$j9T$QTA2sKwcQm4vZ0B3CInLM.$QQGwK6133LmB70L1Ms631/t.6qohIKvKntLZ6hGYPr9:19366:0:99999:7:::
pedro:$y$j9T$sJCFV/KVh8MR5S4kLLjsD/$3PMevwBYeZ205yrmknjJd4300b95WARGaVCoGTgPk18:19366:0:99999:7:::
usuario01:$y$j9T$0vGdJc.9gk/CJ01HtN0/U.$v33qSDP5De5F2MR11Byf4I7nXWYwTE1XqPFCUYdKJr4:19366:0:99999:7:::
usuario02:$y$j9T$UKy7rI5H3vpe2Zj80i.Vv/$GEAK9qQ191kIZx.ymQp1sczv1G.WyRbGcy3GEh.8AC9:19366:0:99999:7:::
usuario04:$y$j9T$yirPb8I7SPhgZB1zR9K811$Z4WA0L.d3gMpBgTVp1Tax3CrJ5oC1QJshc8MJ1oL1F7:19367:0:99999:7:::
usuario05:$y$j9T$stKEfv18beSBxkwFmd1NHX/$xoTB2rMs2Pp24ict5qJwjrlhYyIEDGLdT0P5onyL0RB:19367:0:99999:7:::
usuario06:$y$j9T$ZcM.beBvnp2gNn3ZaSs4i/$sjvXQqgdQfieWNikKLf6GJ4F97URggCQ7s.SoBgKEH7:19367:0:60:7:::
compras03:$y$j9T$II1mup4gJXpd78Ux4vz5X.$K0QTceNgSG2/eNkxepQyIVDUSuNzvaVM9jsk Jr6CDG6:19380:30:99999:7:::
secretaria01:$y$j9T$UYy010qFK7cSm1vhIB/vX.$UBIfw2N2JVKVI0n8Q24eg.z4eMsDWde5Nmomdue1/V0:19380:30:99999:7:::
secretaria02:$y$j9T$F.V6FIIv21h0gk8dQXCj.0$c0bh7pBBN6f1u.p9u8XU1pB2aQBqMXKG.5K6Xu4pQG/:19380:0:99999:7:::
compras01:$y$j9T$ijK1EX7PQJ8kuWuMp4o7.$NRw2hWkeQ/14UlnxUHBVyb7DNHP810C4z3Vkrp6vzAs1:19380:0:99999:7:::
compras04:$y$j9T$5lvZKvD0cNaxTlHYmkVGA1$9RRluAfoUaFrJq0SvftzYE0rM8cZz0zWepdUvY.a03B:19380:0:15:7::1
```


12.- Modificar el grupo clientes, modificar el GID del grupo clientes por el número 1500 y cambiar el nombre clientes por usuarios.

```
santiago@ussgs:/$ sudo groupmod -g 1500 -n usuarios clientes
santiago@ussgs:/$ _
```

13.-En las herramientas administrativas en el cliente, visualizar el Visor de Eventos.

```
CPU[          ] 0.0% Tasks: 31, 27 thr; 1 running
Mem[|||||] 211M/1.93G Load average: 0.00 0.00 0.00
Swp[          ] 0K/1.79G Uptime: 01:30:03
```

PID	USER	PRI	NI	VIRT	RES	SHR	S	CPU%	MEM%	TIME+	Command
2310	santiago	20	0	8148	4384	3584	R	0.7	0.2	0:00.04	htop
1	root	20	0	98M	11448	8064	S	0.0	0.6	0:02.04	/sbin/init
363	root	19	-1	64248	15204	14092	S	0.0	0.8	0:00.48	/lib/systemd/systemd-journald
403	root	RT	0	282M	27100	9072	S	0.0	1.3	0:00.35	/sbin/multipathd -d -s
406	root	20	0	25860	6696	4632	S	0.0	0.3	0:00.23	/lib/systemd/systemd-udev
408	root	20	0	282M	27100	9072	S	0.0	1.3	0:00.00	/sbin/multipathd -d -s
409	root	RT	0	282M	27100	9072	S	0.0	1.3	0:00.00	/sbin/multipathd -d -s
410	root	RT	0	282M	27100	9072	S	0.0	1.3	0:00.00	/sbin/multipathd -d -s
411	root	RT	0	282M	27100	9072	S	0.0	1.3	0:00.00	/sbin/multipathd -d -s
412	root	RT	0	282M	27100	9072	S	0.0	1.3	0:00.26	/sbin/multipathd -d -s
413	root	RT	0	282M	27100	9072	S	0.0	1.3	0:00.00	/sbin/multipathd -d -s
591	systemd-t	20	0	89352	6488	5688	S	0.0	0.3	0:00.17	/lib/systemd/systemd-timesyncd
612	systemd-t	20	0	89352	6488	5688	S	0.0	0.3	0:00.00	/lib/systemd/systemd-timesyncd
635	systemd-n	20	0	16116	8116	7112	S	0.0	0.4	0:00.08	/lib/systemd/systemd-networkd
637	systemd-r	20	0	25256	12340	8400	S	0.0	0.6	0:00.19	/lib/systemd/systemd-resolved
651	root	20	0	6892	2916	2664	S	0.0	0.1	0:00.01	/usr/sbin/cron -f -P
652	messagebu	20	0	8760	5028	4204	S	0.0	0.2	0:00.10	@dbus-daemon --system --address=sys
660	root	20	0	32780	19060	10400	S	0.0	0.9	0:00.21	/usr/bin/python3 /usr/bin/networkd
661	root	20	0	68092	15440	13304	S	0.0	0.8	0:00.19	/usr/sbin/nmbd --foreground --no-pr
662	root	20	0	228M	6872	6240	S	0.0	0.3	0:00.02	/usr/libexec/polkitd --no-debug
665	syslog	20	0	217M	5332	4512	S	0.0	0.3	0:00.04	/usr/sbin/rsyslogd -n -iNONE
667	root	20	0	710M	46436	19704	S	0.0	2.3	0:08.19	/usr/lib/snapd/snapd
671	root	20	0	23524	7660	6708	S	0.0	0.4	0:00.17	/lib/systemd/systemd-logind
673	root	20	0	383M	12880	10740	S	0.0	0.6	0:00.23	/usr/libexec/udisks2/udisksd
679	root	20	0	7808	4848	3948	S	0.0	0.2	0:00.07	/bin/login -p --
680	root	20	0	228M	6872	6240	S	0.0	0.3	0:00.00	/usr/libexec/polkitd --no-debug
684	syslog	20	0	217M	5332	4512	S	0.0	0.3	0:00.01	/usr/sbin/rsyslogd -n -iNONE

14.- Visualizar los usuarios y los grupos locales de tu equipo. **w**

```
santiago@ussgs:/$ w
 17:25:51 up 1:32, 1 user, load average: 0.00, 0.00, 0.00
USER      TTY      FROM          LOGIN@      IDLE        JCPU        PCPU        WHAT
santiago  tty1      -              15:54       4.00s       0.61s       0.00s       w
santiago@ussgs:/$ _
```

cat /etc/group

```
sgx:x:107:
kvm:x:108:
render:x:109:
lxd:x:110:santiago
_ssh:x:111:
crontab:x:112:
syslog:x:113:
uucidd:x:114:
tcpdump:x:115:
tss:x:116:
landscape:x:117:
santiago:x:1000:
rdma:x:118:
smbshare:x:119:
fwupd-refresh:x:120:
ssl-cert:x:121:
postfix:x:122:
postdrop:x:123:
pruebas_usuarios:x:1001:
usuarios:x:1002:jorge
mante01:x:1003:jorge
mante02:x:1004:
mante03:x:1005:
mantenimiento:x:1006:
mante05:x:1007:
mante06:x:1008:
mante04:x:1009:
compras:x:1010:compras04
secretaria:x:1011:
compras04:x:1012:
informatica:x:1014:
usuaris:x:1500:
santiago@ussgs:/etc$ _
```

15.- Cambiar la contraseña del usuario compras01. (si no se pone el nombre de usuario se aplica al root)

```
santiago@ussgs:/etc$ sudo passwd compras01
New password:
Retype new password:
passwd: password updated successfully
santiago@ussgs:/etc$ _
```