Owner *

Repository name *

SantiagoRivSal ▾ / Local

✅ Local is available.

Great repository names are short and memorable. Need inspiration? How about **vigilant-barnacle** ?

Description (optional)

◉ 🖥 **Public**
Anyone on the internet can see this repository. You choose who can commit.

○ 🔒 **Private**
You choose who can see and commit to this repository.

Initialize this repository with:

☑ **Add a README file**
This is where you can write a long description for your project. Learn more about READMEs.

```
D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico>
git clone https://github.com/SantiagoRivSal/Local.git
Cloning into 'Local'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
```

```
D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Local>git add
.

D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Local>git comm
it -m "primer commit"
[main 78c86e1] primer commit
 1 file changed, 2 insertions(+), 1 deletion(-)

D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Local>git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Writing objects: 100% (3/3), 282 bytes | 282.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/SantiagoRivSal/Local.git
   57e7f0a..78c86e1  main -> main

D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Local>
```

Owner * SantiagoRivSal ▾ / **Repository name *** Remoto

✓ Remoto is available.

Great repository names are short and memorable. Need inspiration? How about **laughing-journey** ?

Description (optional)

○ ▣ **Public**
Anyone on the internet can see this repository. You choose who can commit.

○ 🔒 **Private**
You choose who can see and commit to this repository.

Initialize this repository with:

☐ **Add a README file**
This is where you can write a long description for your project. Learn more about READMEs.

```
D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Remoto>git init
Initialized empty Git repository in D:/Santiago/Ingenieria en Sistemas/4to Año/2do Semestre/Ingenieria de Software III/Practico/Remoto/.git/

D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Remoto>echo "# Remoto" >> README.md

D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Remoto>git remote add origin https://github.com/Santiago
RivSal/Remoto.git
```

```
D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Remoto>git add .

D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Remoto>git commit -m "primer commit"
[main (root-commit) 541bb77] primer commit
 1 file changed, 2 insertions(+)
 create mode 100644 README.md

D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Remoto>git push
fatal: The current branch main has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin main

D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Remoto>git push --set-upstream origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 252 bytes | 252.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/SantiagoRivSal/Remoto.git
```

```
PS D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Local> git branch
  Rama1
* main
  -a
PS D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Local> git checkout Rama1
Switched to branch 'Rama1'
PS D:\Santiago\Ingenieria en Sistemas\4to Año\2do Semestre\Ingenieria de Software III\Practico\Local> git branch
* Rama1
  main
  -a
```

Showing 1 changed file with 2 additions and 1 deletion.

3 ▣▣▣□□□ README.md

```
@@ -1,2 +1,3 @@
1      # Local              1      # Local
2    - - Primera parte del TP1   2    + - Primera parte del TP1
                                3    + Cambios en alguna rama
```

Base: README.md
Left: README.md — Differences from base: 0
Right: README.md — Differences from base: 0
Merge: Not saved. — Conflicts: 1

ria de Software III/Practico/Local/README.md | Software III/Practico/Local/Local/README.md | de Software III/Practico/Remoto/README.md

```
# Local
- Primera parte del TP1
Cambios en alguna rama
hola
ultimo ejercicio
```

```
# Local
- Primera parte del TP1
Cambios en alguna rama
hola
```

```
"# Remoto"
- segunta parte tp1
```