```
drop database inner_join
use inner join
create table employes(id_num_emp int primary key,
       nombre varchar(50),edad int,oficina varchar(50),
       titulo varchar(100), contrate datetime, id jefe int,
       cuota varchar(100), ventas varchar(100)
)
insert into employes values(101, 'Antonio Yiguer', 45, 12, 'representante', '20/10/1956', 104
,'300000','305000'),
(102, 'Alvaro Jaumes', 46, 21, 'representante', '10/12/1986', 105, '350000', '474000'),
(103, 'Juan Rovira', 29, 12, 'representante', '01/03/1987', 104, '275000', '286000'),
(104, 'José González', 3, 12, 'dir ventas', '19/05/1987', 106, '200000', '143000'),
(105, Vicente Pantalla', 37, 13, 'representante', '12/02/2008', 104, '350000', '369000'),
(106, 'Luis Antonio', 52, 11, 'dir general', '14/06/1988', null, '275000', '299000'),
(107, 'Jorge Gutiérrez', 49, 22, 'representante', '14/11/58', 108, '300000', '196000'),
(108, 'Ana Bustamante', 62, 21, 'dir ventas', '12/10/89', 106, '350000', '361000'),
(109, 'María Sunta', 3, 11, 'representante', '12/10/99', 106, '300000', '392000'),
(110, 'Juan Victor', 41, null, 'representante', '13/01/90', 104, ", '76000')
create table office(id_office int primary key,
       city varchar(100), region varchar(50),
       directors int, objetive varchar(100),
       sells varchar(100)
)
insert into office values(11, 'Valencia',' este', 106, '575000',' 693000'),
(12, 'Alicante',' este', 104, '800000',' 735000'),
(13, 'Castellon',' este', 105, '350000',' 368000'),
(21, 'Babajoz',' oeste', 108, '725000 ',' 636000 '),
(22, 'ACoruña',' oeste', 108, '300000',' 186000'),
(23, 'Madrid',' centro', 108, null, null),
(24, 'Madrid',' centro', 108, '250000',' 150000'),
(26, 'Pamplona',' norte', null, null, null),
(28, 'Valencia',' este', null, '900000 ',' 0 ')
select * from office
create table clientes(id cli int primary key,
       nom varchar(100), rep_cli int,
       limit_credi int
)
```

Create database inner join

```
insert into clientes values(2101, Luis García Antón', 106, 65000),
(2102, 'Alvaro Rodríguez', 101, 65000),
(2103, 'Jaime Llorens', 105, 50000),
(2104, 'Antonio Canales', 101, 45000),
(2105, 'Juan Suárez', 102, 65000),
(2106, 'Julian López', 110, 35000),
(2107, 'Julia Antequera', 109, 55000),
(2108, 'Alberto Juanes', 103, 25000),
(2109, 'Cristóbal García', 103, 50000),
(2111, 'María Siva', 108, 50000),
(2112, 'Luisa Maron', 104, 20000),
(2113, 'Cristina Bulini', 102, 20000),
(2114, 'Vicente Martínez', 101, 20000),
(2115, 'Carlos Tena', 106, 35000),
(2116, 'Junípero Alvarez', 108, 60000),
(2117, 'Salomon Bueno', 109, 25000),
(2118, 'Juan Malo', 102, 50000),
(2119, 'Vicente Ríos', 103, 45000),
(2120, 'José Marchante', 105, 30000),
(2121, 'José Libros', 102, 40000),
(2122, 'Juan Bolto', 107, 40000)
create table fabricante_pro(
id fab int primary key,
nom varchar(100)
)
insert into fabricante_pro values(12,'StellarGlobe Services'),
(234, 'Nexus Industries'),
(345, 'PrimeVenture Enterprises'),
(89, 'Innovatech Solution'),
(567,'QuantumEdge'),
(1646, 'ProximaLink Solutions')
create table productos(
       id int primary key identity(1,1),
       id_fab int foreign key references fabricante_pro(id_fab),
       id_producto nvarchar(50) unique,
       desciption varchar(100),
       price varchar(100),
       existences int
insert into productos(id_fab,id_producto,desciption,price,existences) values
(12,'41001','arandela','58 ',277),
```

```
(12,'41002','bisagra','80 ',167),
(12,'41003','art t3','112 ',207),
(12,'41004','art t4','123 ',139),
(12,'4100x','junta','26',37),
(12,'4100y','extractor','2888',25),
(12,'41007','mont','2625',28),
(234,'41009','manivela','652 ',3),
(234,'41089','rodamiento','225',78),
(234,'41672','plato','180 ',0),
(345,'112','cubo','148',115),
(345,'114','cubo','243',15),
(89,'773c','reostato','975',28),
(89,'775€','reostato 2','1425 ',5),
(89,'779','reostato 3','1875',0),
(89,'887h','caja clavos','54 ',223),
(89,'887p','perno','25 ',24),
(89,'887x','manivela','475',32),
(567,'xka7','red','355 ',38),
(567, 'xka8', 'red', '134', 203),
(567,'xkaBa','red','117',37),
(1646, '2ad4g', 'pas', '350', 14),
(1646,'2addl','bomba l','4500 ',12),
(1646, '2adár', 'bomba r', '4500', 12),
(1646, '2ad5c', 'junta', '79', 210)
create table pedidos(
       id order int identity(1,1)primary key,
       pedido int,
       fecha datetime,
       clie int,
       rep int,
       fab varchar(50),
       prod varchar(50),
       cant int,
       import varchar(100)
)
insert into pedidos(pedido,fecha,clie,rep,fab,prod,cant,import) values
(110035, '02/01/1997', 2117, 106, 'rei', '2addl', 7, 31500),
(110036, '02/01/1997', 2107, 110, 'aci', '41007', 9, 22500),
(112983, '10/06/1997', 2103, 105, 'aci', '41004', 28, 3276),
(112988, '11/01/1990', 2102, 101, 'aci', '41004', 34, 3978),
(112975, '11/02/1997', 2111, 103, 'rei', '2ad4g', 6, 2100),
(112979, '12/10/1989', 2114, 108, 'aci', '41007', 6, 15000),
(112983, '10/06/1997', 2103, 105, 'aci', '41004', 6, 702),
(112987, '01/01/1997', 2103, 105, 'aci', '4100y', 11, 27500),
(112989, '10/12/1997', 2101, 106, 'fea', '114', 6, 1458),
```

```
(112992, '15/04/1990', 2118, 108, 'aci', '41002', 10, 760),
(112993, '10/03/1997', 2106, 102, 'rei', '2ad5c', 24, 1896),
(112897, '04/04/1997', 2124, 107, 'bic', '41003', 1, 652),
(113003, '05/02/1997', 2108, 109, 'imm', '779c', 3, 5625),
(113007, '01/01/1997', 2112, 108, 'imm', '773c', 3, 2925),
(113012, '05/05/1997', 2111, 105, 'aci', '41003', 35, 3745),
(113013, '06/08/1997', 2118, 108, 'bic', '41003', 1, 652),
(113024, '04/07/1997', 2114, 108, 'qsa', 'xk47', 20, 7100),
(113027, '05/02/1997', 2103, 105, 'aci', '41002', 54, 4104),
(113034, '05/11/1997', 2107, 110, 'rei', '2ad5c', 8, 632),
(113042, '01/01/1997', 2113, 101, 'rei', '2adár', 5, 22500),
(113045, '02/07/1997', 2112, 108, 'rei', '2addr', 10, 45000),
(113048, '02/02/1997', 2120, 102, 'imm', '779c', 2, 3750),
(113049, '04/04/1997', 2118, 108, 'gsa', 'xk47', 2, 776),
(113051, '06/07/1997', 2118, 108, 'gsa', 'xk47', 4, 1420),
(113065, '01/04/2009', 2108, 101, 'aci', '4100x', 6, 180),
(113067, '01/11/1997', 2111, 103, 'aci', '4100x', 24, 600),
(113068, '04/07/1989', 2108, 109, 'fea', '112', 10, 1480 ),
(113062, '04/07/1997', 2124, 107, 'bic', '41003', 10, 2430),
(113065, '03/06/1997', 2106, 102, 'gsa', 'xk47', 6, 2130 ),
(113069, '01/08/1997', 2109, 107, 'imm', '773c', 22, 31350)
```

select * from employes

select * from office

select * from clientes

select * from fabricante_pro
--drop table productos
select * from productos
--drop table pedidos
select * from pedidos