





--ACT 5 Y 6
--hacemos una generalizacion la edad en rangos y cuenta cuantos hay en cada uno
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
COUNT(*) AS total
FROM clientes GROUP BY 1;
--generalizamos el codigo postal a de 2 numeros
SELECT LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1;
--combinamos el rango de edad y region
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2;
--combinamos el rango de edad y region pero de 5 o mas personas
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2 HAVING COUNT(*) >= 5;
--combinamos de una forma mas general de a 1 digito de codigo postal
SELECT LEFT(codigo_postal, 1) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1 HAVING COUNT(*) >= 5;
rango_edad region total
1 31-45 81 1
2 46+ 82 1
3 31-45 80 3
Total rows: 3
Query complete 00:00:00.250
Ln 22, Col 1


--ACT 5 Y 6
--hacemos una generalizacion la edad en rangos y cuenta cuantos hay en cada uno
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
COUNT(*) AS total
FROM clientes GROUP BY 1;
--generalizamos el codigo postal a de 2 numeros
SELECT LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1;
--combinamos el rango de edad y region
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2;
--combinamos el rango de edad y region pero de 5 o mas personas
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2 HAVING COUNT(*) >= 5;
--combinamos de una forma mas general de a 1 digito de codigo postal
SELECT LEFT(codigo_postal, 1) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1 HAVING COUNT(*) >= 5;
rango_edad region total
1 31-45 81 1
2 46+ 82 1
3 31-45 80 3
Total rows: 3
Query complete 00:00:00.250
Ln 17, Col 1


--ACT 5 Y 6
--hacemos una generalizacion la edad en rangos y cuenta cuantos hay en cada uno
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
COUNT(*) AS total
FROM clientes GROUP BY 1;
--generalizamos el codigo postal a de 2 numeros
SELECT LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1;
--combinamos el rango de edad y region
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2;
--combinamos el rango de edad y region pero de 5 o mas personas
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2 HAVING COUNT(*) >= 5;
--combinamos de una forma mas general de a 1 digito de codigo postal
SELECT LEFT(codigo_postal, 1) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1 HAVING COUNT(*) >= 5;
rango_edad region total
1 31-45 81 1
2 46+ 82 1
3 31-45 80 3
Successfully run. Total query runtime: 250 msec. 3 rows affected.


--ACT 5 Y 6
--hacemos una generalizacion la edad en rangos y cuenta cuantos hay en cada uno
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
COUNT(*) AS total
FROM clientes GROUP BY 1;
--generalizamos el codigo postal a de 2 numeros
SELECT LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1;
--combinamos el rango de edad y region
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2;
--combinamos el rango de edad y region pero de 5 o mas personas
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2 HAVING COUNT(*) >= 5;
--combinamos de una forma mas general de a 1 digito de codigo postal
SELECT LEFT(codigo_postal, 1) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1 HAVING COUNT(*) >= 5;
region total
1 82 1
2 80 3
3 81 1
Successfully run. Total query runtime: 238 msec. 3 rows affected.


mié 14 de oct 11:48 PM
pgAdmin 4
LAB-01 — Protección y priv
WhatsApp
dba/LAB 1 at main · Santom
pgadmin.ficlabs.com.mx/browser/
Actualizar
3d playeras
Medidas over...
pgAdmin
File
Object
Tools
Help
sa.gomez23@info.uas.edu.mx (internal)
Object Explorer
act1.sql
act2.sql
act3 y 4.sql
act5 y 6.sql
act7.sql
db_20435721_sergio_gomez/u_20435721_sergio_gomez@...
No limit
Query
Query History
Scratch Pad
--ACT 5 Y 6
--hacemos una generalizacion la edad en rangos y cuenta cuantos hay en cada uno
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
COUNT(*) AS total
FROM clientes GROUP BY 1;
--generalizamos el codigo postal a de 2 numeros
SELECT LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1;
--combinamos el rango de edad y region
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2;
--combinamos el rango de edad y region pero de 5 o mas personas
SELECT CASE WHEN edad BETWEEN 18 AND 30 THEN '18-30' WHEN edad BETWEEN 31 AND 45 THEN '31-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1, 2 HAVING COUNT(*) >= 5;
--combinamos de una forma mas general de a 1 digito de codigo postal
SELECT LEFT(codigo_postal, 1) AS region, COUNT(*) AS total
FROM clientes GROUP BY 1 HAVING COUNT(*) >= 5;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 2
Page No: 1 of 1
rango_edad text
total bigint
1 31-45 4
2 46+ 1
Total rows: 2
Query complete 00:00:00.238
LF
Ln 3, Col 1