

# Q-SecureScan Report for https://localhost

Generated: 2025-08-26 00:22:34

## Scanned Items

Item ID	Type	Protocol/Service	Heuristics	Encryption Markers	Algorithms	Severity	PQC Recommendation
http	protocol	HTTP	HTTP protocol accessible, no encryption	None	None	High	Severity: High; Migrate to HTTPS with quantum-resistant TLS ciphers (e.g., AES-256, CRYSTALS-Kyber)
port_22_tcp	port	ssh	SSH service with cryptographic algorithms; Anomaly: Anomalous item: port_22_tcp	SSH ciphers detected	RSA, ECDSA, ECDH, AES-128, AES-192, AES-256, ChaCha20, SHA1	High	Severity: High; Migrate RSA (~0 bits security) to CRYSTALS-Dilithium for signatures or CRYSTALS-Kyber for key exchange at level 1 (e.g., Kyber-512); Severity: High; Migrate ECDSA (~0 bits security) to CRYSTALS-Dilithium at level 1 (e.g., Kyber-512); Severity: High; Migrate ECDH (~0 bits security) to CRYSTALS-Kyber at level 1 (e.g., Kyber-512); Severity: Medium; Migrate AES-128 (~64 bits security) to AES-256 at level 1 (e.g., Kyber-512); Severity: Medium; Migrate AES-192 (~96 bits security) to AES-256 at level 1 (e.g., Kyber-512); Severity: Low; Safe: AES-256 is quantum-resistant; Severity: Low; Safe: ChaCha20 is quantum-resistant; Severity: High; Migrate SHA1 (~80 bits security) to SHA-256 at level 1 (e.g., Kyber-512)
port_631_tcp	port	ipp	Open port: ipp	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)
port_3306_tcp	port	nagios-nsc	Open port: nagios-nsc	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)
port_4369_tcp	port	epmd	Open port: epmd	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)

port_5432_tcp	port	postgresql	TLS-enabled service	TLS ciphers detected	RSA-2048, DH-2048	High	Severity: High; Migrate RSA-2048 (~113 bits security) to CRYSTALS-Dilithium for signatures or CRYSTALS-Kyber for key exchange at level 1 (e.g., Kyber-512); Severity: High; Migrate DH-2048 (~113 bits security) to CRYSTALS-Kyber at level 1 (e.g., Kyber-512)
port_5672_tcp	port	amqp	Open port: amqp	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)
port_5939_tcp	port	unknown	Open port: unknown	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)
port_6379_tcp	port	redis	Open port: redis	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)
port_7070_tcp	port	realserver	TLS-enabled service	TLS ciphers detected	RSA-2048, DH-2048, 3DES	High	Severity: High; Migrate RSA-2048 (~113 bits security) to CRYSTALS-Dilithium for signatures or CRYSTALS-Kyber for key exchange at level 1 (e.g., Kyber-512); Severity: High; Migrate DH-2048 (~113 bits security) to CRYSTALS-Kyber at level 1 (e.g., Kyber-512); Severity: High; Migrate 3DES (~56 bits security) to AES-256 at level 1 (e.g., Kyber-512)
port_11434_tcp	port	unknown	Open port: unknown	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)
port_15672_tcp	port	unknown	Open port: unknown	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)
port_25672_tcp	port		Open port:	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)
port_27017_tcp	port	mongodb	Open port: mongodb	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)

port_33060_tcp	port	mysqlx	Open port: mysqlx	None	None	Medium	Severity: Medium; Ensure service uses quantum-resistant algorithms (e.g., AES-256, CRYSTALS-Kyber)
----------------	------	--------	-------------------	------	------	--------	--

## Skipped Items

Item: https://localhost:443: Port 443 closed