

④ $\lambda x. \lambda y. yx$ ⑤

1 ABS

⑥ $\lambda y. yx$
| ABS

③ $y \times$

AP

① y ② x

① $W(y) \sim y: y_1 + y: y_1$

(2) $w(x) \sim x: X_1 \vdash x: X_1$

(3) $w(yx) \rightsquigarrow x: X_1, y_1: X_1 \rightarrow A_1 + yx: A_1$

④ $\mathcal{W}(\lambda y, yx) \rightsquigarrow x : X_1 \vdash \lambda y. x \rightarrow A_1, yx : (X_1 \rightarrow A_1) \rightarrow X_1$

⑤ $\mathcal{W}(\lambda x. \lambda y. y x) \rightsquigarrow \vdash \lambda x: X_1. \lambda y: X_1 \rightarrow A_1. y x: X_1 \rightarrow (X_1 \rightarrow A_1) \rightarrow A_1$

(e) $\lambda x. (\lambda x. x)()$

1 ARS

⑦ $\lambda \times \lambda$

1 ABS

① X

① $W(x) \sim x \cdot X_1 + x \cdot X_1$

(2) $\vdash \lambda x. \lambda y. x : X_1 \multimap X_1 \multimap W(Xx.x)$

③ $W(\lambda_X(\lambda_{X \times X})) \simeq H_X^2(X_2, \lambda_X^* X_1, X_1)$
 $X_2 \rightarrow X_1 \rightarrow X_1$

Wm. L. and
his wife
to your
Squidhead

(B)? Tengo dudas de si funciona
o si el algoritmo cuando
no hay nada en el contenedor
y se repiten los bucles

(f) $\lambda x. (\lambda y. x) x$ (5)

ABS

$$⑤ (\lambda, \gamma) \times$$

LAP

(3) $\lambda y. y$ $\times$ (2)

175

O Y

① $W(Y) \rightsquigarrow y: X_n + y: Y_n$

(2) $W(x) \sim x:X_2 + x:X_2$

③ $w(xy, y) \rightsquigarrow +y : y_1 \cdot y \rightarrow y_1 \rightarrow y_1$

④ ③
② $\text{mg} \{ Y_1 \rightarrow Y_1 \stackrel{\circ}{=} X_1 \rightarrow A_1 \} \text{ ⑤}$

$$\text{wf}((\lambda y. y) x) \rightsquigarrow x : A_1 \vdash (\lambda y : A_1. y) x : A_1$$