

### **Ouick** start


import numpy as np import matplotlib as mpl import matplotlib.pyplot as plt

X = np.linspace(0, 2\*np.pi, 100) Y = np.cos(X)

fig, ax = plt.subplots() ax.plot(X, Y, color='green')

fig.savefig("figure.pdf") plt.show()

## Anatomy of a figure



## Subplots layout

API subplot[s](rows, cols, ...) fig, axs = plt.subplots(3, 3) G = gridspec(rows,cols, ...) API ax = G[0, :]ax.inset\_axes(extent) d=make axes locatable(ax) API ax = d.new\_horizontal('10%')

## Getting help

matplotlib.org


github.com/matplotlib/matplotlib/issues discourse.matplotlib.org

stackoverflow.com/questions/tagged/matplotlib https://gitter.im/matplotlib/matplotlib


**y** twitter.com/matplotlib


✓ Matplotlib users mailing list

## Basic plots



scatter(X, Y, ...) X, Y, [s]izes, [c]olors, marker, cmap


















## Advanced plots
























"projecting"









Colormaps

Cyclic

"butt"



coolwarm

# Event handling

Tick locators

ticker.NullLocator()

ticker.AutoLocator()

ticker.MaxNLocator(n=4)

Tick formatters

ticker.NullFormatter()

ticker.ScalarFormatter()

Ornaments

ax.legend(...)

Legend -

ax.colorbar(...)

from matplotlib import ticker

from matplotlib import ticker

ticker.MultipleLocator(0.5)

ticker.FixedLocator([0, 1, 5])

ticker.LinearLocator(numticks=3)

ax.[xy]axis.set [minor|major] locator(locator)

0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0

ticker.IndexLocator(base=0.5, offset=0.25)

ticker.LogLocator(base=10, numticks=15)

ax.[xy]axis.set\_[minor|major]\_formatter(formatter)

ticker.FixedFormatter(['zero', 'one', 'two', ...])

ticker.FuncFormatter(lambda x, pos: "[%.2f]" % x)

[2.00]

ticker.FormatStrFormatter('>%d<')

ticker.StrMethodFormatter('{x}')

ticker.PercentFormatter(xmax=5)

handles, labels, loc, title, frameon

abel 1

Label 2


mappable, ax, cax, orientation

Label 3

fig, ax = plt.subplots() def on\_click(event): print(event) fig.canvas.mpl\_connect( 'button\_press\_event', on\_click)


0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9

# Animation import matplotlib.animation as mpla





API



#### Quick reminder

```
ax.grid()
ax.set_[xy]lim(vmin, vmax)
ax.set [xy]label(label)
ax.set_[xy]ticks(ticks, [labels])
ax.set_[xy]ticklabels(labels)
ax.set title(title)
ax.tick_params(width=10, ...)
ax.set_axis_[on|off]()
```



## **Keyboard** shortcuts





- x X pan/zoom g Minor grid 0/1
- G Major grid 0/1
- X axis log/linear L Y axis log/linear

## Ten simple rules

1. Know your audience

2. Identify your message 3. Adapt the figure

4. Captions are not optional

5. Do not trust the defaults

6. Use color effectively 7. Do not mislead the reader

8. Avoid "chartiunk"

9. Message trumps beauty 10. Get the right tool

