

The-One-True-Archive: Series Index, Non-Redundancy Plan, and Cross-Pollination Map

Unified archive revision 2026-03-08 (v236)

1 What's new in v236 (response-packet refresh-response-packet closure verdicts + stable finite basis)

- **The source-only successor branch now certifies when exact successor-facing handoff slices already close the refreshed visible-handoff branch (Synthesis 73):** added a compact public-request-response-packet-refresh-response-packet-closure-verdict definition binding one exact successor-facing packet to a `closed_finite_basis` verdict, named `reopen` triggers, and an explicit claim that no further successor-facing public-request owner remains under the shipped follow-up taxonomy; built PDF.
- **The neighboring exact-packet and worked-example notes stay narrower (Synthesis 17/72):** clarified that Synthesis 72 still owns only the exact bounded successor-facing handoff slice, while the capstone verdict that this slice already closes the branch now lives in Synthesis 73; rebuilt touched PDFs.
- **The worked example now checks successor-facing branch closure mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-133 / note_version 1.33`; added `example_public_request_response_packet_refresh_response_packet_closure_verdicts.json`; threaded it through the refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, README, and worked paper; rebuilt the worked bundle.
- **Archive hygiene:** added Synthesis 73 to the top-level series index, restored the synthesis file-list tail so Synthesis 72 and Synthesis 73 are both listed there explicitly, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

2 What's new in v235 (response-packet refresh-response packets + exact successor handoff slices)

- **The source-only successor branch now owns exact bounded handoff slices after visible packet-refresh follow-up choice (Synthesis 72):** added a compact public-request-response-packet-refresh-response-packet definition freezing the exact imported owner excerpt plus only the narrower companion paths that the selected successor-facing owner already requires for auditability of one emitted reissue sentence; built PDF.
- **The neighboring menu and worked-example notes stay narrower (Synthesis 17/71):** clarified that Synthesis 71 still owns only the smallest-sufficient successor follow-up owner choice,

while the exact bounded handoff slice after one such choice now lives in Synthesis 72; rebuilt touched PDFs.

- **The worked example now checks successor-facing bounded handoff slices mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-132 / note_version 1.32`; added `example_public_request_response_packet_refresh_response_packets.json`; threaded it through the refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, README, and worked paper; rebuilt the worked bundle.
- **Archive hygiene:** added Synthesis 72 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

3 What's new in v234 (response-packet refresh-response menus + smallest-sufficient successor follow-up handoffs)

- **The source-only successor branch now owns concrete follow-up handoff choice after visible packet-refresh family selection (Synthesis 71):** added a compact public-request-response-packet-refresh-response-menu definition mapping common successor-facing follow-up classes about one emitted refresh sentence to the smallest sufficient already-maintained packet, carryforward, delta, sentence, canonical-family, or family-choice owner; built PDF.
- **The neighboring selector and worked-example notes stay narrower (Synthesis 17/70):** clarified that Synthesis 70 still owns only token-keyed canonical visible reissue-family choice, while concrete successor-facing follow-up handoff policy for that same emitted sentence now lives in Synthesis 71; rebuilt touched PDFs.
- **The worked example now checks successor-facing follow-up handoff choice mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-131 / note_version 1.31`; added `example_public_request_response_packet_refresh_response_menus.json`; threaded it through the refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, README, and worked paper; rebuilt the worked bundle.
- **Archive hygiene:** added Synthesis 71 to the top-level series index, repaired the recent synthesis file-list tail so Synthesis 65–71 are all listed there again, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

4 What's new in v233 (response-packet refresh-notice selections + token-keyed canonical reissue choice)

- **The source-only successor branch now owns token-keyed choice of canonical visible reissue families (Synthesis 70):** added a compact public-request-response-packet-refresh-notice-selection definition recording which maintained refresh-notice normal form is licensed by one shipped successor packet-delta token bundle for one emitted visible reissue sentence; built PDF.
- **The neighboring refresh-wrapper and worked-example notes stay narrower (Synthesis 17/68/69):** clarified that Synthesis 68 still owns only the exact emitted reissue sentence, Synthesis 69 still owns only the canonical sentence family and slot realization rule behind that

sentence, and token-keyed family choice for that same wrapper now lives in Synthesis 70; rebuilt touched PDFs.

- **The worked example now checks packet-refresh-notice family choice mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-130 / note_version 1.30`; added `example_public_request_response_packet_refresh_notice_selections.json`; threaded it through the refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, README, and worked paper; rebuilt the worked bundle.
- **Archive hygiene:** added Synthesis 70 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

5 What's new in v232 (response-packet refresh-notice normal forms + canonical visible reissue families)

- **The source-only branch now owns canonical visible reissue families for reused response packets (Synthesis 69):** added a compact `public-request-response-packet-refresh-notice-normal-form` definition factoring the exact emitted reissue sentence from Synthesis 68 into maintained literal/slot templates and explicit slot bindings; built PDF.
- **The neighboring packet-refresh and worked-example notes stay narrower (Synthesis 17/68):** clarified that Synthesis 68 still owns only the exact emitted visible sentence and pointer order, while canonical family ownership for that same successor-facing wrapper now lives in Synthesis 69; rebuilt PDFs.
- **The worked example now checks canonical visible reissue families mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-129 / note_version 1.29`; added `example_public_request_response_packet_refresh_notice_normal_forms.json`; threaded it through the refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, README/paper text, and rebuilt the worked bundle.
- **Archive hygiene:** added Synthesis 69 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

6 What's new in v231 (response-packet refresh notices + exact visible reissue sentences for reused source-only handoff slices)

- **The source-only branch now owns exact visible reissue wording for reused response packets (Synthesis 68):** added a compact `public-request-response-packet-refresh-notice` definition recording the exact outward-facing sentence maintainers may use once Synthesis 67 has already fixed the packet-local refresh delta of a reusable source-only response packet; built PDF.
- **The neighboring packet-delta and worked-example notes stay narrower (Synthesis 17/67):** clarified that Synthesis 67 still owns only the packet-local refresh instructions, while exact visible reissue wording for that same reusable handoff slice now lives in Synthesis 68; rebuilt PDFs.
- **The worked example now checks visible successor reissue sentences for exact source-only handoff slices mechanically (Synthesis 17):** bumped the maintained bundle to

worked-example-draft-128 / note_version 1.28; added example_public_request_response_packet_refresh threaded it through the refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, README/paper text, and rebuilt the worked bundle.

- **Archive hygiene:** added Synthesis 68 to the top-level series index, rebuilt the touched PDFs, refreshed SERIES_INDEX.pdf, and regenerated MANIFEST.json.

7 What's new in v230 (response-packet delta ledgers + exact successor refresh instructions for reused source-only handoff slices)

- **The source-only branch now owns exact successor-refresh instructions for reused response packets (Synthesis 67):** added a compact public-request-response-packet-delta-ledger definition recording which release-bound field families refresh, which packet-local bindings stay fixed, and which exact packet paths are reused once Synthesis 66 has already classified the packet as reusable; built PDF.
- **The neighboring packet-carryforward and worked-example notes stay narrower (Synthesis 17/66):** clarified that Synthesis 66 still owns only the reuse verdict (preserved / refresh-in-place / reopened), while exact refresh instructions for reused packets now live in Synthesis 67; rebuilt PDFs.
- **The worked example now checks successor refresh deltas for exact source-only handoff slices mechanically (Synthesis 17):** bumped the maintained bundle to worked-example-draft-127 / note_version 1.27; added example_public_request_response_packet_delta_ledgers.json; threaded it through the README, refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** added Synthesis 67 to the top-level series index, rebuilt the touched PDFs, refreshed SERIES_INDEX.pdf, and regenerated MANIFEST.json.

8 What's new in v229 (response-packet carryforward + successor reuse rules for exact source-only handoff slices)

- **The source-only branch now owns successor reuse rules for exact response packets (Synthesis 66):** added a compact public-request-response-packet-carryforward definition classifying whether one already-cut source-only response packet survives unchanged, survives with refreshable release-bound fields, or must reopen after a successor release; built PDF.
- **The neighboring packet, bridge, and worked-example notes stay narrower (Synthesis 17/55/65):** clarified that Synthesis 65 still owns only the exact bounded packet cut, while successor-release reuse discipline for that packet now lives in Synthesis 66; rebuilt PDFs.
- **The worked example now checks successor reuse of exact source-only handoff slices mechanically (Synthesis 17):** bumped the maintained bundle to worked-example-draft-126 / note_version 1.26; added example_public_request_response_packet_carryforward_profiles.json; threaded it through the README, refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, and worked paper; rebuilt artifacts/PDF.

- **Archive hygiene:** added Synthesis 66 to the top-level series index, repaired the file list omission so Synthesis 65 is now listed there too, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

9 What's new in v228 (public-request response packets + exact bounded source-only handoff slices)

- **The source-only branch now owns exact bounded handoff slices after follow-up-class choice (Synthesis 65):** added a compact public-request-response-packet definition fixing the exact entry-level handoff slice that should travel once Synthesis 64 has already chosen the right source-only owner; built PDF.
- **The neighboring response-menu and series-spine notes stay narrower (Synthesis 17/55/64):** clarified that Synthesis 64 still owns only the follow-up-class owner choice, while exact bounded packetization of that chosen owner now lives in Synthesis 65; rebuilt PDFs.
- **The worked example now checks exact source-only handoff slices mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-125 / note_version 1.25`; added `example_public_request_response_packets.json`; threaded it through the README, refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** added Synthesis 65 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

10 What's new in v227 (public-request response menus + smallest-sufficient follow-up handoffs)

- **The source-only branch now owns notice-keyed follow-up response choice (Synthesis 64):** added a compact public-request-response-menu definition mapping common paper-facing follow-up classes to the smallest sufficient already-maintained source-only owner; built PDF.
- **The neighboring source-only and series-spine notes stay narrower (Synthesis 17/55/56/58/59/60/61):** clarified that contracts, completion certificates, status/carryforward owners, emitted notices, canonical families, and token-keyed family choice still own semantics, while concrete follow-up-class handoff choice now lives in Synthesis 64; rebuilt PDFs.
- **The worked example now checks paper-facing source-only follow-up handoffs mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-124 / note_version 1.24`; added `example_public_request_response_menus.json`; threaded it through the README, refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** added Synthesis 64 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

11 What’s new in v226 (public-request notice selectors + token-keyed normal-form choice)

- **The source-only branch now owns token-keyed choice of canonical visible notice family (Synthesis 63):** added a compact public-request-notice-selection definition separating basis-token→canonical-family choice from both the emitted visible sentence and the canonical sentence family itself; built PDF.
- **The neighboring source-only and series-spine notes stay narrower (Synthesis 17/55/56/59/60/61/62):** clarified that statuses and carryforward owners still determine truth, Synthesis 61 still owns the emitted visible sentence, Synthesis 62 still owns the reusable template/slot family, while token-keyed choice of which such family applies now lives in Synthesis 63; rebuilt PDFs.
- **The worked example now checks source-only notice-family selection mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-122 / note_version 1.22`; added `example_public_request_notice_selections.json`; threaded it through the README, refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, series spine, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** added Synthesis 63 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

12 What’s new in v225 (public-request notice normal forms + canonical sentence families)

- **The source-only branch now owns canonical sentence families for its visible public-request notices (Synthesis 62):** added a compact public-request-notice-normal-form definition separating the reusable sentence template and slot bindings from the concrete emitted notice instance; built PDF.
- **The neighboring source-only and series-spine notes stay narrower (Synthesis 17/55/56/57/58/59/60):** clarified that statuses, carryforward verdicts, and emitted notices still own semantics and visible wrapper instances, while canonical source-only notice sentence families now live in Synthesis 62; rebuilt PDFs.
- **The worked example now checks canonical source-only notice realization mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-121 / note_version 1.21`; added `example_public_request_notice_normal_forms.json`; threaded it through the README, refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** added Synthesis 62 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

13 What’s new in v224 (public-request notices + outward-facing source-only wrappers)

- **The source-only branch now owns the exact outward-facing public sentence as a separate wrapper note (Synthesis 61):** added a compact public-request-notice definition

separating the visible source-only sentence and reader-pointer order from the narrower within-release status and cross-release carryforward owners; built PDF.

- **The neighboring source-only and series-spine notes stay narrower (Synthesis 17/55/56/57/58/59/60):** clarified that contracts, family names, completion criteria, paper-level status tokens, and carryforward verdicts still own semantics, while the emitted reader-facing source-only notice now lives in Synthesis 61; rebuilt PDFs.
- **The worked example now ships source-only public request notices mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-120 / note_version 1.20`; added `example_public_request_notice.json`; threaded it through the README, refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** added Synthesis 61 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

14 What's new in v223 (cross-release source-only carryforward + successor-reopen rules)

- **The worked example now certifies both within-release public request status and cross-release carryforward mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-119 / note_version 1.19`; added `example_public_request_status_envelope.json` and `example_public_request_carryforward_envelope.json`; threaded them through the README, refiner, validator, support manifest, artifact inventory, derivation graph, lineage pointer order, and worked paper; rebuilt artifacts/PDF.
- **New notes on paper-level public request status and successor-release carryforward (Synthesis 59/60):** isolated the within-release public token compressing family-scoped completion to one paper-level status envelope, and then isolated the successor-release rule saying whether that public token persists, advances, or reopens under the next cut.
- **The neighboring source-only and release-spine notes stay narrower (Synthesis 32/55/56/57/58):** clarified that the release spine owns release evolution, the source-only contract/class/certificate notes own promise formation and family completion, while whole-promise paper-level status compression and cross-release carryforward now live in Synthesis 59 and Synthesis 60; rebuilt PDFs.
- **Archive hygiene:** added Synthesis 58/59/60 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

15 What's new in v222 (paper-level public request status envelopes)

- **New note on within-release paper-level public request status (Synthesis 59):** added a compact status-envelope definition compressing family-scoped request-fulfillment certificates to one paper-level token without re-owning the narrower contract or completion rules.

- **The source-only contract/class/completion notes now stay narrower (Synthesis 55/56/57/58):** clarified that exact paper-level public-token compression belongs in Synthesis 59 rather than being restated ad hoc in neighboring notes.
- **The worked example gained the paper-level status envelope mechanically (Synthesis 17):** the new artifact `example_public_request_status_envelope.json` compresses the worked note’s family-scoped source-only completion verdicts to one public token.

16 What’s new in v221 (request fulfillment certificates + auditable completion criteria)

- **The worked example now certifies source-only request completion mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-117 / note_version 1.17`; added `example_request_fulfillment_certificates.json`, threaded it through the README, refiner, validator, public request contracts, lineage pointer order, derivation graph, support manifest, artifact inventory, and worked paper; rebuilt artifacts/PDF.
- **New note on source-only request completion (Synthesis 58):** isolates the exact completion criterion for when a paper-facing public request contract plus typed omitted-support family has actually been fulfilled, so the neighboring packet/contract/class notes can stay narrow.
- **Archive hygiene:** added Synthesis 58 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

17 What’s new in v219 (source-only public request contracts + exact paper-level handoff cuts)

- **Source-only public-request sentences now have their own paper-facing note (Synthesis 56):** added a compact public-request-contract definition tying archive-wide boilerplate policy to the exact maintained disclosure packets, review menus, and validator companions that sit behind one short paper’s “supporting artifacts are available on request” sentence; built PDF.
- **Artifact policy, disclosure packets, review menus, and the series spine now stay narrower (Synthesis 6/52/54/55):** clarified that archive-wide source-only boilerplate, answer-local request packets, request-class referee handoffs, and theorem-to-review bridge language all defer exact paper-facing aggregation to Synthesis 56; rebuilt PDFs.
- **The worked example now ships that paper-facing contract mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-115 / note_version 1.15`; added `example_public_request_contracts.json`, threaded it through the README, validator, support manifest, artifact inventory, lineage pointer order, derivation graph, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** added Synthesis 56 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

18 What's new in v218 (series-spine bridge + theorem-to-review handoff crosswalk)

- **The archive now has a theorem-to-review bridge note (Synthesis 55):** added a compact series-spine definition tying mathematical roots, receipt anchors, replay anchors, release-evolution anchors, and answer-review anchors together so later short papers can cite one maintained lineage instead of re-stitching it in prose; built PDF.
- **The mathematics crosswalk, stable release spine, and review-menu capstone now point to that bridge (Synthesis 24/32/54):** tightened those notes so they stay narrow while explicitly deferring whole-chain bridge language to Synthesis 55; rebuilt PDFs.
- **The worked example now ships the bridge mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-114 / note_version 1.14`; added `example_series_spine.json`, threaded it through the README, validator, support manifest, artifact inventory, and worked paper, and repaired a stale inline `\texttt` typo in the bundle description; rebuilt artifacts/PDF.
- **Archive hygiene:** added Synthesis 55 to the top-level series index, rebuilt the touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

19 What's new in v215 (answer-disclosure-packet split + public-on-request audit slices)

- **Public-on-request answer handoffs now have their own note (Synthesis 52):** added a compact challenge-answer-disclosure-packet definition, pairing one brief public answer form with the exact requestable audit slice and validation companions that should be handed over when deeper support is requested from a space-limited paper; built PDF.
- **Publication profiles now stop at inline policy (Synthesis 51):** clarified that publication profiles own brief-vs-expanded inline presentation, while the exact public-on-request archive handoff belongs to Synthesis 52; rebuilt PDF.
- **Downstream normal forms and the release spine stay stable (Synthesis 31/32):** clarified that answer-disclosure packets sit beside the downstream suffix and stable release spine as public-on-request handoff objects rather than new stage owners; rebuilt PDFs.
- **Worked example now ships answer disclosure packets (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-111 / note_version 1.11`; added `example_successor_challenge_answer_disclosure_packets.json`, threaded it through the README, refiner, validator, lineage pointer order, derivation graph, support manifest, artifact inventory, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** aligned the validator and release bookkeeping with the new disclosure-packet layer and 1.11 worked cut, repaired the Synthesis 52 worked-example pointer compile break, rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

20 What's new in v214 (answer-publication-profile split + budgeted emitted-answer reuse)

- **Budgeted emitted-answer publication now has its own note (Synthesis 51):** added a compact challenge-answer-publication-profile definition that packages one emitted answer card, one citation docket, the declared default and expanded inline-provenance modes from the sentence lock, and the exact-location/full-audit escalation targets later papers should use under different space budgets; built PDF.
- **Sentence locks and citation dockets stay narrow (Synthesis 35/50):** clarified that sentence locks continue to own inline-provenance semantics while citation dockets continue to own smallest-sufficient object choice, with publication profiles importing both without becoming a new semantic stage; rebuilt PDFs.
- **Worked example now ships answer publication profiles (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-110 / note_version 1.10`; added `example_successor_challenge_answer` threaded it through the README, refiner, validator, lineage pointer order, derivation graph, support manifest, artifact inventory, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** aligned the validator and release bookkeeping with the new publication-profile layer and 1.10 worked cut, rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

21 What's new in v213 (answer-citation-docket split + smallest-sufficient late-stage reuse)

- **Late-stage answer selection now has its own note (Synthesis 50):** added a compact challenge-answer-citation-docket definition, binding one audience/question pair to the smallest sufficient already-maintained late-stage answer object for piece-local citation, whole-question handoff, emitted-answer identity, exact shipped location, or full leftward audit; built PDF.
- **Audit trails now stop at full audit ownership (Synthesis 49):** clarified that answer-audit trails own the leftward reader walk itself, while choosing whether a later note should cite the audit trail or a narrower late-stage answer object belongs to Synthesis 50; rebuilt PDF.
- **Downstream normal forms and the release spine stay selection-local (Synthesis 31/32):** clarified that answer-citation dockets sit beside the downstream suffix and stable release spine as imported selection objects rather than as new stage owners; rebuilt PDFs.
- **Worked example now ships answer-citation dockets (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-109 / note_version 1.09`; added `example_successor_challenge_answer` threaded it through the README, refiner, validator, lineage pointer order, derivation graph, support manifest, artifact inventory, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** aligned the validator with the new citation-docket layer and 1.09 worked cut, rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

22 What's new in v212 (answer-audit-trail split + leftward reader walks)

- **Leftward answer-audit walks now have their own note (Synthesis 49):** added a compact challenge-answer-audit-trail definition, binding one exact shipped answer carrier slot to one full piece-complete reader walk back through the answer card, answer sheet, capsules, branches, and narrow terminal owners; built PDF.
- **Carrier slots now stop at exact location (Synthesis 48):** clarified that carrier slots own the exact shipped field or reusable clause carrying a released answer but defer the full leftward audit walk to Synthesis 49; rebuilt PDF.
- **Downstream normal forms and the release spine stay tight (Synthesis 31/32):** clarified that answer-audit trails sit beside the downstream suffix and stable release spine as assembled reader walks, not as new stage owners; rebuilt PDFs.
- **Worked example now ships answer-audit trails (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-108 / note_version 1.08`; added `example_successor_challenge_answer_audit` threaded it through the README, refiner, validator, lineage pointer order, derivation graph, support manifest, artifact inventory, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** repaired malformed bibliography tails in the touched synthesis notes, rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

23 What's new in v211 (answer-carrier-slot split + exact shipped answer locations)

- **Exact shipped answer locations now have their own note (Synthesis 48):** added a compact challenge-answer-carrier-slot definition, binding one emitted answer card to one exact shipped field or reusable clause, so later notes can cite where a released answer actually lives rather than only what the answer object says; built PDF.
- **Answer cards now stop at answer identity (Synthesis 47):** clarified that answer cards own the released audience/question answer object but deliberately stop before the exact carrier slot; rebuilt PDF.
- **Downstream normal forms and the release spine stay narrow again (Synthesis 31/32):** clarified that exact answer-carrier slots sit beside the downstream suffix and stable release spine as carrier objects, not as new stage owners; rebuilt PDFs.
- **Worked example now ships exact answer carrier slots (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-107 / note_version 1.07`; added `example_successor_challenge_answer` threaded it through the README, refiner, validator, lineage pointer order, derivation graph, support manifest, artifact inventory, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

24 What's new in v210 (answer-card split + emitted audience-question release objects)

- **Emitted audience/question answers now have their own note (Synthesis 47):** added a compact challenge-answer-card definition, binding one piece-complete answer sheet to one shipped sentence lock and one default visible-provenance mode, so later notes can cite the final released answer object without re-pairing sheet semantics and sentence-reuse policy by hand; built PDF.
- **Sentence locks and answer sheets are tighter again (Synthesis 35/46):** clarified that sentence locks own reuse policy while answer sheets stop at the whole-question handoff, with answer cards importing both without turning either note into a new release stage; rebuilt PDFs.
- **Downstream normal forms and the release spine stay narrow (Synthesis 31/32):** clarified that emitted answer cards sit beside the downstream suffix and stable release spine as publication objects, not as new stage owners; rebuilt PDFs.
- **Worked example now ships emitted audience/question answer cards (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-106 / note_version 1.06`; added `example_successor_challenge_answer_cards.json`, threaded it through the README, refiner, validator, lineage pointer order, derivation graph, support manifest, artifact inventory, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

25 What's new in v209 (answer-sheet split + piece-complete audience-question handoffs)

- **Whole audience-question handoffs now have their own note (Synthesis 46):** added a compact challenge-answer-sheet definition, sitting one level above answer capsules, so later notes can cite one audience/question handoff when they truly need the complete ordered piece set rather than one certified piece at a time; built PDF.
- **Answer capsules now stay strictly one-piece (Synthesis 45):** tightened the note so it explicitly owns only one-piece bundles and imports whole-question grouping from Synthesis 46 instead of widening the capsule layer; rebuilt PDF.
- **Downstream normal forms and the release spine now import answer sheets rather than absorbing them (Synthesis 31/32):** clarified that answer sheets sit beside the downstream suffix and stable release spine rather than becoming a new release stage; rebuilt PDFs.
- **Worked example now ships piece-complete audience-question handoffs (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-105 / note_version 1.05`; added `example_successor_challenge_answer_sheets.json`, threaded it through the README, lineage pointer order, derivation graph, support manifest, artifact inventory, refiner, validator, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

26 What’s new in v208 (answer-capsule split + audience-question minimal bundles)

- **Synthesis 45 is now the home of assembled audience-question answer bundles:** added a new concise note owning one minimal downstream answer capsule per audience/question/piece, so later notes can cite one auditable bundle instead of reassembling routes, stop fields, coverage, and witness keys by hand; built PDF.
- **Synthesis 31 is tighter again:** the downstream-normal-form note now imports answer capsules explicitly, keeping the summarize/support/cite/quote/clause suffix separate from the assembled audience/question handoff bundle; rebuilt PDF.
- **Synthesis 32 is sharper again:** the stable release-spine note now says explicitly that answer capsules may sit beside the downstream suffix without becoming a new stage; rebuilt PDF.
- **The worked example now ships a dedicated answer-capsule ledger (Synthesis 17):** kept the maintained bundle at `worked-example-draft-104 / note_version 1.04`; added `example_successor_challenge` threaded it through the README, lineage pointer order, derivation graph, support manifest, artifact inventory, refiner, validator, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** refreshed archive/index version stamps, rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

27 What’s new in v207 (coverage-witness-core split + audience-invariant proof burden)

- **Synthesis 44 is now the home of audience-invariant coverage proving cores:** added a new concise note owning the terminal-witness and surface-hook dependencies shared across every certified audience for one coverage claim; built PDF.
- **Synthesis 42 is tighter again:** the coverage-witness-pack note now clearly owns only the aggregate route-and-branch bundle for one coverage claim, importing the shared witness core instead of repeating terminal/surface keys inline; rebuilt PDF.
- **Synthesis 43 is tighter again:** the audience-minimal witness-slice note now owns only one audience’s route-and-branch delta, importing the same shared witness core instead of repeating common terminal/surface keys inline; rebuilt PDF.
- **Synthesis 39 and Synthesis 31 are tighter again:** the challenge-coverage and downstream-normal-form notes now import the witness-core layer explicitly, keeping coverage semantics and downstream wording separate from shared proving dependencies; rebuilt PDFs.
- **The worked example now ships a dedicated coverage-witness-core ledger (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-103 / note_version 1.03`; added `example_successor_challenge_coverage_witness_cores.json`; threaded it through the README, lineage pointer order, derivation graph, support manifest, artifact inventory, refiner, validator, and worked paper; rebuilt artifacts/PDF.
- **Archive hygiene:** repaired the worked paper bibliography tail, rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

28 What's new in v206 (coverage-witness-slice split + audience-minimal proof burden)

- **Synthesis 43 is now the home of audience-minimal coverage proving bundles:** added a new concise note owning one route-specific witness slice per audience and coverage claim, so release-note, referee, and auditor proof burdens no longer ride in the same proving object; built PDF.
- **Synthesis 42 is tighter again:** the coverage-witness-pack note now clearly owns only the aggregate proving bundle for one coverage claim, importing audience-minimal slices from Synthesis 43 instead of informally serving both roles at once; rebuilt PDF.
- **Synthesis 39 is tighter again:** the challenge-coverage note now imports both aggregate witness packs and audience-minimal witness slices, keeping sentence-family semantics separate from both kinds of proving bundle; rebuilt PDF.
- **The worked example now ships a dedicated coverage-witness-slice ledger (Synthesis 17):** bumped the maintained bundle to worked-example-draft-102 / note_version 1.02; added `example_successor_challenge_coverage_witness_slices.json`; threaded it through the README, lineage pointer order, derivation graph, support manifest, artifact inventory, refiner, and validator; rebuilt artifacts/PDF.
- **Archive hygiene:** fixed the stale top-level archive/index stamp drift, rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

29 What's new in v205 (coverage-witness-pack split + minimal certification dependencies)

- **Synthesis 42 is now the home of exact coverage proving-key bundles:** added a new concise note owning one minimal certification dependency pack per sentence-family coverage claim, so audience coverage and exact proving keys no longer ride in the same object; built PDF.
- **Synthesis 39 is tighter again:** the challenge-coverage note now owns only audience coverage and support-only status, importing exact proving-key bundles from Synthesis 42 instead of carrying route/branch/witness keys inline; rebuilt PDF.
- **Synthesis 17 is tighter again:** the worked bundle now ships a dedicated coverage-witness-pack ledger so each coverage claim stays machine-checkable without bloating the semantic certificate; rebuilt artifacts/PDF.

30 What's new in v204 (terminal-witness split + narrow stop ownership)

- **Synthesis 41 is now the home of exact piece-hook terminal ownership:** added a new concise note owning sentence-family piece-hook terminal witnesses, support-only off-surface endpoints, and the exact narrow stop owners for emitted successor-maintenance sentences; built PDF.

- **Synthesis 39 is tighter again:** the challenge-coverage note now owns only audience coverage and support-only obligations, importing exact narrow stop ownership from Synthesis 41 instead of carrying terminal-field ownership inline; rebuilt PDF.
- **Synthesis 40 is tighter again:** the surface-hook note now owns only exact piece-to-segment realization, importing exact narrow stop ownership from Synthesis 41 instead of carrying terminal-target ownership inline; rebuilt PDF.
- **Synthesis 31 is tighter again:** the downstream normal-form note now imports exact piece-hook terminal witnesses from Synthesis 41 instead of letting sentence-level terminal targets silently double as piece-local terminal ownership; rebuilt PDF.
- **The worked example now ships a dedicated terminal-witness ledger (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-100 / note_version 1.00`; added `example_successor_challenge_terminal_witnesses.json`; threaded it through the README, lineage pointer order, derivation graph, generator/refiner, validator, support manifest, and artifact inventory; rebuilt artifacts/PDF.

31 What's new in v203 (surface-hook split + shared-span realization)

- **Synthesis 40 is now the home of exact piece-to-segment realization:** added a new concise note owning sentence-family surface hooks, shared-span bindings, and explicit exclusive/shared/mixed realization kinds for emitted successor-maintenance sentences; built PDF.
- **Synthesis 39 is tighter again:** the challenge-coverage note now owns only audience coverage and support-only hooks, importing exact span-level realization from Synthesis 40 instead of silently carrying segment ledgers inline; rebuilt PDF.
- **Synthesis 31 is tighter again:** the downstream normal-form note now imports exact piece-to-segment surface hooks from Synthesis 40 instead of letting sentence segmentation double as sentence-family piece-realization policy; rebuilt PDF.
- **The worked example now ships a dedicated surface-hook ledger (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-99 / note_version 0.99`; added `example_successor_challenge_surface_hooks.json`; threaded it through the README, lineage pointer order, derivation graph, generator, validator, support manifest, and artifact inventory; rebuilt artifacts/PDF.

32 What's new in v202 (challenge-coverage split + audience/surface certification)

- **Synthesis 39 is now the home of sentence-family challenge coverage:** added a new concise note owning audience coverage, surface-carried semantic pieces, and support-only hooks for emitted successor-maintenance sentences; built PDF.
- **Synthesis 31 is tighter again:** the downstream normal-form note now imports sentence-family challenge coverage from Synthesis 39 instead of silently letting sentence segmentation imply audience coverage or support-only hooks; rebuilt PDF.

- **The worked example now ships a dedicated challenge-coverage certificate (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-98 / note_version 0.98`; added `example_successor_challenge_coverage.json`; threaded it through the README, lineage pointer order, derivation graph, generator, and validator; rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

33 What's new in v201 (challenge-branch split + piece-keyed escalation)

- **Synthesis 38 is now the home of piece-keyed challenge branching:** added a new concise note owning exact route-plus-piece escalation walks from audience routes to approved terminal fields; built PDF.
- **Synthesis 36 is tighter again:** the audience-routing note now owns only start objects and coarse escalation order, importing exact contested-piece walks from Synthesis 38 instead of letting the route ladder double as the proof trace; rebuilt PDF.
- **Synthesis 37 is tighter again:** the stop-profile note now owns only question families, semantic pieces, and approved terminal fields, while the new branch-map note owns the exact route-plus-piece walk; rebuilt PDF.
- **Synthesis 31 is tighter again:** the downstream normal-form note now imports challenge branches alongside audience routes and stop profiles rather than silently treating coarse route ladders as exact contested-piece traces; rebuilt PDF.
- **The worked example now ships a dedicated challenge-branch map (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-97 / note_version 0.97`; added `example_successor_challenge_branches.json`; threaded it through the README, lineage pointer order, derivation graph, generator, and validator; rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

34 What's new in v200 (challenge-stop split + terminal semantics)

- **Synthesis 37 is now the home of question-keyed stop semantics:** added a new concise note owning recurring downstream question families, their contested semantic pieces, and the exact approved terminal fields that may discharge those pieces; built PDF.
- **Synthesis 36 is tighter again:** the audience-routing note now owns only audience ladders (start objects + escalation order), importing terminal semantics from Synthesis 37 instead of repeating stop fields inline; rebuilt PDF.
- **Synthesis 31 is tighter again:** the downstream normal-form note now points separately to audience routes and challenge-stop profiles, rather than letting either be improvised in the citation map or wrapper prose; rebuilt PDF.
- **The worked example now ships a dedicated challenge-stop profile map (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-96 / note_version 0.96`; added `example_successor_challenge_stop_profiles.json`, threaded it through the README,

manifest, inventory, lineage pointer order, derivation graph, generator, and validator; rebuilt artifacts/PDF.

- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

35 What's new in v199 (challenge-route split + audience ladders)

- **Synthesis 36 is now the home of audience-keyed challenge routing:** added a new concise note owning reader profiles, audience-keyed start objects, and escalation order for release notes, referees, and auditors; built PDF.
- **Synthesis 31 is tighter again:** the downstream normal-form note now keeps citation minimization separate from audience-facing start-here / escalate-here guidance, importing challenge routes from Synthesis 36 instead of overloading the citation map; rebuilt PDF.
- **The worked example now ships a dedicated challenge-route map (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-95 / note_version 0.95`; added `example_successor_challenge_routes.json`, threaded it through the README, manifest, inventory, derivation graph, lineage pointer order, and validator; rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

36 What's new in v198 (sentence-lock split + inline provenance ledger)

- **Synthesis 35 is now the home of sentence-lock / inline-provenance policy:** added a new concise note owning pair-anchored sentence reuse, recheck-vs-regenerate guards, refresh-in-place witness fields, and visible inline-provenance modes; built PDF.
- **Synthesis 31 is tighter again:** the downstream normal-form note now owns only the wording suffix (summary/support/citation/quote/clause), importing sentence-lock policy from Synthesis 35 instead of carrying sentence-retirement and visible-provenance rules inline; rebuilt PDF.
- **The worked example now ships a dedicated sentence-lock ledger (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-94 / note_version 0.94`; added `example_successor_sentence_locks.json`, projecting the pair-anchored reuse policy for the worked public-status and compact-diff sentences into a dedicated artifact; threaded it through the README, manifest, inventory, derivation graph, normal-form linkage, and validator; rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

37 What's new in v197 (status-envelope split + lineage wrapper note)

- **Synthesis 34 is now the home of the summary-stage status-envelope / lineage-notice split:** added a new concise note owning the narrow public-status token, the outward-facing wrapper sentence, reader-pointer order, and the rule that later notes should cite the envelope when the token matters and the notice when one sentence is enough; built PDF.

- **Synthesis 32 makes the summarize-stage contract sharper:** the stable release spine now distinguishes the companion status envelope from the wrapper sentence and pointer order, so stage ownership stays explicit instead of being inferred from the worked example; rebuilt PDF.
- **Synthesis 31 stays about downstream wording only:** tightened the downstream-normal-form note so reusable sentence semantics import the summary-stage status-envelope rule from Synthesis 34 instead of letting the wrapper notice quietly own the narrower status token; rebuilt PDF.
- **The worked example now ships the status-envelope bridge mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-93 / note.version 0.93`; added `example_successor_status_envelope.json`, threaded it through the lineage notice, derivation graph, release spine, stage walkthrough, support/citation/quote suffix, README, support manifest, inventory, and validator; rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

38 What's new in v195 (release-spine split + stage walk-through)

- **Synthesis 32 is now the home of release evolution as a stable spine:** added a new concise note owning the stage order *diff* → *classify* → *obligate* → *close* → *summarize* → *support* → *cite* → *quote* → *clause*, the per-stage handoff contract, and one stage-walkthrough witness; built PDF.
- **Synthesis 31 is tighter again:** trimmed it back to the downstream sentence-reuse suffix only, importing stage ownership from Synthesis 32 so the note stays about auditable wording rather than release choreography; rebuilt PDF.
- **The worked example now ships a concrete stage walk as well as the spine (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-91 / note.version 0.91`; added `example_release_stage_walkthrough.json`, updated the worked note / README, and strengthened the validator to check stage-walk coherence against the shipped stage contracts; rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

39 What's new in v194 (release-spine handoff contracts)

- **The downstream suffix is now tied to an explicit stage handoff contract (Synthesis 31):** added a compact release-stage contract definition so later notes can name not only the stable spine order but also which input artifacts a stage may read, which output field family it owns, and when a downstream note must cite that stage directly rather than let wrapper prose drift across boundaries; rebuilt PDF.
- **The worked example now ships those stage contracts mechanically (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-90 / note.version 0.90`; strengthened `example_release_spine.json` with per-stage handoff contracts, updated the validator to check contract order/input/output coherence against the shipped maintenance objects, repaired stale worked-cut labels in the worked note / README, and rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

40 What's new in v193 (default inline provenance profile for sentence reuse)

- **Downstream normal forms now name a default inline provenance profile (Synthesis 31):** added a compact default-profile rule so later notes can inherit one declared reuse mode instead of re-choosing among `silent/floor/capsule` every time they cite the worked sentence contract; rebuilt PDF.
- **The worked example now binds a preferred inline reuse mode mechanically (Synthesis 17):** `example_successor_normal_form.json` now ships per-anchor `default_inline_profile = floor`, and the validator checks that the default key is declared and resolves to the exact `witness_floor` bundle; rebuilt bundle and PDF.

41 What's new in v192 (named inline provenance profiles)

- **Downstream normal forms now ship named inline provenance profiles (Synthesis 31):** added a compact `silent/floor/capsule` rule so later notes can name whether visible provenance is intentionally absent, reduced to the minimum declared bundle, or expanded to the full declared capsule, without restating omission logic in prose; rebuilt PDF.
- **The worked example now binds those profiles mechanically (Synthesis 17):** `example_successor_normal` now ships per-anchor `inline_provenance_profiles`, and the validator checks that `silent` is empty, `floor` matches `witness_floor`, and `capsule` matches `witness_capsule`; rebuilt bundle and PDF.

42 What's new in v188 (refresh-in-place witness boundary)

- **Downstream normal forms now say what can be refreshed without rewriting (Synthesis 31):** added a compact in-place refresh-set definition, so later notes can distinguish not only recheck versus regeneration, but also the tiny witness fields that may be updated after successful recheck while checked wording stays frozen; rebuilt PDF.
- **Worked example now ships explicit refresh-in-place witness fields (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-84 / note_version 0.84`; strengthened `example_successor_normal_form.json` with per-anchor `refresh_in_place` lists for the public-status and compact-diff traces, updated the validator to check that only witness fields are refreshable in place, tightened the worked note / README explanation, and rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

43 What's new in v187 (reuse guards split into recheck vs regenerate)

- **Downstream normal forms now separate sentence recheck from sentence retirement (Synthesis 31):** replaced the single renewal-trigger notion with a compact reuse-guard pair, so later notes can tell apart object-cut drift that merely forces revalidation from pair/terminal drift that retires the wording and forces regeneration; rebuilt PDF.

- **Worked example now ships explicit recheck-vs-regenerate guards (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-83 / note_version 0.83`; strengthened `example_successor_normal_form.json` with per-anchor `recheck_if` and `regenerate_if` lists for the public-status and compact-diff traces, updated the validator to check those guards against anchored digests, release-pair fields, and terminal target keys, and rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

44 What's new in v186 (renewal triggers for reusable sentence examples)

- **Downstream normal forms now say exactly which tiny drifts retire a reusable sentence (Synthesis 31):** added a compact renewal-trigger definition so sentence-level maintenance objects no longer say only what a clause resolves to, but also which pair/object/terminal changes force that sentence to be regenerated before reuse; rebuilt PDF.
- **Worked example now ships sentence retirement conditions (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-82 / note_version 0.82`; strengthened `example_successor_normal_form.json` with per-anchor `renew_if` lists for the public-status and compact-diff traces, updated the validator to check those triggers against the anchored digests and terminal target keys, and rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

45 What's new in v185 (digest-bound comparison witnesses for reusable sentences)

- **Downstream normal forms now lock reusable wording to object cuts as well as release pairs (Synthesis 31):** strengthened the compact comparison-anchor definition so a checked sentence is tied to one concrete base→successor pair and to the exact shipped compare/verdict object digests that make it true, rather than being silently portable across materially different object cuts that kept the same labels; rebuilt PDF.
- **Worked example now ships digest-bound sentence anchors (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-81 / note_version 0.81`; strengthened `example_successor_normal_form.json` with per-example comparison-anchor object digests, updated the validator to check that those digest witnesses agree with the shipped compare/verdict objects and terminal targets, and rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs, refreshed `SERIES_INDEX.pdf`, and regenerated `MANIFEST.json`.

46 What's new in v184 (comparison anchors for reusable sentences)

- **Downstream normal forms now comparison-lock reusable wording (Synthesis 31):** added a compact comparison-anchor definition so a checked sentence is explicitly tied to one concrete base→successor pair plus the narrow fields that make it true, rather than being silently portable across successor comparisons; rebuilt PDF.

- **Worked example now ships release-pair sentence locks (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-80 / note_version 0.80`; strengthened `example_successor_normal_form.json` with per-example `comparison_anchor` blocks, updated the validator to check that those anchors agree with the shipped terminal targets and compare-report pair, and rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

47 What's new in v183 (surface assembly for exact sentence reconstruction)

- **Downstream normal forms now ship exact sentence reconstruction rules (Synthesis 31):** added a compact surface-assembly-witness definition so segmented reusable wording must declare the ordered literal/segment pieces whose concatenation reconstructs the emitted sentence exactly, rather than leaving punctuation and ordering implicit; rebuilt PDF.
- **Worked example now ships ordered surface assembly with its audit spans (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-79 / note_version 0.79`; strengthened `example_successor_normal_form.json` with per-example `surface.assembly` entries, updated the validator to check exact sentence reconstruction from declared segments plus literal glue text, and rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

48 What's new in v182 (segmented sentence bindings for audit paths)

- **Downstream normal forms now bind auditable sentence segments (Synthesis 31):** added a compact segmented-sentence rule so multi-clause reusable wording must declare which surface spans each terminal target discharges, rather than leaving reviewers to infer the split from punctuation alone; rebuilt PDF.
- **Worked example now ships explicit segment-to-endpoint bindings (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-78 / note_version 0.78`; strengthened `example_successor_normal_form.json` with per-example `segments` and per-target `target_key` bindings, updated the validator to check that semantically distinct surface spans resolve to declared terminal targets, and rebuilt artifacts/PDF.
- **Archive hygiene:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

49 What's new in v181 (claim-class coverage for sentence endpoints)

- **Downstream normal forms now say which semantic pieces each endpoint discharges (Synthesis 31):** added a compact terminal-claim-class-coverage definition so multi-clause wrapper sentences no longer treat one narrow field as if it justified the whole sentence; rebuilt PDF.
- **Worked example now ships semantic coverage on its sentence traces (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-77 / note_version 0.77`; strengthened `example_successor_normal_form.json` with per-target `claim_classes` and per-example

`covered_claim_classes`, updated the validator to check endpoint coverage against the shipped trace examples, repaired the stale canned-base-release label in the paper text, and rebuilt artifacts/PDF.

- **Archive hygiene:** removed transient LaTeX byproducts from the shipped tree, rebuilt touched PDFs, and regenerated `MANIFEST.json`.

50 What's new in v180 (terminal-target sets + explicit audit stop fields)

- **Downstream normal forms now bind audit endpoints, not just trace order (Synthesis 31):** added a compact terminal-target-set definition clarifying that a typed sentence trace should name the exact narrow compare/continuity/closure fields where audit must stop, rather than leaving reviewers to infer that boundary from prose alone; rebuilt PDF.
- **Worked example now ships machine-readable stop fields (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-76 / note_version 0.76`; strengthened `example_successor_norm` with explicit per-example `terminal_targets`, updated the validator to check that those targets agree with the final `narrow` trace steps, and tightened the worked-note explanation so the stop set is auditable in artifacts as well as text; rebuilt artifacts/PDF.
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

51 What's new in v179 (trace stopping rule + terminal-field discipline)

- **Downstream normal forms now state where compression must stop (Synthesis 31):** added a compact corollary clarifying that reusable clause text may compress presentation, but decision tokens, numeric deltas, and changed-family identities must resolve leftward to quote/support/narrow fields rather than terminate at the clause layer; rebuilt PDF.
- **Worked example now names the terminal fields for its typed traces (Synthesis 17):** kept the maintained bundle at `worked-example-draft-75 / note_version 0.75`, added a two-row terminal-field table for the shipped public-status and compact-diff traces, repaired the maintained base-release label in the canned drift-case pointer, and rebuilt artifacts/PDF.
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

52 What's new in v178 (downstream normal forms + typed sentence traces)

- **New downstream-normal-forms note (Synthesis 31):** added a compact synthesis paper isolating the auditable sentence-normalization suffix *summarize* $\rightarrow$ *support* $\rightarrow$ *cite* $\rightarrow$ *quote* $\rightarrow$ *clause* and the typed leftward traces that let a reusable sentence resolve back to narrower maintenance evidence; built PDF.
- **Worked example gains a normal-form object with typed traces (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-75 / note_version 0.75`; added

`example_successor_normal_form.json`, a digest-bound wrapper on the downstream suffix, and made its sentence examples auditable via declared `emit` → `clause` → `quote` → `cite` → `support` → `narrow` traces; rebuilt artifacts/PDF.

- **Change-control, replay, and backbone notes de-bloated (Synthesis 18, 20, 24):** replaced the growing list of downstream wording adjuncts with compact pointers to Synthesis 31, keeping those papers about drift classes, replay evidence, and theorem-to-receipt crosswalks; rebuilt PDFs.
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

53 What's new in v175 (release spine + backbone-to-release chain)

- **Worked example gets a stable release spine (Synthesis 17):** bumped the maintained bundle to `worked-example-draft-72` / `note_version` 0.72; added `example_release_spine.json`, a digest-bound stage map for successor maintenance (`diff` → `classify` → `obligate` → `close` → `summarize` → `support` → `cite` → `quote` → `clause`); threaded it through the compare emitter, derivation graph, support manifest, artifact inventory, validator, README, and paper; rebuilt artifacts/PDF.
- **Change-control note now names the stage vocabulary (Synthesis 18):** added a compact release-spine adjunct paragraph and one checklist item so later papers can cite a stable maintenance order instead of re-narrating compare/replay/closure logic; rebuilt PDF.
- **Replay note now stops at the right boundary (Synthesis 20):** added a release-spine handoff paragraph clarifying that replay exports checked evidence and scope, while a downstream adjunct may own the stable stage order; rebuilt PDF.
- **Math crosswalk now reaches releases cleanly (Synthesis 24):** added an explicit backbone → receipt → release-spine paragraph so theorem exports, receipt interfaces, and successor maintenance each have one compact home; rebuilt PDF.

54 What's new in v174 (successor-clause pack + canonical downstream wording)

- **Synthesis 17:** bumped the maintained worked bundle to `worked-example-draft-71` / `note_version` 0.71; added `example_successor_clause_pack.json`, a digest-bound canonical clause pack for the canned Case-B successor that turns already-declared quote targets into short reusable downstream sentences without changing the underlying cite path; rebuilt artifacts/PDF.
- **Synthesis 18:** added a short optional-adjunct paragraph for successor-clause packs plus one checklist item so downstream papers can reuse stable wording after citation/field choice is already fixed; rebuilt PDF.
- **Synthesis 20:** added a short clause-pack handoff paragraph clarifying that replay exports checked scope/evidence fields while a downstream adjunct may own the final reusable clause text; rebuilt PDF.
- rebuilt `SERIES_INDEX` and regenerated `MANIFEST.json`.

55 What's new in v173 (successor-quote map + exact-field reuse)

- **Synthesis 17:** bumped the maintained worked bundle to `worked-example-draft-70 / note_version 0.70`; added `example_successor_quote_map.json`, a digest-bound exact-field quote map for the canned Case-B successor that tells later notes which precise field to quote once the right maintenance artifact is already known; rebuilt artifacts/PDF.
- **Synthesis 18:** added a short optional-adjunct paragraph for successor-quote maps plus one checklist item so downstream papers can cite the smallest object and then quote one declared field instead of improvising wrapper wording; rebuilt PDF.
- **Synthesis 20:** added a short quote-map handoff paragraph clarifying that replay exports the checked scope/evidence fields a downstream quote map should point at without making the replay paper own release-note wording; rebuilt PDF.
- rebuilt `SERIES_INDEX` and regenerated `MANIFEST.json`.

56 What's new in v172 (successor-citation map + downstream citation discipline)

- **Synthesis 17:** bumped the maintained worked bundle to `worked-example-draft-69 / note_version 0.69`; added `example_successor_citation_map.json`, a digest-bound minimal-citation map for the canned Case-B successor that names the smallest sufficient maintenance artifact for public status, package completeness, maintenance order, sentence-level support, and compact numeric diffs; rebuilt artifacts/PDF.
- **Synthesis 18:** added a short optional-adjunct paragraph for successor-citation maps so downstream papers can cite one use-case-to-artifact table instead of improvising citation ladders in prose; rebuilt PDF.
- **Synthesis 20:** added a short citation-map handoff paragraph clarifying that replay exports the evidence and scope fields a downstream citation map should rely upon without making the replay note own citation choreography; rebuilt PDF.
- rebuilt `SERIES_INDEX` and regenerated `MANIFEST.json`.

57 What's new in v170 (successor-derivation graph + maintenance DAG)

- **Synthesis 17:** bumped the maintained worked bundle to `worked-example-draft-67 / note_version 0.67`; added `example_successor_derivation_graph.json`, a digest-bound maintenance DAG for the canned Case-B successor that makes the dependency order among compare, replay, continuity, closure, and public-status artifacts explicit; rebuilt artifacts/PDF.
- **Synthesis 18:** added a short optional-adjunct paragraph for successor-derivation graphs so downstream papers can cite one maintenance-order object instead of restating the compare/replay/continuity/closure dependency chain; rebuilt PDF.
- **Synthesis 20:** clarified the replay-to-maintenance handoff for derivation graphs, keeping replay about evidence and scope while a later adjunct owns the successor-status DAG; rebuilt PDF.

- rebuilt SERIES_INDEX and regenerated MANIFEST.json.

58 What's new in v169 (successor-lineage notice + public-status wrapper)

- **Synthesis 17:** bumped the maintained worked bundle to `worked-example-draft-66` / `note_version 0.66`; added `example_successor_lineage_notice.json`, a digest-bound outward-facing status capsule for the canned Case-B successor that collates the action class, replay scope, continuity decision, closure status, and pointers to the narrower maintenance verdicts; rebuilt artifacts/PDF.
- **Synthesis 18:** added a short optional-adjunct paragraph for successor-lineage notices so downstream papers can cite one public-status object instead of restating continuity/closure prose; rebuilt PDF.
- **Synthesis 20:** clarified the handoff between replay verdicts and later public-status wrappers, so the replay paper exports the fields a lineage notice should quote without owning release-note prose; rebuilt PDF.
- rebuilt SERIES_INDEX and regenerated MANIFEST.json.

59 What's new in v166 (successor continuity verdict + replay-scope closure)

- **Synthesis 17:** bumped the maintained worked bundle to `worked-example-draft-63` / `note_version 0.63`; added `example_successor_continuity_verdict.json`, a digest-bound base-to-successor comparison capsule that records the matched release-action rule, replay scope, continuity decision, and successor budget deltas for the canned Case-B drift walk-through; rebuilt artifacts/PDF.
- **Synthesis 18:** added a short optional-adjunct paragraph for successor continuity verdicts so cross-release conclusion objects can be cited without re-narrating diff/replay prose; rebuilt PDF.
- **Synthesis 20:** extended the replay-verdict discussion with an optional continuity-decision field and a note on tiny successor-comparison capsules derived from release-drift replays; rebuilt PDF.
- rebuilt SERIES_INDEX and regenerated MANIFEST.json.

60 What's new in v165 (release-action matrix + replay-class discipline)

- **Synthesis 17:** bumped the maintained worked bundle to `worked-example-draft-62` / `note_version 0.62`; added `example_release_action_matrix.json`, a digest-bound field-family-to-action adjunct that classifies cross-release diffs as refresh-only, replay-required, or recertification; threaded it through the receipt, change-control note, compare walkthrough, artifact inventory, support manifest, and validator; rebuilt artifacts/PDF.
- **Synthesis 18:** added a short optional-adjunct section so release-action policy can be cited once instead of being restated across papers; rebuilt PDF.

- **Synthesis 20:** extended the replay checklist and verdict tuple so successor-release audits can record the matched rule id and resulting action class; rebuilt PDF.
- rebuilt SERIES_INDEX and regenerated MANIFEST.json.

61 What's new in v164 (effective-surface assembly + ENF ownership split)

- **Synthesis 17:** bumped the maintained worked bundle to `worked-example-draft-61 / note_version 0.61`; added `example_effective_surface_resolution.json` so the effective replay surface is assembled explicitly from `state_decl_id`, `contact_surface_id`, and `exposure_nf_id`; rebuilt artifacts/PDF.
- **Synthesis 20:** tightened the replay checklist so auditors resolve the effective surface explicitly and record the resulting identifiers in the verdict tuple; rebuilt PDF.
- **Synthesis 30:** added a compact three-way ownership rule, expanded the deployed-surface checklist to include retrieval allow/deny plus ignore-provider policies, and made empty-result status compatibility an explicit projection-drift example; rebuilt PDF.
- rebuilt SERIES_INDEX and regenerated MANIFEST.json.

62 What's new in v162 (contact-surface IDs + worked-example excerpt polish)

- **Synthesis 12:** added `contact_surface_id` to the minimal tuple schema table and clarified how to carry extra fields via `module_ext`; rebuilt PDF.
- **Synthesis 17:** expanded the receipt excerpt to show `fallback_contact_surface` with `contact_surface_id` + semantic interface fields; added an explicit digest-binding step (RFC 8785/JCS) to the client skeleton; rebuilt PDF.
- **Synthesis 30:** added a crisp rule-of-thumb separating long-lived deployment state (`state_decl_id`) from per-contact semantic interfaces (`contact_surface_id`); rebuilt PDF.
- rebuilt SERIES_INDEX and regenerated MANIFEST.json.

63 What's new in v161 (JCS digest binding + worked-example hygiene)

- **Synthesis 17:** fixed a stray `\noindent` typo, removed a lingering undocumented Rainbow protocol-filter knob mention, recommended RFC 8785 (JCS) for digest-bound canonical JSON, and labeled the shipped drift-case table; rebuilt PDF.
- **Synthesis 12:** standardized `contact_surface_id` as `sha256(JCS(contact_surface))` with an RFC 8785 anchor; rebuilt PDF.
- **Synthesis 30:** minor citation/title cleanup so the Rainbow changelog anchor no longer implies a protocol-filter knob; rebuilt PDF.
- rebuilt SERIES_INDEX and regenerated MANIFEST.json.

64 What's new in v160 (protocol-filter hygiene + worked-example drift cases + retrieval pinning)

- **Synthesis 30:** corrected protocol-filter discussion (removed undocumented Rainbow knob), and clarified that protocol-filter defaults must be pinned by deployed client version; rebuilt PDF.
- **Synthesis 12:** expanded service contact surfaces to include method and time budgets, and added a recommended `contact_surface_id` digest; rebuilt PDF.
- **Synthesis 17:** added canonicalization notes plus a 3-case drift taxonomy table and a `user_fast_diff` excerpt from the shipped compare report; rebuilt PDF.
- rebuilt `SERIES_INDEX` and regenerated `MANIFEST.json`.

65 What's new in v159 (routing budgets + retrieval surfaces + user micro-diff)

- **Synthesis 30:** added Rainbow's application-level routing time budget (`RAINBOW_ROUTING_TIMEOUT`) alongside network-level router timeouts, and documented Rainbow HTTP retrieval knobs (`enable/allow/deny/timeouts`) as a derived destination surface; rebuilt PDF.
- **Synthesis 12:** tightened service contact surfaces as semantic interfaces and expanded the state-surface description to include refresh/timeout budgets and fallback rules; rebuilt PDF.
- **Synthesis 17:** added a deterministic receipt-level micro-diff algorithm and generalized request-shaping drift to include routing/retrieval budgets; rebuilt PDF.
- **Synthesis 24:** refreshed archive stamp to v159; rebuilt PDF.

66 What's new in v158 (Rainbow autoconf refresh + line-item glance + attenuation intuition)

- **Synthesis 30:** made the “delegated router is a caching proxy” coupling explicit (IPNI docs) and added Rainbow control-plane knobs (`RAINBOW_AUTOCONF_REFRESH`, `RAINBOW_HTTP_ROUTERS_TIMEOUT`) to the deployed-surface checklist; rebuilt PDF.
- **Synthesis 17:** added an at-a-glance line-item table and three tiny attenuation intuition rows (keeps shipped bundle label `worked-example-draft-59`); rebuilt PDF.
- **Anonymity B:** refreshed archive stamp to v158; rebuilt PDF.
- regenerated `MANIFEST.json`.

67 What's new in v157 (protocol-filter surfaces + micro-diff hygiene)

- **Synthesis 30:** made delegated-routing *protocol filters* a first-class request-shaping surface across implementations by adding Rainbow's `--http-routers-filter-protocols` knob alongside Kubo's `IPFS_HTTP_ROUTERS_FILTER_PROTOCOLS`; updated the pinning checklist; rebuilt PDF.

- **Synthesis 17:** tightened the micro-diff discussion (single state-surface-drift rule, less redundancy) and fixed a stray tab/typo that caused an `{...}` rendering glitch; rebuilt PDF.
- **Synthesis 12:** synchronized archive stamp to v157; rebuilt PDF.
- regenerated `MANIFEST.json`.

68 What's new in v156 (receipt-schema de-bloat + protocol-filter pinning)

- **Synthesis 12:** removed module-by-module prose (keeps only the stable tuple schema + drift semantics), and tightened the definition of contact surfaces to include path scope and request-shaping defaults; rebuilt PDF.
- **Synthesis 30:** made protocol filtering a first-class deployed-surface knob by pinning `IPFS_HTTP_ROUTERS_FILTER_PROTOCOLS` and citing IPIP-0484 explicitly; rebuilt PDF.
- **Synthesis 17:** improved the worked example with a short client-side algorithmic skeleton and a concrete “request-shaping drift” micro-diff; kept shipped bundle label `worked-example-draft-59`; rebuilt PDF.
- regenerated `MANIFEST.json`.

69 What's new in v155 (worked-example tightening + override precedence)

- **Synthesis 17:** compressed the worked example wrapper (schema-nonredundant receipt slice + tiny excerpt), merged drift examples into the micro-diff section, and reduced the numerical slice to the single attenuation shape + validator pointer; rebuilt PDF.
- **Synthesis 30:** added an explicit “how to cite” ownership paragraph (defers receipt mechanics to Synthesis 12 and state change-control to Synthesis 18) and added a compact router-override precedence crosswalk tied to `state_decl_id`; rebuilt PDF.
- **Anonymity B:** added a remark coupling equalization targets to declared projections and pinned deployed state/control-plane surfaces; rebuilt PDF.

70 What's new in v154 (HTTP retrieval surfaces + env override pinning)

- **Synthesis 30:** refined AutoConf/override treatment: explicitly pinned `IPFS_HTTP_ROUTERS` and `IPFS_HTTP_ROUTERS_FILTER_PROTOCOLS` (IPIP-484), added Rainbow `RAINBOW_HTTP_ROUTERS` reference, and added a new short section on `HTTPRetrieval.Enabled` and trustless-HTTP block retrieval surfaces; rebuilt PDF.
- **Synthesis 12:** added a short paragraph noting that delegated-routing router sets and retrieval-mode switches are legitimate state line items owned by Synthesis 30; rebuilt PDF.

- **Synthesis 17:** tightened non-redundancy by pointing schema ownership to Synthesis 12 and control-plane drift ownership to Synthesis 30; kept shipped bundle label `worked-example-draft-59`; rebuilt PDF.
- **Synthesis 7:** upgraded Pisces citation from preprint-only to NDSS 2013 + canonical PDF; rebuilt PDF.

71 What

's new in v151 (worked-example line-item repair + deployed-surface tightening)

- **Worked-example line items (Synthesis 17):** actually repaired the missing row: `fallback_contact_surface` now appears in the “representative line items” table (matching the shipped receipt and the numerical slice).
- **Deployed surfaces note (Synthesis 30):** removed a duplicated gateway-drift paragraph, fixed a quotation glitch, and made the “self-hosted gateway as delegated router” surface explicit with the config knob `Gateway.ExposeRoutingAPI`; also added a short `cid.contact` “shared reader” sentence anchored to IPFS Docs.
- **Profiling contract stamp (Anonymity B):** refreshed archive stamp to v151 (content unchanged; pointer-chain still treats Synthesis 30 as the canonical deployed-surface map).

72 What

's new in v150 (citation closure + worked-example line-item coherence)

- **Deployed surfaces (Synthesis 30):** added a concrete drift surface from the current Kubo release line: `/routing/v1` is exposed on the gateway port by default in v0.40.0, making self-hosted gateways viable delegated-routing backends (privacy-relevant reader-set shift).
- **Threat windows (Synthesis 4):** added a pointer that delegated-routing/AutoConf/gateway defaults belong in the declared state surface; see Synthesis 30 for what-to-pin.
- **Related work map (Synthesis 7):** refreshed stamp to v149 and clarified the deployed-mitigations row to include self-hosted gateway exposure (keeps Synthesis 30 as the canonical deployed-surface map).

73 What's new in v147 (citation tightening + selection discipline bridge)

- **Deployed-surface note tightened (Synthesis 30):** anchored the public delegated-routing endpoint to IPFS Docs “Public IPFS Utilities” and replaced the weaker CLI anchor for `["auto"]` placeholder resolution with the Kubo RPC reference (`expand-auto`); bumped note to v0.04 and archive stamp to v147; rebuilt PDF.

- **Related-work map citation hygiene (Synthesis 7):** replaced a personal-hosted “open PDF” link for the SAC’25 Kademlia query-obfuscation paper with the TU Dresden research-portal record; bumped note to v0.44 and archive stamp to v147; rebuilt PDF.
- **Selection-discipline note made referee-friendlier (Synthesis 29):** updated archive stamp and added one external anchor to post-selection inference (Lee et al., Ann. Stat. 2016) to justify the pilot/frozen “data splitting” warning; rebuilt PDF.
- **Profiling contract stamp + citation hygiene (Anonymity B):** updated archive stamp and aligned the SAC’25 query-obfuscation bibliographic anchor with Synthesis 7; rebuilt PDF.
- **Worked-example clarity (Synthesis 17):** minor numerical-slice clarification (explicit tier contributions) without changing the shipped bundle label (`worked-example-draft-59`); archive stamp bumped to v147; rebuilt PDF.

74 What’s new in v146 (deployed-surface citation closure + worked-example stamp)

- **Synthesis 30 citation closure:** added an authoritative pointer to the canonical IPFS Mainnet AutoConf manifest (<https://conf.ipfs-mainnet.org/autoconf.json>), added a docs-based anchor for ‘auto’ placeholder resolution in Kubo, and replaced the chunked-OHTTP IESG approval placeholder with the IETF-Announce mailarchive record (27 Feb 2026); bumped note to v0.03 and archive stamp to v146; rebuilt PDF.
- **Worked-example stamp hygiene (Synthesis 17):** refreshed the archive stamp to v146 while keeping the shipped artifact bundle fixed at `worked-example-draft-59`; rebuilt PDF.

75 What’s new in v145 (deployed-surface accuracy hardening + pointer-chain coherence)

- **Deployed-surface note made referee-grade (Synthesis 30):** corrected and tightened the IPFS/libp2p control-plane citation stack (raw Kubo docs + IPFS Docs), clarified AutoConf defaults (conf.ipfs-mainnet.org/autoconf.json), added explicit pinning guidance for env-var overrides (`IPFS_HTTP_ROUTERS`), and clarified that the delegated-routing reader-privacy upgrade track (IPIP-0421) is currently a draft; bumped note to v0.02 and archive stamp to v145; rebuilt PDF.
- **Related-work map stays compact (Synthesis 7):** further de-bloated the deployed-mitigations branch to cite Synthesis 30 as the canonical deployed-surface map (keeping only measurement comparators inline); bumped note to v0.43 and archive stamp to v145; rebuilt PDF.
- **Worked-example pointer chain cleaned (Synthesis 17):** added an explicit pointer to Synthesis 30 for primary-path control-plane surfaces, repaired a missing `series:notation` bibliography anchor, and refreshed the archive stamp to v145 (`worked-example` bundle remains `worked-example-draft-59`); rebuilt PDF.
- **State series coherence (AnonDHT State 1):** refreshed stamp to v145 and added a one-line pointer to Synthesis 30 so deployed control-plane drift is treated as part of the declared state surface; rebuilt PDF.

76 What’s new in v144 (deployed-surface note + related-work de-bloat)

- **New deployed-surface companion note (Synthesis 30):** isolates IPFS/libp2p control-plane and service-concentration surfaces (delegated routing, AutoConf, OHTTP/chunking evolution) and provides a referee-grade “what-to-pin” checklist for published claims; built to reduce redundancy in Synthesis 7 and Anonymity B; rebuilt PDF.
- **Related-work map de-bloated (Synthesis 7):** moved detailed deployed-surface discussion into Synthesis 30, keeping Synthesis 7 as a compact taxonomy/index; bumped note to v0.42 and archive stamp to v144; rebuilt PDF.
- **Profiling paper pointer chain tightened (Anonymity B):** now cites Synthesis 30 at first mention of deployed control-plane surfaces; archive stamp bumped to v144; rebuilt PDF.
- **Index hygiene:** fixed a missing \item marker for Synthesis 29 and removed a duplicate Paper 12 inventory entry.

77 What’s new in v143 (deployed-surface citation hardening + selection-discipline pointers)

- **Deployed IPFS surfaces citation hardening (Synthesis 7):** keeps the control-plane/autoconf and caching-endpoint surfaces, but adds authoritative IPFS Docs and Kubo-config references for the public delegated-routing endpoint and AutoConf configuration knobs; bumped note to v0.41 and archive stamp to v143; rebuilt PDF.
- **Profiling contract hygiene (Anonymity B):** repaired an archive-stamp drift (v143), replaced a placeholder wiki-style Prefix Capacities entry with the series’ standard published-note pointer, and added an explicit selection-discipline reminder in the log-audit workflow when projections use data-selected bucket/coarsening maps; rebuilt PDF.
- **Worked-example non-redundancy (Synthesis 17):** coarsening-variant paragraph now explicitly imports selection discipline (Synthesis 29) for any data-selected partition maps; archive stamp bumped to v143; rebuilt PDF.

78 What’s new in v142 (worked-example coherence + deployed autoconf surface)

- **Worked example coherence fix (Synthesis 17):** corrected an internal drift: the narrative stamp now matches the shipped worked-example artifacts (`note_version=0.59`, `worked-example-draft-59`) so auditors/users are not asked to reconcile mismatched ids; added one paragraph clarifying that primary-path protocol/endpoint specifics live in the manifest’s evidence hooks rather than bloating the public guard object; rebuilt PDF.
- **Deployed delegated-routing surfaces sharpened (Synthesis 7):** adds dynamic endpoint discovery / autoconf as an explicit control-plane observation surface (with a stable pointer to IPFS Mainnet AutoConf); bumped note to v0.40 and archive stamp to v142; rebuilt PDF.

- **Citation hardening (Anonymity B):** added DOI anchors for Peer2PIR (IEEE S&P’25) and Backes et al. (ASIACCS’12) to reduce “preprint-only” ambiguity; rebuilt PDF.
- **Stamp hygiene (AnonDHT State 1):** aligned archive stamp to v142; rebuilt PDF.

79 What’s new in v141 (citation closure + deployed-surface pointers)

- **Citation closure:** repaired dangling `series:selection` citations by standardizing on `series:selectiondiscipline` (Anonymity B and Synthesis 28); rebuilt PDFs.
- **Synthesis 28 refreshed:** stamp bumped to archive v141 and the selection-discipline note is now a first-class bibliography anchor (Synthesis 29); rebuilt PDF.
- **Related-work map sharpened (Synthesis 7):** adds explicit pointers to delegated-routing caching and Someguy-backed public endpoints as real deployed observation surfaces; stamp bumped to archive v141; rebuilt PDF.

80 What’s new in v140 (coherence + citation hardening)

- **Synthesis 7 (related work map) refreshed:** fixed a DOI typo for the 2025 Kademlia query-obfuscation paper and updated the archive stamp.
- **Synthesis 8 (notation/model) refreshed:** now explicitly points claims with data-dependent bucket maps to the selection-discipline note (Synthesis 29).
- **Synthesis 17 (worked example) tightened again:** adds an explicit import of the series-wide notation (Synthesis 8). (A later correction in v142 repairs a stamp drift so the paper matches the shipped worked-example artifacts.)
- **State 1 citation hardening:** replaces the Nym-reputation pointer with the ePrint report (2026/101) as a stable, referee-grade anchor.
- **Anonymity B (profiling) workflow note:** ties log-based equalization audits to selection-discipline when the audited projection uses learned/coarsened buckets.

81 What’s new in v138 (selection discipline for data-dependent maps)

- **New selection discipline note (Synthesis 29):** added a conservative, receipt-grade way to handle data-dependent bucket maps and coarsening partitions, centered on witness-indexed families and pilot/frozen phases under change control.
- **Non-redundancy tightened:** Synthesis 27 (bucket design) and Synthesis 28 (coarsening) now cite Synthesis 29 instead of re-explaining pilot/freeze and top- m selection caveats inline.
- **Profiling contract imports extended (Anonymity B):** adds a single pointer to Synthesis 29 so deployers see where data-dependent map selection belongs in the series stack.

82 What’s new in v137 (worked example now covers coarsening / large-alphabet audits)

- **Worked example expanded (Synthesis 17):** bumped to worked-example-draft-59 and added a fully wired *coarsening* variant receipt (large-alphabet contact-set hash projected via a digest-bound deterministic partition map), including new artifacts, replay plan, and support-bundle resolver entries.
- **Coarsening note grounded (Synthesis 28):** now points explicitly to the Synthesis 17 coarsening variant so the design rule has a concrete receipt/evidence instantiation.
- **Profiling contract pointer chain tightened (Anonymity B):** adds an explicit pointer to the coarsening variant receipt so implementers see one end-to-end example without re-deriving audit feasibility.
- **Spectral delegation note refreshed (Anonymity D):** stamp aligned to archive v137 and the MaxL-to-odds-inflation bridge is made explicit via Synthesis 5.

83 What’s new in v136 (coarsening rules for large-alphabet audits)

- **New coarsening note (Synthesis 28):** added a receipt-facing, data-processing-safe way to make high-cardinality interface projections sample-feasible for log audits by declaring an explicit coarsening/partition map.
- **Bucket-budget lemma tightened (Synthesis 27):** replaced the linear-only rule of thumb with the exact alphabet constraint (and retained the approximation as a secondary line) so auditors can see the regime where certification is impossible.
- **Profiling contract pointer chain improved (Anonymity B):** imports coarsening guidance from Synthesis 28 and cites it in the “value of coarsening” research agenda, reducing the temptation to re-derive sampling arguments in mechanism/contract papers.

84 What’s new in v135 (bucket design for continuous timing projections)

- **New timing-bucket note (Synthesis 27):** added a compact design and publication checklist for turning continuous timing telemetry into a declared *discrete* projection suitable for receipt-grade equalization claims (and for Synthesis 25–26 log-audit certificates).
- **Non-redundancy tightened:** Synthesis 25 now points to Synthesis 27 for bucket-map design rather than re-explaining timing discretization; Anonymity B similarly cites Synthesis 27 at first mention of timing buckets.
- **Index hygiene:** the inventory and reading-order map now list Synthesis 27 explicitly.

85 What’s new in v133 (menu-level log-audit note + de-duplication)

- **New statistical audit note (Synthesis 25):** added a short, conservative menu-level finite-sample TV certificate for discrete interface projections audited from logs, with a receipt-facing publication checklist and an explicit many-testing correction parameter δ_{stat} .

- **Profiling contract tightened (Anonymity B):** removed an inlined Clopper–Pearson audit lemma (now centralized in Synthesis 25) so the paper stays mechanism/contract focused; added a clean pointer chain to the worked-example receipts (Synthesis 17).
- **ABOM/OINL hygiene (Anonymity C):** made the ABOM definition explicitly defer to the shared contract-object vocabulary (Synthesis 0) and updated the minimal schema sketch to avoid stale path references; stamps aligned to archive v133.
- **Rebuild + manifest:** rebuilt touched PDFs, updated `PATCH_NOTES.md` and regenerated `MANIFEST.json`.

86 What’s new in v126 (tight non-redundancy + restricted-route branch + evidence drift)

- **Related work map (Synthesis 7):** added a restricted-route / social-overlay DHT routing branch (X-Vine, R⁵N) to prevent conflating “anonymous lookup” with “directory scaling”; added compact citations to the academic papers and the R⁵N technical specification.
- **Worked example (Synthesis 17):** upgraded to worked-example-draft-55 (v0.55) and replaced the third drift vignette with an *evidence drift* example centered on `evidence_id` + `replay_hook` (projection/audit knob changes are diffable).
- **Profiling contract (Anonymity B):** clarified that adaptive stopping/drift monitoring should use the state-series anytime-valid (e-value) audits rather than the i.i.d. log-certificate lemma.

87 What’s new in v125 (receipt completeness + stopping-safe drift audits + rebuilds)

- **Packaging correctness:** rebuilt missing PDFs (Operational A and Synthesis 12) and recompiled touched notes.
- **State-dependent anonymity (AnonDHT State 1):** added a stopping-safe drift-audit subsection based on e-values / Ville’s inequality (time-uniform validity under optional stopping), and removed stale inlining markers.
- **Receipt schema clarity (Synthesis 12):** added an explicit remark separating `evidence_id` (supporting object) from `replay_hook` (recomputation plan).
- **TeX hygiene:** removed legacy “inlined section” comment scaffolding across multiple papers to keep sources tight and readable.
- **Index + manifest:** updated this index, patched notes, and regenerated `MANIFEST.json`.

88 What’s new in v123 (conditional certificates fixed + worked-example de-bloat + OHTTP draft refresh)

- **Conditional per-step certificates repaired (Synthesis 21):** fixed a real TeX corruption so the certificate-shape note compiles cleanly (and is again safe to cite as the Regime II interface); rebuilt PDF.

- **Worked example tightened without losing coverage (Synthesis 17):** upgraded to worked-example-draft-54 (v0.54), replaced the long object inventory table with a grouped pointer to the shipped artifact inventory + support manifest, regenerated artifacts, and rebuilt PDF.
- **Related-work map refreshed (Synthesis 7):** updated the chunked OHTTP anchor to draft-ietf-ohai-chunked-ohttp-08 (18 Feb 2026) and rebuilt PDF.
- **Receipt schema note clarified (Synthesis 12):** `state_decl_id` is explicitly optional (stateful/monitored settings) and `witness_tier` is non-binding; rebuilt PDF.
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

89 What’s new in v122 (CP+union-bound log audit; computed profiling evidence)

- **Profiling audit made referee-grade (Anonymity B):** separated the statistical confidence parameter δ_{stat} from the published slack δ , and used exact binomial (Clopper–Pearson) intervals with a union bound to compute a deterministic receipt-grade (η, δ) summary from a published count table; rebuilt PDF.
- **Worked example reconciled and computed (Synthesis 17):** fixed a mismatch between the narrative slice and the receipt’s profiling values, upgraded to worked-example-draft-53 (v0.53), and updated the generator so the profiling (η, δ) is computed from toy counts via the same CP+union-bound procedure (evidence schema v2); rebuilt PDF.
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

90 What’s new in v120 (notation refresh + worked example now covers profiling certificates)

- **Notation sheet upgraded (Synthesis 8):** clarified line-item interface IDs (`exposure_nf_id`, `cond_iface_id`) and introduced an explicit `evidence_id` convention so log-audits and per-step certificates can be linked without repeating ID semantics across papers.
- **Worked example broadened without bloat (Synthesis 17):** added a fourth representative line item for profiling/equalization ((
eta,
delta)) to demonstrate that log-audit evidence objects plug into the same receipt/replay surface as routing-path claims.
- **Related work map stamp refreshed (Synthesis 7):** bumped the archive stamp to v120 (no taxonomy changes).
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

91 What’s new in v119 (profiling audit now yields (η, δ) + horizon/certificate interlock)

- **Profiling audit made receipt-grade (Anonymity B):** replaced the finite-sample audit lemma with an explicit (η, δ) *equalization certificate* for discrete projections. The slack δ now accounts for

rare bins directly (no ad-hoc probability floor), and the paper states the coarsening rule needed to drive δ small.

- **Horizon claims tied to receipt fields (Synthesis 19):** added a one-paragraph mapping from “horizon- n ” prose to the actual line-item hooks (`tw_id`, `usage`, `replay_hook`) and pointed Regime II authors to the conditional-certificate interface.
- **Per-step certificates given a minimal record format (Synthesis 21):** added a compact `{step_selector, cond_iface_id, bound_bits, evidence_id}` shape for plan-spec tooling output, with the profiling/equalization audit as a canonical log-audit evidence object.
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

92 What’s new in v118 (worked-example de-bloat + profiling audit lemma + OHTTP discovery pin)

- **Worked example tightened (Synthesis 17):** removed schema restatements and large redundant interlock tables; the note now exercises only three representative line items and points to the owning papers for schemas and theory.
- **Profiling audit made more operational (Anonymity B):** added a conservative finite-sample max-divergence audit lemma for discrete transcript projections (log-based certification without bespoke tooling).
- **Related-work map updated (Synthesis 7):** added RFC 9540 (OHTTP service discovery via SVCB/HTTPS) as an explicit “metadata surface to pin” alongside RFC 9458 and chunked OHTTP drafts.
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

93 What’s new in v117 (related-work map expansion + PDF build fix)

- **Related-work map expanded (Synthesis 7):** added an explicit “DHT-backed relay-selection/directory” branch (AP3, NISAN, Torsk) to separate classic DHT-privacy mechanisms from Tor-style directory scaling, added a Bitswap random-walk plausible-deniability anchor, and added a chunked-OHTTP draft anchor (metadata corrected in v122).
- **Packaging correctness:** regenerated previously-empty PDFs by recompiling their `paper.tex` sources (no interface changes implied).
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

94 What’s new in v116 (worked-example tightening + TW/ENF interlocks)

- **Worked example upgraded (Synthesis 17):** added an explicit “guarded endpoint” form that carries the separation-failure bound ρ alongside the scalar MaxL summary, so the public receipt

no longer silently drops the primary-path guard. Also added a short math-backbone pointer paragraph so the example can stay non-redundant.

- **Trace/Threat notes aligned to receipts (Synthesis 3–4):** tightened the downstream pointer to `exposure_nf_id` and `tw_id` usage in line items, and added a concrete TW-template instance used by the worked example.
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

95 What’s new in v115 (previous revision)

- **Separation manifests made more replayable (Synthesis 22):** the minimal manifest shape now commits the *assignment/rotation policy* (how relays/routers are selected and rotated), which is the missing hook needed to justify any published separation-failure bound.
- **Probabilistic separation now has a model-to- ρ crosswalk (Synthesis 23):** added a short set of “toy bounds” that translate common committed clauses (independent compromise; finite-adversary counts; per-epoch rotation) into a window-level ρ .
- **Related work updated for evolving OHTTP transports (Synthesis 7):** added the OHAI chunked-OHTTP draft and a short warning that chunking introduces new metadata features that must be pinned under the declared projection.
- **Rebuild + manifest:** rebuilt touched PDFs and regenerated `MANIFEST.json`.

96 Backbone papers (published; canonical wiki links)

These five are treated as the *stable* references that later papers cite instead of repeating core machinery: The scheduling/compiler note is materially longer than the other backbone papers; on a first pass, many downstream papers need only its stop-time-padding, public-schedule, and TV-certificate interfaces, with the full optimization stack available as a deeper reference.

- [[2026.01.22 - Mathematics: Scheduling and Compiler Techniques for Metadata-Hiding Overlay Lookups]]
- [[2026.01.23 - Mathematics: Spectral Anonymity and Optimal Distinguishing Bounds for Random-Walk Delegation in (Possibly Directed) Overlays]]
- [[2026.01.25 - Mathematics: Prefix Capacities and Separation Cuts for Shared-Kernel Termination-Time Hiding]]
- [[2026.01.26 - Mathematics: Stop-Time Padding Addendum, Max-Mixture Separations and Tail-Sign Deadline Normal Forms]]
- [[2026.01.29 - Mathematics: Optimal Poset-Feasible Padding: Knapsack, Transport, and Dual Certificates for TV Privacy]]

97 Archive invariants (stable policy)

- **Single-file rule:** each paper is one `paper.tex` (no input splits, no external `.bib`).
- **No hidden build flags:** extended material is shipped as explicit companion addendum papers (still single-file), not gated behind `\iflong` toggles.
- **Source-only packaging:** figures are replaced by boxed placeholders; plots/scripts/datasets are available on request (see Synthesis 6 for the artifact policy).
- **Owned background:** repeated background is minimized by assigning ownership to specific papers/series and citing them elsewhere.
- **Stable outward links:** cross-paper pointers are normalized to the canonical published wiki links (Backbone section above).
- **Patch notes + file manifest:** the latest narrative delta lives in `PATCH_NOTES.md`; source-file digests live in `MANIFEST.json`.

98 Continuity map from older split archives

Older split archives bundled some “supplement” notes and long-build sweeps for operator-facing microstudies. In this unified archive, we preserve that material *without* hidden compile toggles by using an explicit “core paper + addendum” pattern: the main paper stays referee-readable and citable; the addendum carries supporting tables, microstudies, and longer sweeps.

- **PSC-Q split supplement** → `congestion_series/paper2A_psc_q_microstudies_addendum/paper.tex`.
- **Boss Fight dial-sheet sweeps** → `bossfight_series/paperB_addendum_evidence_tables/paper.tex`.
- **Evaluation 1 long figures/templates** → `evaluation_series/paper1A_notarized_certificates_addendum/`
- **State-series calibration/monitoring extensions** → `anondht_state_series/paper1A_...` and `paper3A_...` addenda.
- **Congestion-EQ / W-Congestion-EQ legacy microstudies** remain summarized inline (plots/scripts on request) because their most salient content is conceptual rather than tabular.

This keeps the non-redundancy contract intact while ensuring a default compile includes the core argument and all companion notes remain independently checkable.

99 Non-redundancy policy (gameplan)

To keep papers brief while referee-grade:

1. **Each endpoint metric is “owned” once.** Odds inflation / composition is owned by *Odds-Inflation Anonymity* (anonymity series Paper A). TV certificates and duality are owned by the published knapsack/transport paper. Congestion witness definitions are owned by *Congestion-EQ*.

2. **Each new witness tier must export a contract object.** If a paper introduces retries, calendars, state evolution, or auditing, it should define (i) the witness family, (ii) the budget metric, and (iii) the accountant for repeats/resets, then cite prior papers for everything else.
3. **Certification is a separate layer.** Mechanism papers should avoid re-litigating certificate formats. ABOM/OINL, proof-carrying budgets, notarization, and ledger receipts are the canonical certification papers.
4. **No duplicated “background” sections.** When background is required, use a single paragraph pointer to the backbone paper and restate only the local notation.

100 Cross-pollination targets (high leverage)

This is the shortlist of “shared lemmas” / interfaces worth reusing across papers to prevent drift:

1. **Trace interfaces / tiers:** name the transcript projection first. Reuse the CCT schema and tier vocabulary (Synthesis 3) whenever a paper budgets “the transcript”.
2. **Endpoint metrics bridge:** reuse the equivalences among realized odds inflation, PML, and MaxL, and the standard $\log(\alpha K)$ identification sizing rule (Synthesis 5) rather than re-deriving them locally.
3. **Spectral vs. periodic mechanisms:** spectral delegation bounds can be reused to reason about periodic calendars and declared dither (PSC-Q).
4. **Retries everywhere:** retries are an attack surface in lookups *and* in evaluation pipelines. Reuse the notarization / public randomness pattern for both runtime and evaluation.
5. **State privacy $\leftrightarrow$ monitoring:** state-dependent anonymity turns caches/scores into witnesses; closed-view auditing turns witnesses into receipts. The unifying principle is “account for what you publish, and publish what you account.”
6. **Release receipts $\leftrightarrow$ anonymity certificates:** both are transparency-log objects with an equivocation threat model. Reuse the same log schema and auditor tooling where possible.

101 Congestion series capsule (preserved from the old split index)

The congestion sub-series is intentionally a three-paper pipeline:

- **Congestion-EQ** defines the *congestion witness* and a TV-style budget/accountant for RTT, queueing delay, and loss/ECN marks.
- **PSC-Q** provides *mechanisms* (public service calendars and substitution padding) that meet Congestion-EQ budgets in a compiler-friendly way.
- **W-Congestion-EQ** defines *verifiability*: certificates, verifiers, and transparency-log anchoring for published congestion-budget claims.

102 Reading order (suggested)

1. Backbone papers (five wiki links above).
2. Synthesis 8 (notation/model) as a short shared preface for the rest of the archive; Synthesis 24 as a compact crosswalk from the five backbone math notes to the receipt-facing interfaces; and Synthesis 25–26 as the centralized log-audit layer (discrete finite-sample certificates + anytime spending/change control).
3. Anonymity series: Paper A (odds inflation) → Paper B (profiling) → Paper C (ABOM/OINL) → Paper D (spectral delegation certificates).
4. Boss Fight series: budgets → dial-sheet → proof-carrying budgets.
5. Optional early detour for architectural motivation: AnonDHT State 2 (MUCC / committee-contact privacy), because it gives the clearest “why not just equalize the raw DHT everywhere?” impossibility result in the archive.
6. Congestion series: Congestion-EQ → PSC-Q → W-Congestion-EQ.
7. AnonDHT state series (optional but important for modern systems): state-dependent anonymity → MUCC → closed-view auditing. Read MUCC earlier if you want the strongest motivation for the primary/fallback architectural pattern.
8. Evaluation series and release receipts (when publishing claims publicly under change control).
9. Series synthesis notes, with paper-type cues for the reader: Synthesis 8 (notation/model note) → Synthesis 24 (math-backbone crosswalk note) → Synthesis 27 (timing bucket design note) → Synthesis 28 (coarsening/large-alphabet note) → Synthesis 29 (selection-discipline note) → Synthesis 25 (log-audit certificate note) → Synthesis 26 (anytime spending/change control note) → Synthesis 0 (contract-object interface note) → Synthesis 3 (trace/schema note) → Synthesis 4 (threat-window checklist note) → Synthesis 19 (receipt-accounting rulebook note) → Synthesis 5 (metric-bridge note) → Synthesis 12 (receipt-schema note) → Synthesis 18 (plan/state equivalence note) → Synthesis 20 (auditor replay checklist note) → Synthesis 21 (Regime II certificate interface note) → Synthesis 22 (separation-manifest guard note) → Synthesis 23 (probabilistic separation adjunct note) → Synthesis 13 (user-discovery/validation note) → Synthesis 17 (worked-example/interlock micro-note) → Synthesis 32 (release-spine contracts note) → Synthesis 33 (release-obligations / closure-ledger note) → Synthesis 34 (status-envelope / lineage-notice note) → Synthesis 35 (sentence-lock / inline-provenance note) → Synthesis 37 (challenge-stop-profile note) → Synthesis 36 (challenge-route / audience-profile note) → Synthesis 38 (challenge-branch-map note) → Synthesis 39 (challenge-coverage note) → Synthesis 41 (challenge-terminal-witness note) → Synthesis 40 (challenge-surface-hook note) → Synthesis 44 (challenge-coverage-witness-core note) → Synthesis 42 (challenge-coverage-witness-pack note) → Synthesis 43 (challenge-coverage-witness-slice note) → Synthesis 45 (challenge-answer-capsule note) → Synthesis 46 (challenge-answer-sheet note) → Synthesis 47 (challenge-answer-card note) → Synthesis 48 (challenge-answer-carrier-slot note) → Synthesis 49 (challenge-answer-audit-trail note) → Synthesis 50 (challenge-answer-citation-docket note) → Synthesis 51 (challenge-answer-publication-profile note) → Synthesis 31 (downstream normal-forms note) → Synthesis 10 (architecture note) → Synthesis 11 (math/interface note on attenuation) → Synthesis 14 (math note on path-selection tax) → Synthesis 15 (receipt-composition note) → Synthesis 9 (transparency interface note) → Synthesis 7 (related-work map) → Synthesis 30 (deployed-surfaces companion note) → Synthesis 6

(policy micro-note). If you want to see the public objects before the architecture story, read Synthesis 17 immediately after Synthesis 12–13; it is the archive’s concrete pressure test for receipt publication, UVI discovery, and evaluation handoff.

103 Paper inventory (paths in this archive)

Each entry is a single-file `.tex` paper.

- `published/2026-01-22_scheduling_compiler/paper.tex`
- `published/2026-01-23_spectral_anonymity/paper.tex`
- `published/2026-01-25_prefix_capacities/paper.tex`
- `published/2026-01-26_stop_time_padding_addendum/paper.tex`
- `published/2026-01-29_knapsack_transport/paper.tex`
- `published/optional_many_testing_lower_bounds/paper.tex` (optional deep-dive)
- `anonymity_series/paperA_odds_inflation_anonymity/paper.tex`
- `anonymity_series/paperB_anonymous_dht_profiling/paper.tex`
- `anonymity_series/paperC_abom_oiml/paper.tex`
- `anonymity_series/paperD_spectral_delegation_certificates/paper.tex`
- `bossfight_series/paperA_bossfight_budgets/paper.tex`
- `bossfight_series/paperB_anondht_dial_sheet/paper.tex`
- `bossfight_series/paperB_addendum_evidence_tables/paper.tex`
- `bossfight_series/paperC_proof_carrying_budgets/paper.tex`
- `certified_series/paperA_certified_menus_anonymous_dht/paper.tex`
- `certified_series/paperB_routing_signature_compression/paper.tex`
- `certified_series/paperC_disagreement_gated_recertification/paper.tex`
- `congestion_series/paper1_congestion_eq/paper.tex`
- `congestion_series/paper2_psc_q/paper.tex`
- `congestion_series/paper2A_psc_q_microstudies_addendum/paper.tex`
- `congestion_series/paper3_w_congestion_eq/paper.tex`
- `anondht_state_series/paper1_state_dependent_anonymity/paper.tex`
- `anondht_state_series/paper1A_state_dependent_anonymity_calibration_addendum/paper.tex`
- `anondht_state_series/paper2_mucc_committee_contact_privacy/paper.tex`

- `anondht_state_series/paper3_closed_view_auditing_cppc/paper.tex`
- `anondht_state_series/paper3A_cppc_addendum/paper.tex`
- `operational_series/paperA_schedule_only_retries_anondht/paper.tex`
- `operational_series/paperB_auditable_trace_privacy/paper.tex`
- `evaluation_series/paper1_notarized_anonymity_certificates/paper.tex`
- `evaluation_series/paper1A_notarized_certificates_addendum/paper.tex`
- `evaluation_series/paper2_advantage_contracts_stealth_audits/paper.tex`
- `evaluation_series/paper3_calibration_recipes_anondht/paper.tex`
- `release_and_destination/paperA_release_property_ledger_receipts/paper.tex`
- `release_and_destination/paperB_mceq_coversketch_destination_privacy/paper.tex`
- `series/synthesis/paper0_contract_objects/paper.tex`
- `series/synthesis/paper1_receipt_redaction_bounds/paper.tex`
- `series/synthesis/paper2_calendar_synthesis_duals/paper.tex`
- `series/synthesis/paper3_trace_interfaces_dht/paper.tex`
- `series/synthesis/paper4_threat_windows_anondht/paper.tex`
- `series/synthesis/paper5_endpoint_metrics_bridge/paper.tex`
- `series/synthesis/paper6_artifact_policy/paper.tex`
- `series/synthesis/paper7_related_work_map/paper.tex`
- `series/synthesis/paper30_deployed_surfaces_control_plane/paper.tex`
- `series/synthesis/paper8_notation_model/paper.tex`
- `series/synthesis/paper24_math_backbone_crosswalk/paper.tex`
- `series/synthesis/paper25_discrete_equalization_audits/paper.tex`
- `series/synthesis/paper26_anytime_menu_spending/paper.tex`
- `series/synthesis/paper27_bucket_design_continuous_timing/paper.tex`
- `series/synthesis/paper28_coarsening_large_alphabet/paper.tex`
- `series/synthesis/paper29_selection_discipline_datadependent/paper.tex`
- `series/synthesis/paper9_transparency_primitives_interface/paper.tex`
- `series/synthesis/paper10_tiered_architecture_primary_fallback/paper.tex`
- `series/synthesis/paper11_observation_attenuation/paper.tex`

- `series/synthesis/paper12_receipt_line_items_schema/paper.tex`
- `series/synthesis/paper18_plan_and_state_equivalence/paper.tex`
- `series/synthesis/paper13_user_verifiability_minimal_interface/paper.tex`
- `series/synthesis/paper14_fallback_selection_tax/paper.tex`
- `series/synthesis/paper15_tiered_observation_vectors/paper.tex`
- `series/synthesis/paper19_receipt_accounting_rulebook/paper.tex`
- `series/synthesis/paper20_auditor_replay_recipe/paper.tex`
- `series/synthesis/paper21_conditional_budget_certificates/paper.tex`
- `series/synthesis/paper22_primary_separation_manifests/paper.tex`
- `series/synthesis/paper23_probabilistic_separation_budgets/paper.tex`
- `series/synthesis/paper16_deployment_blueprint_primary_fallback/paper.tex`
- `series/synthesis/paper17_worked_example_receipt_interlock/paper.tex`
- `series/synthesis/paper31_downstream_normal_forms_successor_maintenance/paper.tex`
- `series/synthesis/paper32_release_spine_contracts_successor_maintenance/paper.tex`
- `series/synthesis/paper33_release_obligations_closure_ledgers_successor_maintenance/paper.tex`
- `series/synthesis/paper34_successor_status_envelopes_lineage_notices/paper.tex`
- `series/synthesis/paper35_sentence_locks_inline_provenance_successor_maintenance/paper.tex`
- `series/synthesis/paper36_challenge_routes_audience_profiles_successor_maintenance/paper.tex`
- `series/synthesis/paper37_challenge_stop_profiles_successor_maintenance/paper.tex`
- `series/synthesis/paper38_challenge_branch_maps_successor_maintenance/paper.tex`
- `series/synthesis/paper39_challenge_coverage_certificates_successor_maintenance/paper.tex`
- `series/synthesis/paper40_challenge_surface_hooks_successor_maintenance/paper.tex`
- `series/synthesis/paper41_challenge_terminal_witness_ledgers_successor_maintenance/paper.tex`
- `series/synthesis/paper42_challenge_coverage_witness_packs_successor_maintenance/paper.tex`
- `series/synthesis/paper43_challenge_coverage_witness_slices_successor_maintenance/paper.tex`
- `series/synthesis/paper44_challenge_coverage_witness_cores_successor_maintenance/paper.tex`
- `series/synthesis/paper45_challenge_answer_capsules_successor_maintenance/paper.tex`
- `series/synthesis/paper46_challenge_answer_sheets_successor_maintenance/paper.tex`
- `series/synthesis/paper47_challenge_answer_cards_successor_maintenance/paper.tex`

- series/synthesis/paper48_challenge_answer_carrier_slots_successor_maintenance/paper.tex
- series/synthesis/paper49_challenge_answer_audit_trails_successor_maintenance/paper.tex
- series/synthesis/paper50_challenge_answer_citation_dockets_successor_maintenance/paper.tex
- series/synthesis/paper51_challenge_answer_publication_profiles_successor_maintenance/paper.tex
- series/synthesis/paper52_challenge_answer_disclosure_packets_successor_maintenance/paper.tex
- series/synthesis/paper53_challenge_answer_escalation_ladders_successor_maintenance/paper.tex
- series/synthesis/paper54_challenge_answer_review_menus_successor_maintenance/paper.tex
- series/synthesis/paper55_series_spines_math_to_review_handoffs/paper.tex
- series/synthesis/paper56_public_request_contracts_source_only_releases/paper.tex
- series/synthesis/paper57_requestable_evidence_classes_source_only_releases/paper.tex
- series/synthesis/paper58_request_fulfillment_certificates_source_only_releases/paper.tex
- series/synthesis/paper59_public_request_status_envelopes_source_only_releases/paper.tex
- series/synthesis/paper60_public_request_carryforward_source_only_successors/paper.tex
- series/synthesis/paper61_public_request_notices_source_only_releases/paper.tex
- series/synthesis/paper62_public_request_notice_normal_forms_source_only_releases/paper.tex
- series/synthesis/paper63_public_request_notice_selections_source_only_releases/paper.tex
- series/synthesis/paper64_public_request_response_menus_source_only_releases/paper.tex
- series/synthesis/paper65_public_request_response_packets_source_only_releases/paper.tex
- series/synthesis/paper66_public_request_response_packet_carryforward_source_only_successors/paper.tex
- series/synthesis/paper67_public_request_response_packet_delta_ledgers_source_only_successors/paper.tex
- series/synthesis/paper68_public_request_response_packet_refresh_notices_source_only_successors/paper.tex
- series/synthesis/paper69_public_request_response_packet_refresh_notice_normal_forms_source_only_releases/paper.tex
- series/synthesis/paper70_public_request_response_packet_refresh_notice_selections_source_only_releases/paper.tex
- series/synthesis/paper71_public_request_response_packet_refresh_response_menus_source_only_successors/paper.tex
- series/synthesis/paper72_public_request_response_packet_refresh_response_packets_source_only_successors/paper.tex
- series/synthesis/paper73_public_request_response_packet_refresh_response_packet_closure_verdict/paper.tex
- series/synthesis/paper74_paired_terminal_citation_discipline_review_spines/paper.tex
- series/synthesis/paper75_paired_terminal_cutover_rules_review_spines/paper.tex
- series/congestion_series/series_index/paper.tex