

FLENS Firmware Security Report

Risk Score: LOW

Inventory Coverage and Scan Diagnostics

Components: 584 merged from 587 raw discoveries.

Version coverage: 1% · CPE coverage: 1%

ELF: 975 examined; 442 executables; 142 libraries.

Extraction placeholders: 0 · Open/read failures: 0 · Unreadable files: 0.

Coverage warning: Low version or CPE coverage reduces assessment confidence. No CVEs found does not necessarily mean the firmware is vulnerability-free.

BusyBox applets recognised: 0

Identity Resolution

Resolved 4 · Excluded 0 · Ambiguous 0 · Unsupported 0 · Insufficient evidence 580

Governed CPE components: 4 (1%) · Legacy fallback: 0 · No CPE: 580

Insufficient evidence prevents safe canonical mapping.

Low governed-CPE coverage limits vulnerability-assessment confidence.

Observed	Canonical	Status / Rule	CPE source	Evidence
ah6.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
aiccu Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
arpd Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
asn1_decoder.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
async_commit Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
async_memcpy.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
async_pq.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
async_raid6_recov.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
async_tx.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
async_xor.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none

avahi-browse Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
avahi-daemon Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
avahi-publish Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
avahi-resolve Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
avahi-set-host-name Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
b5301x_common.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
b5301x_srab.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
badblocks Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
bcache.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none
bcm5301x_spi.ko Unknown	- / -	insufficient_evidence / insufficient.no_exact_rule (LOW)	none	elf_metadata: executable; linked: none

564 identity records omitted by the report limit.

Excluded components are intentionally omitted from canonical mapping and are not scan failures.

Detected Components

Name	Version	CPE	Confidence	Evidence
ah6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ah6.ko)
aiccu	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/aiccu)
arpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/arpd)
asn1_decoder.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/asn1_decoder.ko)

async_commit	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/async_commit)
async_memcpy.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/async_memcpy.ko)
async_pq.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/async_pq.ko)
async_raid6_recov.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/async_raid6_recov.ko)

async_tx.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/async_tx.ko)
async_xor.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/async_xor.ko)
avahi-browse	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/avahi-browse)
avahi-daemon	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/avahi-daemon)

avahi-publish	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/avahi-publish)
avahi-resolve	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/avahi-resolve)
avahi-set-host-name	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/avahi-set-host-name)
b5301x_common.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/b5301x_common.ko)

b5301x_srab.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/b5301x_srab.ko)	
badblocks	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/badblocks)	
bcache.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/bcache.ko)	
bcm5301x_spi.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/bcm5301x_spi.ko)	

bcrelay	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/bcrelay)
bgpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/bgpd)
bonding.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/bonding.ko)
bpallogin	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/bpallogin)
brctl	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/brctl)

busybox	1.37.0	cpe:2.3:a:busybox:busybox	MEDIUM	binary_banner: 1.37.0 (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/bin/busybox) elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/bin/busybox)
cdc-acm.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, acm.ko)
cdc-wdm.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, wdm.ko)
cdc_ether.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/cdc_ether.ko)

cdc_mbim.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/cdc_mbim.ko)
cdc_ncm.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/cdc_ncm.ko)
cdrom.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/cdrom.ko)
chat	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/chat)

chilli_multicall	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/chilli_multicall)
cifs.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/cifs.ko)
cn.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/cn.ko)
comgt	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/comgt)

crc-itu-t.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61,itu-t.ko)
crc16.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/crc16.ko)
cron	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/cron)
ctf.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ctf.ko)

curl	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/curl)
db_archive	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_archive)
db_checkpoint	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_checkpoint)
db_deadlock	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_deadlock)
db_dump	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_dump)

db_hotbackup	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_hotbackup)
db_load	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_load)
db_log_verify	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_log_verify)
db_printlog	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_printlog)
db_recover	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_recover)

db_replicate	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_replicate)
db_stat	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_stat)
db_tuner	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_tuner)
db_upgrade	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_upgrade)
db_verify	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/db_verify)

dbus-daemon	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dbus-daemon)
dbus-launch	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dbus-launch)
dbus-uuidgen	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dbus-uuidgen)
deflate.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/deflate.ko)

des_generic.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/des_generic.ko)
dhcp6_multicall	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/dhcp6_multicall)
dhcp_lease_time	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dhcp_lease_time)
dhcp_release	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dhcp_release)
dhcpfwd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dhcpfwd)

disktype	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/disktype)
dm-bio-prison.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, bio-prison.ko)
dm-bufio.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, bufio.ko)
dm-cache-cleaner.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, cache-cleaner.ko)

dm-cache-mq.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, cache-mq.ko)
dm-cache-smq.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, cache-smq.ko)
dm-cache.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, cache.ko)
dm-crypt.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, crypt.ko)

dm-delay.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, delay.ko)
dm-era.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, era.ko)
dm-flakey.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, flakey.ko)
dm-log-userspace.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, log-userspace.ko)

dm-log-writes.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, log-writes.ko)
dm-log.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, log.ko)
dm-mirror.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, mirror.ko)
dm-mod.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, mod.ko)

dm-multipath.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61,multipath.ko)
dm-persistent-data.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61,persistent-data.ko)
dm-queue-length.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61,queue-length.ko)
dm-raid.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61,raid.ko)

dm-region-hash.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, region-hash.ko)
dm-round-robin.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, round-robin.ko)
dm-service-time.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, service-time.ko)
dm-snapshot.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, snapshot.ko)

dm-switch.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, switch.ko)
dm-thin-pool.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, thin-pool.ko)
dm-verity.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, verity.ko)
dm-zero.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, zero.ko)

dns_resolver.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/dns_resolver.ko)
dnscrypt-proxy	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dnscrypt-proxy)
dnsmasq	Unknown	cpe:2.3:a:thekelleys:dnsmasq	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dnsmasq)
dropbear	2025.87	cpe:2.3:a:dropbear_ssh_project:dropbear_ssh	MEDIUM	binary_banner: 2025.87 (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dropbearmulti)
dropbearmulti	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/dropbearmulti)

e2freefrag	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/e2freefrag)
e2fsck	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/e2fsck)
e2initrd_helper	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/e2initrd_helper)
e4crypt	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/e4crypt)
e4defrag	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/e4defrag)

ebt_802_3.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_802_3.ko)
ebt_among.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_among.ko)
ebt_arp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_arp.ko)
ebt_arpreply.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_arpreply.ko)

ebt_dnat.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_dnat.ko)
ebt_ip.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_ip.ko)
ebt_ip6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_ip6.ko)
ebt_limit.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_limit.ko)

ebt_log.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_log.ko)
ebt_mark.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_mark.ko)
ebt_mark_m.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_mark_m.ko)
ebt_nflog.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_nflog.ko)

ebt_pkttype.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_pkttype.ko)
ebt_redirect.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_redirect.ko)
ebt_snat.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_snat.ko)
ebt_stp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_stp.ko)

ebt_vlan.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebt_vlan.ko)
ebtable_broute.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebtable_broute.ko)
ebtable_filter.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebtable_filter.ko)
ebtable_nat.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebtable_nat.ko)

ebtables	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ebtables)
ebtables.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ebtables.ko)
ehci-hcd.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ehci-hcd.ko)
ehci-pci.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ehci-pci.ko)

eoip	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/eoip)
eoip.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/eoip.ko)
esp6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/esp6.ko)
et.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/et.ko)

etherip.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/etherip.ko)
exfat.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/exfat.ko)
ext4.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ext4.ko)
fast-classifier.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/fast-classifier.ko)

fat.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/fat.ko)
faulty.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/faulty.ko)
filefrag	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/filefrag)
flash_erase	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/flash_erase)

fou.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/fou.ko)
fscache.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/fscache.ko)
fsck	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/fsck)
fsck.exfat	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/fsck.exfat)

ftdi_sio.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ftdi_sio.ko)
hdparm	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/hdparm)
hfs.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/hfs.ko)
hfsplus.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/hfsplus.ko)

hostapd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/hostapd)
hostip	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/hostip)
hotplug	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/hotplug)
hotplug2	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/hotplug2)
hso.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/hso.ko)

htop	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/htop)
httpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/httpd)
i2c-algo-bit.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, algo-bit.ko)
i2c-bcm5301x.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, bcm5301x.ko)

ifb.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ifb.ko)
ifenslave	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ifenslave)
ifstat	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ifstat)
igmppt	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/igmppt)

	ila.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ila.ko)	
	imq.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/imq.ko)	
	inadyn	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/inadyn)	
	init	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/init)	

ip6_tables.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6_tables.ko)
ip6_tunnel.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6_tunnel.ko)
ip6_udp_tunnel.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6_udp_tunnel.ko)
ip6t_ah.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_ah.ko)

ip6t_eui64.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_eui64.ko)
ip6t_frag.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_frag.ko)
ip6t_hbh.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_hbh.ko)
ip6t_ipv6header.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_ipv6header.ko)

ip6t_MASQUERADE.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_MASQUERADE.ko)
ip6t_mh.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_mh.ko)
ip6t_NPT.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_NPT.ko)
ip6t_REJECT.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_REJECT.ko)

ip6t_rpfilter.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_rpfilter.ko)
ip6t_rt.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_rt.ko)
ip6t_SYNPROXY.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6t_SYNPROXY.ko)
ip6table_filter.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6table_filter.ko)

ip6table_mangle.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6table_mangle.ko)
ip6table_nat.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6table_nat.ko)
ip6table_raw.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip6table_raw.ko)
ip_tunnel.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_tunnel.ko)

ip_vs.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs.ko)
ip_vs_dh.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_dh.ko)
ip_vs_fo.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_fo.ko)
ip_vs_ftp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_ftp.ko)

ip_vs_lblc.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_lblc.ko)
ip_vs_lblcr.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_lblcr.ko)
ip_vs_lc.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_lc.ko)
ip_vs_mh.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_mh.ko)

ip_vs_nq.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_nq.ko)
ip_vs_ovf.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_ovf.ko)
ip_vs_pe_sip.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_pe_sip.ko)
ip_vs_rr.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_rr.ko)

ip_vs_sed.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_sed.ko)
ip_vs_sh.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_sh.ko)
ip_vs_wlc.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_wlc.ko)
ip_vs_wrr.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ip_vs_wrr.ko)

ipcomp6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ipcomp6.ko)
iperf3	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/iperf3)
ipheth-loop	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ipheth-loop)
ipheth-pair	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ipheth-pair)

ipheth.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ipheth.ko)	
ipset	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ipset)	
ipv6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ipv6.ko)	
ipvsadm	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/ipvsadm)	

irqbalance	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/irqbalance)
isofs.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/isofs.ko)
jbd2.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/jbd2.ko)
jffs2.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/jffs2.ko)

ksmbd.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ksmbd.ko)
l2tp_core.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/l2tp_core.ko)
l2tp_eth.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/l2tp_eth.ko)
l2tp_ip.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/l2tp_ip.ko)

l2tp_ip6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/l2tp_ip6.ko)
l2tp_netlink.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/l2tp_netlink.ko)
l2tp_ppp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/l2tp_ppp.ko)
lighttpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/lighttpd)

linear.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/linear.ko)
lld2d	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/lld2d)
lnstat	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/lnstat)
lzma_compress.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/lzma_compress.ko)

lzma_decompress.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/lzma_decompress.ko)
lzo_compress.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/lzo_compress.ko)
lzo_decompress.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/lzo_decompress.ko)
mactelnet_multicall	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/mactelnet_multicall)

macupd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/macupd)
mbcache.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/mbcache.ko)
md-mod.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61, mod.ko)
mdadm	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/mdadm)

mdmon	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/mdmon)
minidlna	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/minidlna)
mip6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/mip6.ko)
mke2fs	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/mke2fs)
mkfs.exfat	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/mkfs.exfat)

mkfs.jffs2	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/mkfs.jffs2)
mkfs.ntfs	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/mkfs.ntfs)
mount.cifs	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/bin/mount.cifs)
mpcore_wdt.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/mpcore_wdt.ko)

mpls_ip tunnel.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/mpls_ip tunnel.ko)
mpls_router.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/mpls_router.ko)
msdos.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/msdos.ko)
mstpctl	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/mstpctl)

mstpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/mstpd)
mtr	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/mtr)
mtr-packet	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/mtr-packet)
multipath.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/multipath.ko)
nandwrite	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/nandwrite)

nas	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/nas)
nf_conntrack_ipv6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_conntrack_ipv6.ko)
nf_conntrack_pptp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_conntrack_pptp.ko)
nf_conntrack_proto_gre.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_conntrack_proto_gre.ko)

nf_conntrack_sip.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_conntrack_sip.ko)
nf_defrag_ipv6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_defrag_ipv6.ko)
nf_log_ipv6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_log_ipv6.ko)
nf_nat_ipv6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_nat_ipv6.ko)

nf_nat_masquerade_ipv6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_nat_masquerade_ipv6.ko)
nf_nat_pptp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_nat_pptp.ko)
nf_nat_proto_gre.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_nat_proto_gre.ko)
nf_nat_sip.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_nat_sip.ko)

nf_reject_ipv6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_reject_ipv6.ko)
nf_synproxy_core.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nf_synproxy_core.ko)
nls_cp437.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nls_cp437.ko)
nls_cp932.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nls_cp932.ko)

nls_cp936.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nls_cp936.ko)
nls_cp950.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nls_cp950.ko)
nls_euc-jp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nls_euc-jp.ko)
nls_iso8859-1.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nls_iso8859-1.ko)

nls_iso8859-2.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nls_iso8859-2.ko)
nls_utf8.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/nls_utf8.ko)
nodogsplash	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/nodogsplash)
notifier	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/notifier)

nstat	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/nstat)
nstxcd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/nstxcd)
nstxd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/nstxd)
ntfs3.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ntfs3.ko)
ntfsfix	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ntfsfix)

ntpcient	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ntpcient)
ohci-hcd.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ohci-hcd.ko)
ohci-pci.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ohci-pci.ko)
olsrd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/olsrd)

openssl	1.1.1w	cpe:2.3:a:openssl:openssl	MEDIUM	binary_banner: 1.1.1w (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/etc/php/modules/openssl.so) elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/openssl)
openvpn	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/openvpn)
option.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/option.ko)
ospfd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ospfd)

ovpn-dco-v2.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/ovpn-dco-v2.ko)
p910nd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/p910nd)
php	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/php)
pl2303.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/pl2303.ko)

pound	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/pound)
poundctl	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/poundctl)
pppd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/pppd)
pppoe-multi	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/pppoe-multi)
pptp	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/pptp)

pptp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/pptp.ko)
pptpctrl	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/pptpctrl)
pptpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/pptpd)
privoxy	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/privoxy)
process_monitor	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/process_monitor)

proftpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/proftpd)
qcserial.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/qcserial.ko)
qmi_wwan.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/qmi_wwan.ko)
qrencode	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/qrencode)

radclient	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/radclient)
radeapclient	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/radeapclient)
radio_timer	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/radio_timer)
radius-client	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/radius-client)
radiusd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/radiusd)

radsniff	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/radsniff)
radvd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/radvd)
radvdump	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/radvdump)
radwho	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/radwho)
raid0.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/raid0.ko)

raid1.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/raid1.ko)
raid10.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/raid10.ko)
raid456.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/raid456.ko)
raid6_pq.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/raid6_pq.ko)

rc	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/rc)
redial	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/redial)
regmap-core.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/regmap-core.ko)
regmap-i2c.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/regmap-i2c.ko)

regmap-spi.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/regmap-spi.ko)	
repeater	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/repeater)	
resetbutton	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/resetbutton)	
resize2fs	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/resize2fs)	
rflow	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/rflow)	

ripd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ripd)
ripngd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ripngd)
rndis_host.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/rndis_host.ko)
rtacct	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/rtacct)

rtl8365mb.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/rtl8365mb.ko)
scc	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/scc)
sch_cake.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sch_cake.ko)
sch_codel.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sch_codel.ko)

sch_fq_codel_fast.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sch_fq_codel_fast.ko)
sch_pie.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sch_pie.ko)
scsi_mod.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/scsi_mod.ko)
sd_mod.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sd_mod.ko)

service	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/service)
servicemanager	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/servicemanager)
sg.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sg.ko)
sha512_generic.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sha512_generic.ko)

shatc	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/shatc)
shatd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/shatd)
sierra.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sierra.ko)
sierra_net.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sierra_net.ko)

sit.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sit.ko)
smartdns	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/smartdns)
smbd_multicall	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/smbd_multicall)
smcroutectl	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/smcroutectl)
smcrouted	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/smcrouted)

smisc.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/smisc.ko)
snmpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/snmpd)
softdog.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/softdog.ko)
speedtest_cli	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/speedtest_cli)

sr_mod.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/sr_mod.ko)
ss	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/ss)
swconfig	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/swconfig)
tc	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/tc)
tcpdump	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/tcpdump)

tor	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/tor)
tor-gencert	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/tor-gencert)
tor-print-ed-signing-cert	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/tor-print-ed-signing-c
tor-resolve	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/tor-resolve)
transmissiond	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/transmissiond)

ttraff	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/ttraff)
tun.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/tun.ko)
tune.exfat	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/tune.exfat)
tune2fs	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/tune2fs)

tunnel4.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/tunnel4.ko)
tunnel6.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/tunnel6.ko)
udevtrigger	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/udevtrigger)
udf.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/udf.ko)

udp_diag.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/udp_diag.ko)
udp_tunnel.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/udp_tunnel.ko)
unbound	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/unbound)
unbound-checkconf	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/unbound-checkconf)

unbound-control	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/unbound-control)
upnpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/upnpd)
uqmi	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/uqmi)
usb-common.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61,common.ko)

usb-storage.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/storage.ko)
usb_modeswitch	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/usb_modeswitch)
usb_wwan.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/usb_wwan.ko)
usbcore.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/usbcore.ko)

usbip	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/usbip)
usbip-core.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/usbip-core.ko)
usbip-host.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/usbip-host.ko)
usbipd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/usbipd)

usbldp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/usbldp.ko)
usbmuxd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/usbmuxd)
usbnet.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/usbnet.ko)
usbserial.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/usbserial.ko)

vfat.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/vfat.ko)
vhci-hcd.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/vhci-hcd.ko)
vpnc.openssl	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/vpnc.openssl)
vttysh	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/vttysh)

vxlan.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/vxlan.ko)
watchdog	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/watchdog)
watchquagga	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/watchquagga)
wdctl	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/wdctl)
wg	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/bin/wg)

wifidog	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/wifidog)
wireguard.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/wireguard.ko)
wiviz	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/wiviz)
wl	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/wl)

wl.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/wl.ko)	
wland	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/sbin/wland)	
wlconf	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/wlconf)	
wol	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/wol)	
wpa_supplicant	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/wpa_supplicant)	

wrt-radauth	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/wrt-radauth)
wsdd2	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/wsdd2)
xfrm6_mode_beet.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xfrm6_mode_beet.ko)
xfrm6_mode_ro.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xfrm6_mode_ro.ko)

xfrm6_mode_transport.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xfrm6_mode_transport.ko)
xfrm6_mode_tunnel.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xfrm6_mode_tunnel.ko)
xfrm6_tunnel.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xfrm6_tunnel.ko)
xfrm_algo.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xfrm_algo.ko)

xfrm_ipcomp.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xfrm_ipcomp.ko)
xhci-hcd.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xhci-hcd.ko)
xhci-pci.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xhci-pci.ko)
xhci-plat-hcd.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xhci-plat-hcd.ko)

xl2tpd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/xl2tpd)
xor.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xor.ko)
xt_addrtype.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_addrtype.ko)
xt_cpu.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_cpu.ko)

xt_devgroup.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_devgroup.ko)
xt_DSCP.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_DSCP.ko) elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_dscp.ko)
xt_IMQ.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_IMQ.ko)

xt_ipvs.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_ipvs.ko)
xt_lscan.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_lscan.ko)
xt_ndpi.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_ndpi.ko)
xt_physdev.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_physdev.ko)

xt_psd.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_psd.ko)
xt_TARPIT.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_TARPIT.ko)
xt_WGOBFS.ko	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/modules/4.4.302-rt232-st61/xt_WGOBFS.ko)
xtables-legacy-multi	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/xtables-legacy-multi)

zabbix_agentd	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/zabbix_agentd)
zebra	Unknown	Unresolved	MEDIUM	elf_metadata: executable; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/sbin/zebra)
libatomic.so.1	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/libatomic.so.1)
libavahi-client.so.3.2.9	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libavahi-client.so.3.2)
libavahi-common.so.3.5.4	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libavahi-common.so.3.5)

libavahi-core.so.7.1.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libavahi-core.so.7.1.0)
libblkid.so.0.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libblkid.so.0.0.0)
libblobmsg_json.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libblobmsg_json.so)
libc.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/libc.so)
libcedar.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libcedar.so)

libcom_err.so.2.1	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/libcom_err.so.2.1)
libcrypto.so.1.1	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libcrypto.so.1.1)
libcurl.so.4.8.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libcurl.so.4.8.0)
libdb-5.3.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libdb-5.3.so)
libdbus-1.so.3.37.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libdbus-1.so.3.37.0)

libdisc.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libdisc.so)
libe2p.so.2.3	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/libe2p.so.2.3)
libevent-2.2.so.1.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libevent-2.2.so.1.0.0)
libevent_core-2.2.so.1.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libevent_core-2.2.so.1
libevent_extra-2.2.so.1.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libevent_extra-2.2.so.1.0.0)

libevent_openssl-2.2.so.1.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libevent_openssl-2.2.so.1.0.0)
libevent_pthreads-2.2.so.1.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libevent_pthreads-2.2.so.1.0.0)
libexpat.so.1.8.8	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libexpat.so.1.8.8)
libext2fs.so.2.4	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/libext2fs.so.2.4)

libffi.so.8.1.2	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libffi.so.8.1.2)
libform.so.6.3	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libform.so.6.3)
libfpm_pb.so.0.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libfpm_pb.so.0.0.0)
libfreeradius-dhcp.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libfreeradius-dhcp.so)
libfreeradius-eap.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libfreeradius-eap.so)

libfreeradius-radius.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libfreeradius-radius.so)
libfreeradius-server.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libfreeradius-server.so)
libgcc_s.so.1	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/libgcc_s.so.1)
libhistory.so.7.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libhistory.so.7.0)
libjansson.so.4.11.1	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libjansson.so.4.11.1)

libjson-c.so.2.0.2	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libjson-c.so.2.0.2)
liblzma.so.5.6.3	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/liblzma.so.5.6.3)
libmayaqua.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libmayaqua.so)
libmccrypt.so.4.4.8	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libmccrypt.so.4.4.8)
libmdadm.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/libmdadm.so)

libmnl.so.0.2.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libmnl.so.0.2.0)
libncurses.so.6.3	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libncurses.so.6.3)
libnl-tiny.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libnl-tiny.so)
libnvram.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/libnvram.so)
libospf.so.0.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libospf.so.0.0.0)

libpcap.so.1.10.5	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libpcap.so.1.10.5)
libpcrc.so.1	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libpcrc.so.1)
libpcrcpp.so.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libpcrcpp.so.0)
libpcrcposix.so.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libpcrcposix.so.0)
libplist-2.0.so.3	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libplist-2.0.so.3)

libqos.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libqos.so)
libquagga_pb.so.0.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libquagga_pb.so.0.0.0)
libreadline.so.7.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libreadline.so.7.0)
libsharetools.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libsharetools.so)
libshutils.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libshutils.so)

libsqlite3.so.0.8.6	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libsqlite3.so.0.8.6)
libssl.so.1.1	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libssl.so.1.1)
libstdc++.so.6	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/lib/libstdc++.so.6)
libswitch.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libswitch.so)
libtalloc.so.2	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libtalloc.so.2)

libubox.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libubox.so)
libudev.so.1.6.3	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libudev.so.1.6.3)
libunbound.so.8.1.30	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libunbound.so.8.1.30)
libusbip.so.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libusbip.so.0)
libutils.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libutils.so)

libuuid.so.0.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libuuid.so.0.0.0)
libwireless.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libwireless.so)
libxml2.so.2.13.5	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libxml2.so.2.13.5)
libz.so.1.3.1	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libz.so.1.3.1)
libzebra.so.1.0.0	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libzebra.so.1.0.0)

libzip.so.5.5	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libzip.so.5.5)
libzstd.so.1.5.6	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/libzstd.so.1.5.6)
mod_accesslog.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_accesslog
mod_ajp13.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_ajp13.so)
mod_auth.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_auth.so)

mod_authn_file.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_authn_file.so)
mod_cgi.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_cgi.so)
mod_deflate.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_deflate.so)
mod_dirlisting.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_dirlisting.so)
mod_extforward.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_extforward.so)

mod_h2.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_h2.so)
mod_openssl.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_openssl.so)
mod_proxy.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_proxy.so)
mod_rrdtool.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_rrdtool.so)
mod_sockproxy.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_sockproxy.so)

mod_ssi.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_ssi.so)
mod_status.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_status.so)
mod_userdir.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_userdir.so)
mod_vhostdb.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_vhostdb.so)
mod_webdav.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_webdav.so)

mod_wstunnel.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/lighttpd/mod_wstunnel.so)
olsrd_dyn_gw.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/olsrd_dyn_gw.so)
olsrd_dyn_gw_plain.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/olsrd_dyn_gw_plain.so)
olsrd_httpinfo.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/olsrd_httpinfo.so)
olsrd_nameservice.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/olsrd_nameservice.so)

olsrd_secure.so.0.6	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/olsrd_secure.so.0.6)
pppol2tp.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/pppol2tp.so)
proto_dhcp.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/proto_dhcp.so)
proto_vmps.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/proto_vmps.so)
radattr.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/radattr.so)

radius.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/radius.so)
radrealms.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/radrealms.so)
rlm_always.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_always.so)
rlm_attr_filter.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_attr_filter.so)
rlm_chap.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_chap.so)

rlm_date.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_date.so)
rlm_detail.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_detail.so)
rlm_dhcp.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_dhcp.so)
rlm_digest.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_digest.so)
rlm_dpsk.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_dpsk.so)

rlm_dynamic_clients.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_dynamic_clients.so)
rlm_eap.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap.so)
rlm_eap_fast.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap_fast.so)
rlm_eap_gtc.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap_gtc.so)
rlm_eap_md5.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap_md5.so)

rlm_eap_mschapv2.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap_mschapv2.so)
rlm_eap_peap.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap_peap.so)
rlm_eap_pwd.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap_pwd.so)
rlm_eap_teap.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap_teap.so)
rlm_eap_tls.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap_tls.so)

rlm_eap_ttls.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_eap_ttls.so)
rlm_exec.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_exec.so)
rlm_expiration.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_expiration.so)
rlm_expr.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_expr.so)
rlm_files.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_files.so)

rlm_linelog.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_linelog.so)
rlm_logintime.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_logintime.so)
rlm_mschap.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_mschap.so)
rlm_pap.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_pap.so)
rlm_passwd.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_passwd.so)

rlm_preprocess.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_preprocess.so)
rlm_proxy_rate_limit.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_proxy_rate_limit.so)
rlm_radutmp.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_radutmp.so)
rlm_realm.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_realm.so)
rlm_replicate.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_replicate.so)

rlm_soh.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_soh.so)
rlm_sometimes.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_sometimes.so)
rlm_sql_map.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_sql_map.so)
rlm_test.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_test.so)
rlm_totp.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_totp.so)

rlm_unix.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_unix.so)
rlm_unpack.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_unpack.so)
rlm_utf8.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_utf8.so)
rlm_wimax.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rlm_wimax.so)
rp-pppoe.so	Unknown	Unresolved	MEDIUM	elf_metadata: library; linked: none (/work/netgear-r6400v2-webflash_extract/_netgear-r6400v2-webflash.bin.extracted/squashfs-root/usr/lib/rp-pppoe.so)

Vulnerabilities

No matching CVEs found.

Risk Score Breakdown

Critical Vulnerabilities: 0

High Vulnerabilities: 0

Medium Vulnerabilities: 0

Low Vulnerabilities: 0

Calculated Score: 0

Overall Risk: LOW

Vulnerability Detection Explanation

FLENS identifies vulnerabilities through:

1. Component detection
2. Version identification
3. Vulnerability database correlation

FLENS detects known vulnerabilities based on available vulnerability intelligence.

Absence of findings does not imply absence of vulnerabilities.

Transparency & Methodology

- Risk scoring methodology: [docs/risk_scoring.md](#)
- Vulnerability detection methodology: [docs/vulnerability_detection.md](#)
- SBOM methodology: [docs/sbom.md](#)

Disclaimer

FLENS identifies known vulnerabilities and security indicators based on detected software components and available vulnerability intelligence.

The absence of findings does not imply the absence of vulnerabilities.

New, undisclosed, proprietary, or currently unknown vulnerabilities may not be detected.