

the 1990s, the number of people with a diagnosis of schizophrenia has increased in the UK (Meltzer 1999). The prevalence of schizophrenia in the UK is estimated to be 1.2% (Meltzer 1999). The prevalence of schizophrenia in the USA is estimated to be 1.1% (Meltzer 1999).

There is a significant association between schizophrenia and violence (Meltzer 1999). The risk of violence is increased in people with schizophrenia, particularly in those with a history of violence (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).

The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).

The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).

The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).

The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).

The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).

The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).

The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).

The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).

The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999). The risk of violence is increased in people with schizophrenia who are also taking medication and who are also taking medication (Meltzer 1999).