

# Cucumber Report

Oct 11, 2025, 6:31:02 PM

Start : Oct 11, 6:31:00.582 PM

End : Oct 11, 6:31:00.604 PM

Duration : 0.022 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Feature</u>	0.022 s	1	0	1	0	6	0	1	5

#	Feature Name	Scenario Name
1	<u>Login Feature</u>	<u>Happy Path</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Login	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Feature	1	0	1	0	0.022 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Feature	Happy Path	6	0	1	5	0.021 s

## Login Feature

<b>FAILED</b>	DURATION - 0.022 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 6:31:00.582 PM // 6:31:00.604 PM /					

## Happy Path

<div>FAILED</div> <div>DURATION - 0.021 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 6:31:00.583 PM // 6:31:00.604 PM /				
Login Feature				
@Login				

#	Step / Hook Details	Status	Duration
1	Given user is on the signin page  java.lang.NullPointerException: Cannot invoke "String.hashCode()" because "<local1>" is null at utilities.Driver.getDriver(Driver.java:25) at stepdefinitions.LoginStepDefinitions.user_is_on_the_signin_page(LoginStepDefinitions.java:20) at ?.user is on the signin page(file:///Users/sarahali/IdeaProjects/Cucumber1/src/test/resources/features/02_login_test.feature:5) * Not displayable characters are replaced by '?'.  	FAILED	0.004 s
2	When user enters valid username	SKIPPED	0.001 s
3	And user enters valid password	SKIPPED	0.000 s
4	And user click on submit button	SKIPPED	0.001 s
5	Then user validates the signin	SKIPPED	0.000 s
6	And close browser	SKIPPED	0.000 s