

DARAZ MARKETPLACE

Delivery Operations and Logistics Guide

Knowledge Base • Delivery

Purpose

This long-form reference document is designed as realistic internal-style knowledge-base material for customer service, operations, training, and support workflows. It uses generalized operational guidance rather than representing a current official Daraz policy document. Specific commercial terms, timelines, fees, eligibility rules, and system behavior should be verified against the applicable live policy and internal tools.

Document control

Document type	Operational knowledge-base reference
Audience	Support agents, operations staff, supervisors, and trainers
Scope	Delivery
Version	1.0 — Training edition
Review principle	Verify live policy before taking customer-impacting action

1. Delivery lifecycle from order confirmation to doorstep

This section explains the operational approach to delivery lifecycle from order confirmation to doorstep. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

1.1 Scope and key concepts

The first step is to identify the case type and its ownership. For delivery lifecycle from order confirmation to doorstep, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

1.2 Standard operating workflow

During the standard workflow for delivery lifecycle from order confirmation to doorstep, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

1.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

1.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

1.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

1.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

2. Warehouse processing, dispatch, and handover

This section explains the operational approach to warehouse processing, dispatch, and handover. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

2.1 Scope and key concepts

The first step is to identify the case type and its ownership. For warehouse processing, dispatch, and handover, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

2.2 Standard operating workflow

During the standard workflow for warehouse processing, dispatch, and handover, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

2.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

2.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

2.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

2.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

3. Tracking events and status interpretation

This section explains the operational approach to tracking events and status interpretation. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

3.1 Scope and key concepts

The first step is to identify the case type and its ownership. For tracking events and status interpretation, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

3.2 Standard operating workflow

During the standard workflow for tracking events and status interpretation, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

3.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

3.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

3.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

3.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

4. Estimated delivery dates and delay management

This section explains the operational approach to estimated delivery dates and delay management. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

4.1 Scope and key concepts

The first step is to identify the case type and its ownership. For estimated delivery dates and delay management, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

4.2 Standard operating workflow

During the standard workflow for estimated delivery dates and delay management, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

4.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

4.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

4.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

4.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

5. Failed delivery, unreachable customer, and reattempts

This section explains the operational approach to failed delivery, unreachable customer, and reattempts. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

5.1 Scope and key concepts

The first step is to identify the case type and its ownership. For failed delivery, unreachable customer, and reattempts, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

5.2 Standard operating workflow

During the standard workflow for failed delivery, unreachable customer, and reattempts, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

5.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

5.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

5.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

5.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

6. Address problems and delivery-area exceptions

This section explains the operational approach to address problems and delivery-area exceptions. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

6.1 Scope and key concepts

The first step is to identify the case type and its ownership. For address problems and delivery-area exceptions, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

6.2 Standard operating workflow

During the standard workflow for address problems and delivery-area exceptions, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

6.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

6.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

6.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

6.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

7. Cash-on-delivery operational considerations

This section explains the operational approach to cash-on-delivery operational considerations. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

7.1 Scope and key concepts

The first step is to identify the case type and its ownership. For cash-on-delivery operational considerations, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

7.2 Standard operating workflow

During the standard workflow for cash-on-delivery operational considerations, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

7.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

7.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

7.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

7.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

8. Courier escalation and shipment investigation

This section explains the operational approach to courier escalation and shipment investigation. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

8.1 Scope and key concepts

The first step is to identify the case type and its ownership. For courier escalation and shipment investigation, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

8.2 Standard operating workflow

During the standard workflow for courier escalation and shipment investigation, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

8.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

8.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

8.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

8.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

9. Lost, damaged, or misrouted parcels

This section explains the operational approach to lost, damaged, or misrouted parcels. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

9.1 Scope and key concepts

The first step is to identify the case type and its ownership. For lost, damaged, or misrouted parcels, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

9.2 Standard operating workflow

During the standard workflow for lost, damaged, or misrouted parcels, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

9.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

9.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

9.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

9.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

Appendix: Practical Case Scenarios

Case A — Status conflict

A requester reports that an order is marked completed in one view but still appears active elsewhere. The correct approach is to capture both statuses, timestamps, and order identifiers, avoid manually promising a refund or redelivery, and escalate the system inconsistency to the responsible operations team.

Case B — Repeated contact

A customer contacts support several times about the same unresolved issue. Review previous tickets before asking questions again. Consolidate the timeline, acknowledge the previous contacts, and identify a single owner or escalation path.

Case C — Evidence mismatch

The supplied screenshot does not clearly show the order or transaction reference. Ask for the minimum additional evidence needed to connect the document to the case, while avoiding unnecessary collection of sensitive information.

Case D — Policy uncertainty

An agent cannot determine whether an exception applies. The safe response is to explain that the case requires verification, document the facts, and seek the appropriate internal decision rather than inventing a rule.

End of document — Training reference only.