

DARAZ MARKETPLACE

Refund Policy and Processing Operations Manual

Knowledge Base • Refunds

Purpose

This long-form reference document is designed as realistic internal-style knowledge-base material for customer service, operations, training, and support workflows. It uses generalized operational guidance rather than representing a current official Daraz policy document. Specific commercial terms, timelines, fees, eligibility rules, and system behavior should be verified against the applicable live policy and internal tools.

Document control

Document type	Operational knowledge-base reference
Audience	Support agents, operations staff, supervisors, and trainers
Scope	Refunds
Version	1.0 — Training edition
Review principle	Verify live policy before taking customer-impacting action

1. Refund lifecycle and eligibility concepts

This section explains the operational approach to refund lifecycle and eligibility concepts. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

1.1 Scope and key concepts

The first step is to identify the case type and its ownership. For refund lifecycle and eligibility concepts, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

1.2 Standard operating workflow

During the standard workflow for refund lifecycle and eligibility concepts, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

1.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

1.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

1.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

1.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

2. Refund initiation after cancellation or approved return

This section explains the operational approach to refund initiation after cancellation or approved return. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

2.1 Scope and key concepts

The first step is to identify the case type and its ownership. For refund initiation after cancellation or approved return, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

2.2 Standard operating workflow

During the standard workflow for refund initiation after cancellation or approved return, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

2.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

2.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

2.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

2.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

3. Original payment method and processing timelines

This section explains the operational approach to original payment method and processing timelines. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

3.1 Scope and key concepts

The first step is to identify the case type and its ownership. For original payment method and processing timelines, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

3.2 Standard operating workflow

During the standard workflow for original payment method and processing timelines, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

3.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

3.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

3.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

3.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

4. Partial refunds and order-level adjustments

This section explains the operational approach to partial refunds and order-level adjustments. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

4.1 Scope and key concepts

The first step is to identify the case type and its ownership. For partial refunds and order-level adjustments, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

4.2 Standard operating workflow

During the standard workflow for partial refunds and order-level adjustments, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

4.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

4.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

4.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

4.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

5. Refund status investigation

This section explains the operational approach to refund status investigation. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

5.1 Scope and key concepts

The first step is to identify the case type and its ownership. For refund status investigation, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

5.2 Standard operating workflow

During the standard workflow for refund status investigation, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

5.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

5.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

5.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

5.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

6. Failed or delayed refund handling

This section explains the operational approach to failed or delayed refund handling. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

6.1 Scope and key concepts

The first step is to identify the case type and its ownership. For failed or delayed refund handling, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

6.2 Standard operating workflow

During the standard workflow for failed or delayed refund handling, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

6.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

6.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

6.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

6.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

7. Customer communication and escalation

This section explains the operational approach to customer communication and escalation. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

7.1 Scope and key concepts

The first step is to identify the case type and its ownership. For customer communication and escalation, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

7.2 Standard operating workflow

During the standard workflow for customer communication and escalation, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

7.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

7.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

7.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

7.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

8. Refund abuse indicators and controls

This section explains the operational approach to refund abuse indicators and controls. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

8.1 Scope and key concepts

The first step is to identify the case type and its ownership. For refund abuse indicators and controls, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

8.2 Standard operating workflow

During the standard workflow for refund abuse indicators and controls, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

8.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

8.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

8.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

8.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

Appendix: Practical Case Scenarios

Case A — Status conflict

A requester reports that an order is marked completed in one view but still appears active elsewhere. The correct approach is to capture both statuses, timestamps, and order identifiers, avoid manually promising a refund or redelivery, and escalate the system inconsistency to the responsible operations team.

Case B — Repeated contact

A customer contacts support several times about the same unresolved issue. Review previous tickets before asking questions again. Consolidate the timeline, acknowledge the previous contacts, and identify a single owner or escalation path.

Case C — Evidence mismatch

The supplied screenshot does not clearly show the order or transaction reference. Ask for the minimum additional evidence needed to connect the document to the case, while avoiding unnecessary collection of sensitive information.

Case D — Policy uncertainty

An agent cannot determine whether an exception applies. The safe response is to explain that the case requires verification, document the facts, and seek the appropriate internal decision rather than inventing a rule.

End of document — Training reference only.