

DARAZ MARKETPLACE

Seller FAQ, Performance and Dispute Resolution Guide

Knowledge Base • Sellers

Purpose

This long-form reference document is designed as realistic internal-style knowledge-base material for customer service, operations, training, and support workflows. It uses generalized operational guidance rather than representing a current official Daraz policy document. Specific commercial terms, timelines, fees, eligibility rules, and system behavior should be verified against the applicable live policy and internal tools.

Document control

Document type	Operational knowledge-base reference
Audience	Support agents, operations staff, supervisors, and trainers
Scope	Sellers
Version	1.0 — Training edition
Review principle	Verify live policy before taking customer-impacting action

1. Common seller questions

This section explains the operational approach to common seller questions. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

1.1 Scope and key concepts

The first step is to identify the case type and its ownership. For common seller questions, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

1.2 Standard operating workflow

During the standard workflow for common seller questions, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

1.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

1.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

1.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

1.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

2. Listing edits, variations, and catalog corrections

This section explains the operational approach to listing edits, variations, and catalog corrections. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

2.1 Scope and key concepts

The first step is to identify the case type and its ownership. For listing edits, variations, and catalog corrections, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

2.2 Standard operating workflow

During the standard workflow for listing edits, variations, and catalog corrections, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

2.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

2.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

2.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

2.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

3. Order cancellation and fulfillment issues

This section explains the operational approach to order cancellation and fulfillment issues. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

3.1 Scope and key concepts

The first step is to identify the case type and its ownership. For order cancellation and fulfillment issues, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

3.2 Standard operating workflow

During the standard workflow for order cancellation and fulfillment issues, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

3.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

3.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

3.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

3.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

4. Late dispatch and seller-fault scenarios

This section explains the operational approach to late dispatch and seller-fault scenarios. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

4.1 Scope and key concepts

The first step is to identify the case type and its ownership. For late dispatch and seller-fault scenarios, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

4.2 Standard operating workflow

During the standard workflow for late dispatch and seller-fault scenarios, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

4.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

4.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

4.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

4.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

5. Customer returns and dispute evidence

This section explains the operational approach to customer returns and dispute evidence. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

5.1 Scope and key concepts

The first step is to identify the case type and its ownership. For customer returns and dispute evidence, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

5.2 Standard operating workflow

During the standard workflow for customer returns and dispute evidence, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

5.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

5.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

5.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

5.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

6. Payout and transaction questions

This section explains the operational approach to payout and transaction questions. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

6.1 Scope and key concepts

The first step is to identify the case type and its ownership. For payout and transaction questions, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

6.2 Standard operating workflow

During the standard workflow for payout and transaction questions, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

6.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

6.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

6.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

6.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

7. Account restrictions and escalation

This section explains the operational approach to account restrictions and escalation. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

7.1 Scope and key concepts

The first step is to identify the case type and its ownership. For account restrictions and escalation, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

7.2 Standard operating workflow

During the standard workflow for account restrictions and escalation, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

7.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

7.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

7.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

7.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

8. Practical seller case studies

This section explains the operational approach to practical seller case studies. In a marketplace environment, the support team should first establish the exact customer or seller situation, confirm the relevant order/account information, distinguish between facts visible in the system and statements supplied by the requester, and then select the appropriate workflow. Agents should avoid promising an outcome before eligibility and system status have been checked.

8.1 Scope and key concepts

The first step is to identify the case type and its ownership. For practical seller case studies, the agent should capture the relevant order number, item information, current status, timestamps, payment or delivery indicators where applicable, and any previous support actions. This creates a reliable case history and reduces repeated questions for the customer.

8.2 Standard operating workflow

During the standard workflow for practical seller case studies, use the information available in the support console as the primary operational record. If two systems show different states, do not guess which state is correct. Record the discrepancy, preserve the relevant references, and route the case to the team responsible for reconciliation or system investigation.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

8.3 Evidence and system checks

Evidence should be reviewed in a structured sequence. Start with the order timeline, then check transaction or logistics events, then review customer-provided evidence such as photographs, screenshots, tracking information, or correspondence. Evidence should be relevant, readable, and connected to the specific order or item. Avoid requesting unnecessary personal information.

8.4 Customer or seller communication

Communication should be clear, neutral, and specific. Explain what has been confirmed, what is still under review, what the next action is, and what the customer should expect next. When a decision depends on an external party, such as a bank, courier, or seller, explain that dependency without assigning blame or making unsupported claims.

8.5 Exceptions and escalation

Exceptions should be escalated when the normal workflow cannot safely resolve the case. Examples include conflicting system states, suspected fraud, repeated failed processing, high-value disputes, safety concerns, or cases requiring a policy exception. The escalation note should summarize the issue, evidence checked, actions already taken, and the exact question the receiving team needs to answer.

Checkpoint	What to verify	If unclear
Identity / account	Relevant account and order context	Follow verification workflow
Status	Latest system event and timestamp	Escalate discrepancy
Evidence	Readable and case-specific evidence	Request only needed evidence
Action	Completed action or assigned owner	Do not close prematurely

8.6 Quality-control checklist

Before closing the case, verify that the requested action was actually completed or that the correct team owns the next step. Add concise internal notes, select the appropriate case category, and avoid duplicate tickets unless a separate issue genuinely requires one.

Appendix: Practical Case Scenarios

Case A — Status conflict

A requester reports that an order is marked completed in one view but still appears active elsewhere. The correct approach is to capture both statuses, timestamps, and order identifiers, avoid manually promising a refund or redelivery, and escalate the system inconsistency to the responsible operations team.

Case B — Repeated contact

A customer contacts support several times about the same unresolved issue. Review previous tickets before asking questions again. Consolidate the timeline, acknowledge the previous contacts, and identify a single owner or escalation path.

Case C — Evidence mismatch

The supplied screenshot does not clearly show the order or transaction reference. Ask for the minimum additional evidence needed to connect the document to the case, while avoiding unnecessary collection of sensitive information.

Case D — Policy uncertainty

An agent cannot determine whether an exception applies. The safe response is to explain that the case requires verification, document the facts, and seek the appropriate internal decision rather than inventing a rule.

End of document — Training reference only.