



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Search Feature	26.287 s	2	2	0	0	8	8	0	0
failed_test_cases	9.761 s	1	1	0	0	3	3	0	0

Tag		Scer	nario		Feature			
Name	T	P	F	S	T	P	F	S
@google_search	2	2	0	0	1	1	0	0
@failed_scenario	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	Search Feature	2	2	0	0	26.287 s
2	<u>failed_test_cases</u>	1	1	0	0	9.761 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search Feature	TC01_iphone_search	4	4	0	0	13.943 s
2	Search Feature	TC02_teapot_search	4	4	0	0	12.268 s
3	failed_test_cases	<u>TC_01</u>	3	3	0	0	9.759 s

Search Feature


PASSED	DURATION - 26.287 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 9:34:29.177 ÖS	// 9:34:55.464 ÖS /	Pass - 2	2	Pass - 8	8 B
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

TC01_iphone_search



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	8.272 s
2	When user search for iPhone on google	PASSED	4.846 s
3	Then verify the page title contains iPhone	PASSED	0.057 s
4	Then close the application	PASSED	0.683 s

TC02_teapot_search




DETAILED SECTION -- 7

#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	5.420 s
2	When user search for TeaPot on google	PASSED	6.056 s
3	Then verify the page title contains TeaPot	PASSED	0.070 s
4	Then close the application	PASSED	0.711 s

failed_test_cases

PASSED	DURATION - 9.761 s	Scenarios		Steps		
		Total - 1		Total - 3		<u>.</u>
/ 9:34:55.622 ÖS // 9	9:35:05.383 ÖS /	Pass - 1	1	Pass - 3	3	
		Fail - 0		Fail - 0	 ٧	, ,
		Skip - 0		Skip - 0		′

TC_01



#	Step / Hook Details	Status	Duration
1	Given user is on the google page	PASSED	4.566 s
2	And user search for "iphone" on the google	PASSED	4.642 s
3	Then verify test case fails	PASSED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.500 s
	failed_scenario		
	Coople (see		