

■ Complete CSS vs Tailwind Cheat Sheet

This guide provides a full mapping of common CSS properties to their TailwindCSS utility classes, with explanations for each.

Layout (Display, Position, Z-Index, Overflow)

CSS	Tailwind	Explanation
display: block;	block	Element as block.
display: inline;	inline	Element inline with text.
display: flex;	flex	Enable flexbox layout.
display: grid;	grid	Enable CSS grid.
display: none;	hidden	Hide element.
position: relative;	relative	Relative to itself.
position: absolute;	absolute	Absolute positioning.
position: fixed;	fixed	Fixed relative to viewport.
position: sticky;	sticky	Sticky within container.
z-index: 10;	z-10	Z-index at 10.
z-index: 50;	z-50	Z-index at 50.
overflow: hidden;	overflow-hidden	Clips overflow content.
overflow: auto;	overflow-auto	Adds scroll if needed.
overflow-x: scroll;	overflow-x-scroll	Scroll horizontally.

Flexbox & Grid

CSS	Tailwind	Explanation
flex-direction: row;	flex-row	Horizontal layout.
flex-direction: column;	flex-col	Vertical layout.
justify-content: center;	justify-center	Center horizontally.
align-items: center;	items-center	Center vertically.
align-items: start;	items-start	Align top/start.
align-items: end;	items-end	Align bottom/end.
grid-template-columns: repeat(3, 1fr);	grid-cols-3	3 equal columns.
grid-template-rows: repeat(2, 1fr);	grid-rows-2	2 equal rows.
gap: 16px;	gap-4	Gap between grid/flex items.

Spacing (Margin & Padding)

CSS	Tailwind	Explanation
margin: 16px;	m-4	16px margin.
margin-top: 8px;	mt-2	Top margin 8px.
padding: 8px;	p-2	Padding 8px.
padding-left: 32px;	pl-8	Left padding 32px.

padding-y: 16px;	py-4	Vertical padding 16px.
------------------	------	------------------------

Sizing (Width & Height)

CSS	Tailwind	Explanation
width: 100%;	w-full	Full width.
width: auto;	w-auto	Auto width.
width: 256px;	w-64	Width 256px.
height: 100vh;	h-screen	Full viewport height.
min-width: 100px;	min-w-[100px]	Custom min-width.
max-width: 1200px;	max-w-[1200px]	Custom max-width.

Typography

CSS	Tailwind	Explanation
font-weight: bold;	font-bold	Bold text.
font-style: italic;	italic	Italic text.
text-align: center;	text-center	Center align text.
text-decoration: underline;	underline	Underline text.
letter-spacing: 0.05em;	tracking-wide	Increase letter spacing.
line-height: 1.5;	leading-relaxed	Relaxed line height.

Backgrounds

CSS	Tailwind	Explanation
background-color: red;	bg-red-500	Background red shade.
background-image: url(...);	bg-[url('...')]	Background image.
background-size: cover;	bg-cover	Cover background.
background-position: center;	bg-center	Center background image.
background-repeat: no-repeat;	bg-no-repeat	No repeat.

Borders & Radius

CSS	Tailwind	Explanation
border: 1px solid black;	border border-black	Black border.
border-width: 2px;	border-2	Border 2px wide.
border-radius: 0.5rem;	rounded-lg	Rounded corners.
border-radius: 9999px;	rounded-full	Circle shape.

Effects (Shadows, Opacity)

CSS	Tailwind	Explanation
box-shadow: none;	shadow-none	No shadow.
box-shadow: 0 1px 3px;	shadow-sm	Small shadow.
box-shadow: 0 10px 15px;	shadow-lg	Large shadow.
opacity: 0.5;	opacity-50	50% opacity.

Transforms & Animations

CSS	Tailwind	Explanation
transform: rotate(45deg);	rotate-45	Rotate 45 degrees.
transform: scale(1.5);	scale-150	Scale 150%.
transform: translateX(100px);	translate-x-[100px]	Translate X by 100px.
animation: spin;	animate-spin	Spinning animation.
animation: bounce;	animate-bounce	Bouncing animation.

Tables & Lists

CSS	Tailwind	Explanation
list-style-type: none;	list-none	No list markers.
list-style-type: disc;	list-disc	Disc bullets.
list-style-type: decimal;	list-decimal	Numbered list.
table-layout: auto;	table-auto	Automatic table layout.
table-layout: fixed;	table-fixed	Fixed table layout.

Interactivity

CSS	Tailwind	Explanation
cursor: pointer;	cursor-pointer	Pointer cursor.
cursor: not-allowed;	cursor-not-allowed	Disabled cursor.
user-select: none;	select-none	Disable text selection.
user-select: text;	select-text	Enable text selection.